SOUTH CAROLINA COUNTIES AND HEALTH DISTRICTS

5717-1-4

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS

1986

VOLUME I
ANNUAL VITAL STATISTICS SERIES

THE DIVISION OF BIOSTATISTICS
OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL

JULY 1988

COMMISSIONER AND STATE REGISTRAR

Michael D. Jarrett

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS

Murray B. Hudson, M.P.H.
Director

James E. Ferguson, M.M., M.A.
Statistics and Research Administrator

PREFACE

The majority of this report contains vital statistics data for South Carolina events that occurred in 1986. Vital Statistics certificates filed with the Office of Vital Records and Public Health Statistics of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, fetal deaths, marriages, divorces and annulments. Each year, approximately 140,000 vital records are added to the nearly 6.5 million such documents stored in the Office of Vital Records and Public Health Statistics.

The purpose of this report is to provide basic reference data for a variety of users. These statistics provide a useful and quantitative data base for consumers in the public and private sectors in support of a variety of uses and activities--population dynamics, health economics, planning, program development and evaluation, research and surveillance.

Data are presented for South Carolina, its 46 counties, and places of 2,500 or more population. The report is divided into six major sections. The first section is a 20-year summary of selected vital statistics. The second section is devoted to population data. The next three sections contain the core of the publication by presenting data on the major vital events. The last section is devoted to morbidity statistics. This section contains tables showing the number of reported cases of selected communicable diseases by county.

Population estimates for the intercensal years were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board under the Federal-State Cooperative Program of population estimating for local areas. The Division of Communicable Disease of the South Carolina Department of Health and Environmental Control furnished the morbidity data. A table showing reported cases of venereal disease by type by county is included in the Morbidity Section. These data were furnished by the Division of Venereal Disease Control.

The format of this report has changed from year to year as efforts are made to provide and present the data in the most useful and concise manner.

Suggestions and comments concerning this report will be welcomed. More detailed statistical data pertaining to vital events may be obtained by submitting a request to:

Office of Vital Records and Public Health Statistics
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

TABLE OF CONTENTS

Page

Completeness of Registration..... i

Allocation of Events by Residence and Occurrence..... ii

Definitions of Terms..... iii

Interpretation of Data..... iv

Vital Statistics Rates and Ratios..... vi

Equivalents in Pounds and Ounces of the Gram Weight Intervals and Symbols Used in Tables..... vii

SUMMARY OF VITAL EVENTS

Table 1. Population, Live Births, Deaths, Marriages and Divorces, With Rates per 1,000 Population, by Race: South Carolina, 1967-1986 (Residence Data)..... 1

Table 2. Out-of-Wedlock Births, Low Weight Births, Fetal Deaths, Deaths Under One Year and Under 28 Days, and Maternal Deaths With Rates, by Race: South Carolina, 1967-1986 (Residence Data)..... 2

Table 3. Mortality From Selected Causes of Death by Race With Rates per 100,000 Population: South Carolina, 1967-1986 (Residence Data).. 3

POPULATION

Summary of Population..... 5

Table 4. Population, Live Births, Deaths and Natural Increase South Carolina, 1966-1986..... 6

Figure 1. Population Growth Due to Natural Increase: South Carolina, 1966-1986 (Residence Data)..... 6

Figure 2. Population Distribution of South Carolina, 1986..... 7

Table 5. Estimates of Population by Race: South Carolina and Each County, 1986..... 8

BIRTHS

		Page
Summary of Births		9
Figure 3.	Live Birth Rate Distribution of South Carolina, 1986	9
Table 6.	Live Births and Live Birth Rates by Race South Carolina, 1963-1986 (Residence Data)	10
Figure 4.	Live Birth Rates by Race: South Carolina, 1963-1986 (Residence Data)	10
Table 7.	Live Births by Attendant by Place of Delivery: South Carolina, 1986 (Residence Data)	11
Table 8.	Percentages of Births Occurring in Hospitals by Race: South Carolina, 1977-1986 (Residence Data)	11
Table 9.	Percentage Distribution of Out-of-Wedlock Live Births by Age of Mother: South Carolina, 1982-1986 (Residence Data)	12
Table 10.	Percentage Distribution of Live Births by Age of Mother: South Carolina, 1982-1986 (Residence Data)	12
Table 11.	Live Births by Birth Weight by Race With Percentages of Births in Weight Group: South Carolina, 1986 (Residence Data)	13
Table 12.	Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1986 (Residence Data)	13
Figure 5.	Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1986 (Residence Data)	14
Figure 6.	Percentage Distribution of Live Births by Birth Weight and Race: South Carolina, 1986 (Residence Data)	14
Table 13.	Fertility Rates by Race: South Carolina, 1970-1986	15
Table 14.	Population of Females Age 15-44 Years by Race: South Carolina, 1970-1986	15
Table 15.	Sex Ratio of Males per 100 Females: South Carolina, 1982-1986 (Residence Data)	16
Table 16.	Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1986 (Residence Data)	17
Table 17.	Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1986 (Occurrence Data)	21

		Page
Table 18.	Live Births by Race and Sex: South Carolina and Each County 1986, (Residence Data)	25
Table 19.	Live Births by Race and Sex: South Carolina and Each County, 1986 (Occurrence Data)	26
Table 20.	Live Births by County of Occurrence by County of Residence, South Carolina, 1986	27
Table 21.	Live Births by Number of Prenatal Care Visits: South Carolina and Each County, 1986 (Residence Data)	29
Table 21-A.	Live Births by Number of Prenatal Care Visits by Race: South Carolina and Each County, 1986 (Residence Data)	30
Table 22.	Live Births by Month Prenatal Care Began: South Carolina and Each County, 1986 (Residence Data)	32
Table 22-A.	Live Births by Month Prenatal Care Began by Race: South Carolina and Each County, 1986 (Residence Data)	33
Table 23.	Live Births by Education of Mother: South Carolina and Each County, 1986 (Residence Data)	35
Table 23-A.	Live Births by Education of Mother by Race: South Carolina and Each County, 1986 (Residence Data)	36
Table 24.	Live Births by Attendant: South Carolina and Each County, 1986 (Residence Data)	38
Table 24-A.	Live Births by Attendant by Race: South Carolina and Each County, 1986 (Residence Data)	39
Table 25.	Live Births by Attendant: South Carolina and Each County, 1986 (Occurrence Data)	41
Table 25-A.	Live Births by Attendant by Race: South Carolina and Each County, 1986 (Occurrence Data)	42
Table 26.	Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1986 (Residence Data)	44
Table 27.	Live Births by Age of Mother: South Carolina and Each County, 1986 (Residence Data)	45
Table 27-A.	Live Births by Age of Mother and Race: South Carolina and Each County, 1986 (Residence Data)	46

BIRTHS

Page

Table 26. Live Births to Mothers Less Than 20 Years Old: South Carolina and Each County, 1986 (Residence Data)..... 48

Table 29. Live Births by Birth Weight, Age of Mother and Race: South Carolina, 1986 (Residence Data)..... 49

Table 30. Low Weight Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1986 (Residence Data)..... 50

Table 31. Low Weight Live Births by Age of Mother: South Carolina and Each County, 1986 (Residence Data)..... 51

Table 31-A. Low Weight Live Births by Age of Mother and Race: South Carolina and Each County, 1986 (Residence Data)..... 52

Table 32. Live Births by Birth Weight and Race: South Carolina and Each County, 1986 (Residence Data)..... 54

Table 33. Out-of-Wedlock Live Births and Percent of Out-of-Wedlock Live Births: South Carolina and Each County, 1986 (Residence Data)..... 60

Table 34. Out-of-Wedlock Live Births by Age of Mother: South Carolina and Each County, 1986 (Residence Data)..... 61

Table 34-A. Out-of-Wedlock Live Births by Age of Mother and Race: South Carolina and Each County, 1986 (Residence Data)..... 62

Table 35. Live Births With Reported Congenital Malformations: South Carolina and Each County, 1984-1986 (Residence Data)..... 64

Table 36. Live Births With Reported Congenital Malformations by Type of Malformation: South Carolina, 1984-1986 (Residence Data)..... 65

DEATHS

Summary of Death..... 66

Figure 7. Death Rate Map Distribution of South Carolina, 1986 66

Table 37. Death Rates by Race: South Carolina, 1963-1986 (Residence Data)..... 67

Figure 8. Death Rate Graph by Race: South Carolina, 1963-1986 (Residence Data)..... 67

Table 38. Percentage Distribution of Deaths by Race, by Age: South Carolina, 1967 and 1986 (Residence Data)..... 68

Page

Table 39. Leading Causes of Infant Death, by Age at Death: South Carolina, 1986 (Residence Data) 69

Table 40. Maternal Deaths by Cause, Race and Age: South Carolina, 1986 (Residence Data) 70

Table 41. Violent Deaths With Rates by Type: South Carolina, 1982-1986 (Residence Data) 71

Table 42. Types of Accidental Deaths by Sex: South Carolina, 1986 (Residence Data) 71

Table 43. Methods of Suicidal Deaths by Sex: South Carolina, 1986 (Residence Data) 72

Table 44. Methods of Homicidal Deaths by Sex: South Carolina, 1986 (Residence Data) 72

Table 45. Distribution of Malignant Neoplasms by Site: South Carolina, 1986 (Residence Data) 73

Table 46. Deaths From Major Cardiovascular Diseases: South Carolina, 1986 (Residence Data) 74

Table 47. Mortality From Ten Leading Causes of Death by Race: South Carolina, 1986 (Residence Data) 75

Figure 9. Percentage Distribution of the Ten Leading Causes of Death and Deaths From All Causes, by Sex: South Carolina, 1986 (Residence Data) 75

Table 48. Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1986 (Residence Data) 76

Table 49. Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1986 (Residence Data) 77

Table 50. Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1986 (Occurrence Data) 81

Table 51. Deaths by Race and Sex: South Carolina and Each County, 1986 (Residence Data) 85

Table 52. Deaths by Race and Sex: South Carolina and Each County, 1986 (Occurrence Data) 86

Page

Table 53. Deaths and Death Rates From Selected Causes, by Race and Sex: South Carolina, 1986 (Residence Data) 87

Table 53-A. Deaths From Selected Causes, by Race and Sex: Each County, 1986 (Residence Data) 88

Table 54. Deaths From Selected Causes, by Age, Race, and Sex: South Carolina, 1986 (Residence Data) 111

Table 55. Deaths by Certifier: South Carolina and Each County, 1986 (Occurrence Data) 123

Table 55-A. Deaths by Certifier, by Race: South Carolina and Each County, 1986 (Occurrence Data) 124

Table 56. Deaths by Burial Disposition: South Carolina and Each County, 1986 (Occurrence Data) 125

Table 56-A. Deaths by Burial Disposition by Race: South Carolina and Each County, 1986 (Occurrence Data) 126

Table 57. Major Causes of Accidental Death: South Carolina and Each County, 1986 (Residence Data) 127

Table 58. Major Causes of Accidental Death: South Carolina and Each County, 1986 (Occurrence Data) 128

Table 59. Deaths From Suicide by Method: South Carolina, 1986 (Residence Data) 129

Table 60. Deaths From Homicide by Method: South Carolina, 1985 (Residence Data) 130

Table 61. Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County and Place of 2,500 or More Population, 1986 (Residence Data) 131

Table 62. Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County, 1986 (Residence Data) 135

Table 63. Neonatal Mortality and Neonatal Mortality Rates by Race: South Carolina and Each County, 1986 (Residence Data) 136

Table 64. Postneonatal Mortality and Postneonatal Mortality Rates by Race: South Carolina and Each County, 1986 (Residence Data) 137

Table 65. Fetal Mortality and Fetal Mortality Rates by Race: South Carolina and Each County, 1986 (Residence Data) 138

DEATHS

Page

Table 66. Fetal Deaths by Age of Mother: South Carolina and Each County, 1986 (Residence Data) 139

Table 66-A. Fetal Deaths by Age of Mother by Race: South Carolina and Each County, 1986 (Residence Data) 140

Table 67. Perinatal Mortality and Perinatal Mortality Rates by Race: South Carolina and Each County, 1986 (Residence Data) 142

Table 68. Maternal Mortality and Maternal Mortality Rates by Race: South Carolina and Each County, 1986 (Residence Data) 143

Table 69. Maternal Mortality and Maternal Mortality Rates by Race: South Carolina and Each County, 1986 (Occurrence Data) 143

MARRIAGES, DIVORCES, AND ANNULMENTS

Summary of Marriages, Divorces and Annulments 144

Figure 10. Percentage of Marriage Licenses Issued to Non-Residents in South Carolina, 1971-1986 144

Table 70. Marriages by Race of Bride and Race of Groom: South Carolina, 1986 (Occurrence Data) 145

Table 71. Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1986 146

Table 72. Marriages by Residential Status, by County of Marriage: South Carolina, 1986 (Occurrence Data) 147

Table 73. Marriages by Race, by Residential Status, by Age Groups of Brides: South Carolina, 1986 148

Table 74. Marriages by Race, by Residential Status, by Age Groups of Grooms: South Carolina, 1986 149

Table 75. Marriages by Age of Bride by Age of Groom: South Carolina, 1986 150

Table 76. Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1986 151

MARRIAGES, DIVORCES, AND ANNULMENTS

Page

Table 77. Divorces by Plaintiff, by Legal Grounds For Decree: South Carolina and Each County, 1986..... 152

Table 78. Divorces by Age Groups, by Race: South Carolina, 1986..... 153

Table 79. Divorces and Annulments, by Duration of Marriage, by Race: South Carolina, 1986..... 154

MORBIDITY

Table 80. Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1986..... 155

Table 81. Reported Cases of Venereal Disease: South Carolina and Each County, 1986..... 157

APPENDIX

Sample Certificates..... 158

Comparability Ratios..... 163

COMPLETENESS OF REGISTRATION

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928. Birth registration, tested for completeness in 1950, was found to be 90 percent complete. Death registration is believed to be even more complete than birth registration since legal requirements must be met.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July, 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July, 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more be registered it is believed that registration is notably incomplete. Fetal death registration will continue to improve in regard to completeness of registration as in increasing amount of attention is directed to the relationship of fetal deaths and early infant deaths.

Delayed registration results in undernumeration of vital events for a specific time period. Frequency counts in this report are based on 1986 events processed in the state office before May 1987. As this publication goes to press, 5 birth, 0 death, and 0 fetal death records for 1986 were processed after the closing date and were not added to the statistical file.

ALLOCATION OF EVENTS BY RESIDENCE OR OCCURRENCE

The user of vital event data must be aware of the methods used in compiling the data if he/she is to make valid interpretations. With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated to the county of residence of the deceased. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other health facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

PLACE OF RESIDENCE OR OCCURRENCE 1986

	BIRTHS			DEATHS		
	TOTAL	WHITE	NONWHITE	TOTAL	WHITE	NONWHITE
Occurring in S.C.	49,557	29,589	19,968	27,334	18,535	8,799
Residents of S.C.	49,040	29,182	19,858	26,567	17,901	8,666
Non-Residents	517	407	110	767	634	133
Occurring to S.C. Residents	51,726	31,202	20,524	28,122	19,098	9,024
In South Carolina	49,040	29,182	19,858	26,567	17,901	8,666
Out-of-State	2,686	2,020	666	1,555	1,197	358

Note: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERM

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

LIVE BIRTH: The complete explusion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommeded by World Health Organization in 1950).

LOW BIRTH WEIGHT: Low birth weight is one for which the birth weight is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

OUT-OF-WEDLOCK: A birth which occurs to a woman who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

FETAL DEATH: Death prior to the complete expulsion of extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a)).

INFANT DEATH: Death of a live born infant under one year of age.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

PERINATAL DEATH: Neonatal deaths plus fetal deaths.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and Puerperium (Ninth Revision ICD 630-676). If death occurred more than 42 days after termination of pregnancy, the death is not considered to be pregnancy-related and is not assigned to codes 630-676.

UNDERLYING CAUSE OF DEATH: The disease or injury which initiated the train of morbid events, leading directly to death. (International Classification of Disease).

NATURAL INCREASE: The increase in the population due to excess of births over deaths for a particular period.

INTERPRETATION OF DATA

SMALL NUMBER FREQUENCIES: There are variations in all statistics which are the results of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these rates. For this reason, rates for counties with small populations or other small bases should be used cautiously.

MEDICAL CERTIFICATION OF DEATH: Since the medical certification of death can be made only by a person authorized by law, usually a physician or coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out. In addition, mortality statistics represent the underlying cause of death as indicated by the attending physician or coroner. It is recognized that death may not result from a single morbid condition. However, this report does not include multiple cause tabulations.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision for 1958-1968; the Eighth 1969-1978; and the Ninth Revision went into effect in 1979.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause is defined as the "disease or injury which initiated the train of morbid events, leading directly to death". (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949 with the Sixth Revision resulted in the basic change in classification of death which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios are needed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios were derived by taking the number of deaths classified to a given cause by the Ninth Revision and dividing the result by the number of deaths classified to that cause by the Eighth Revision. On a national level, provisional comparability ratios for the United States based on the Eighth and Ninth Revisions have been developed for a limited number of causes in the Monthly Vital Statistics Report, Vol, 28, Number 11 published by the National Center for Health Statistics.

RACE: Information on race of the mother and father is required on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths utilize the race of mother. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "nonwhite".

On live births, the races of father and of mother were coded independently and the race of child was generated for the tables in this report by comparing the two parents' codes and following a set of rules:

(1) When the race of both mother and father are white, the child's race will be white;
(2) When both the mother's and father's race are unknown, the race of the child will be nonwhite;
(3) When the race of one of the parents is white and the other parent's race is unknown, the race of the child will be white;
(4) For all combinations other than the above, the race of the child will be nonwhite.

Below is a cross-classification of race of father by race of mother for resident live births for South Carolina, 1986.

RACE OF FATHER	RACE OF MOTHER							
	White	Black	Indian	Chinese	Japanese	Other	Unk	Total
White	28,356	44	33	4	6	153	-	28,596
Black	133	9,416	-	-	1	22	-	9,572
Indian	35	3	16	-	-	1	-	55
Chinese	1	1	-	17	-	2	-	21
Japanese	6	1	-	-	6	-	-	13
Other	46	4	-	-	-	158	-	208
Unk	2,846	10,380	11	-	-	18	6	13,261
Total	31,423	19,849	60	21	13	354	6	51,726

"Other" includes Hawaiian, Filipino, Other Pacific Islander, and Other nonwhite. The unknown race includes out-of-wedlock births where the father's race is not shown and also actual unknown race.

VITAL STATISTICS RATES AND RATIOS

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depend upon the accuracy of population estimates.

For the most, part rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	=	$\frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}}$	X 100,000
Death Rate (crude)	=	$\frac{\text{Annual number of deaths}}{\text{Population of area}}$	X 1,000
Divorce Rate (crude)	=	$\frac{\text{Annual number of divorces}}{\text{Population of area}}$	X 1,000
Fetal Mortality Rate	=	$\frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births}}$	X 1,000
General Fertility Rate	=	$\frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}}$	X 1,000
Out-of-Wedlock Birth Rate	=	$\frac{\text{Annual number of out-of-wedlock births}}{\text{Annual number of live births}}$	X 1,000
Infant Mortality Rate	=	$\frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}}$	X 1,000
Live Birth Rate (Crude)	=	$\frac{\text{Annual number of live births}}{\text{Population of area}}$	X 1,000
Marriage Rate (Crude)	=	$\frac{\text{Annual number of marriages}}{\text{Population of area}}$	X 1,000
Maternal Mortality Rate	=	$\frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}}$	X 10,000
Neonatal Mortality Rate	=	$\frac{\text{Annual number of neonatal deaths}}{\text{Annual number live births}}$	X 1,000
Postneonatal Mortality Rate	=	$\frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}}$	X 1,000
Perinatal Mortality Rate	=	$\frac{\text{Annual number of fetal deaths plus Annual number of neonatal deaths}}{\text{Annual number of live births plus Annual number of fetal deaths}}$	X 1,000
Low Weight Birth Rate	=	$\frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}}$	X 1,000

Equivalents in Pounds and Ounces of the Gram Weight Intervals

500 grams or less	=	1 lb.	1 oz.	or less		
501-1,000 grams	=	1 lb.	2 oz.	-	2 lb	3 oz.
1,001-1,500 grams	=	2 lb.	4 oz.	-	3 lb.	4 oz.
1,501-2,000 grams	=	3 lb.	5 oz.	-	4 lb.	6 oz.
2,001-2,500 grams	=	4 lb.	7 oz.	-	5 lb.	8 oz.
2,501-3,000 grams	=	5 lb.	9 oz.	-	6 lb.	9 oz.
3,001-3,500 grams	=	6 lb.	10 oz.	-	7 lb.	11 oz.
3,501-4,000 grams	=	7 lb.	12 oz.	-	8 lb.	13 oz.
4,001-4,500 grams	=	8 lb.	14 oz.	-	9 lb.	14 oz.
4,501-5,000 grams	=	9 lb.	15 oz.	-	11 lb.	0 oz.
5,001 grams or more	=	11 lb.	1 oz.	-	or more	

Symbols used in Tables

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

SUMMARY OF VITAL EVENTS

Table 1 .
Population, Live Births, Deaths, Marriages and Divorces With Rates
Per 1,000 Population by Race, South Carolina, 1967-1986
(Residence Data)

Year	Race	Population[1]	Resident Births		Resident Deaths		Marriages[2]		Annulments and Divorces[3]	
			Number	Rate	Number	Rate	Number	Rate	Number	Rate
1967	Total	2,660,000	49,822	18.7	21,762	8.2	52,148	19.6	3,584[4]	1.3
	White	1,841,424	29,996	16.3	13,611	7.4	39,522	21.5	3,071	1.7
	Nonwhite	818,576	19,826	24.2	8,151	10.0	12,626	15.4	491	0.6
1968	Total	2,669,000	49,158	18.4	23,411	8.8	54,943	20.6	4,518	1.7
	White	1,836,000	30,416	16.6	14,778	8.0	42,091	22.9	3,873	2.1
	Nonwhite	833,000	18,742	22.5	8,633	10.4	12,852	15.4	645	0.8
1969	Total	2,698,000	50,401	18.7	22,820	8.5	57,981	21.5	5,435	2.0
	White	1,856,600	31,626	17.0	14,612	7.9	44,310	23.9	4,567	2.5
	Nonwhite	841,400	18,775	22.3	8,208	9.8	13,671	16.2	868	1.0
1970	Total	2,590,516	52,283	20.2	22,762	8.8	57,887	22.3	5,829	2.3
	White	1,794,430	32,703	18.2	14,752	8.2	44,730	24.9	4,972	2.8
	Nonwhite	796,086	19,580	24.6	8,010	10.1	13,157	16.5	857	1.1
1971	Total	2,626,800	52,984	20.2	23,140	8.8	58,034	22.1	6,657	2.5
	White	1,833,500	32,912	18.0	15,035	8.2	44,485	24.3	5,613	3.1
	Nonwhite	793,300	20,072	25.3	8,105	10.2	13,549	17.1	1,044	1.3
1972	Total	2,665,000	49,951	18.7	23,920	9.0	59,983	22.5	7,646	2.9
	White	1,873,800	30,857	16.5	15,475	8.3	45,039	24.0	6,489	3.5
	Nonwhite	791,200	19,094	24.1	8,445	10.7	14,944	18.9	1,157	1.5
1973	Total	2,726,000	48,922	17.9	24,871	9.1	56,876	20.9	8,266	3.0
	White	1,930,000	29,881	15.5	16,188	8.4	42,198	21.9	6,973	3.6
	Nonwhite	796,000	19,041	23.9	8,683	10.9	14,678	18.4	1,293	1.6
1974	Total	2,784,000	48,432	17.4	24,169	8.7	53,009	19.0	8,816	3.2
	White		29,469	15.0	15,941	8.1	39,731	20.3	7,431	3.8
	Nonwhite		18,963	23.0	8,228	10.0	13,278	16.1	1,385	1.7
1975	Total	2,818,000	46,665	16.6	23,343	8.3	50,249	17.8	9,671	3.4
	White	1,942,000	28,016	14.4	15,464	8.0	38,372	19.8	8,243	4.2
	Nonwhite	876,000	18,649	21.3	7,879	9.0	11,877	13.6	1,428	1.6
1976	Total	2,848,000	47,651	16.7	23,639	8.3	50,698	17.8	10,641	3.7
	White	1,962,000	28,529	14.5	15,652	8.0	38,482	19.6	8,954	4.6
	Nonwhite	886,000	19,122	21.6	7,987	9.0	12,216	13.8	1,687	1.9
1977	Total	2,876,000	49,848	17.3	24,254	8.4	51,306	17.8	10,717	3.7
	White	1,966,700	29,646	15.1	16,088	8.2	38,924	19.8	8,969	4.6
	Nonwhite	909,100	20,202	22.2	8,166	9.0	12,382	13.6	1,748	1.9
1978	Total	2,917,200	49,558	17.0	24,055	8.2	52,960	18.1	11,901	4.1
	White	2,014,100	29,048	14.4	15,993	7.9	40,224	20.0	9,903	4.9
	Nonwhite	903,100	20,510	22.7	8,062	8.9	12,736	14.1	1,998	2.2
1979	Total	2,931,900	50,586	17.3	24,343	8.3	53,505	18.2	13,747	4.7
	White	2,022,600	29,839	14.8	16,207	8.0	40,790	20.2	11,283	5.6
	Nonwhite	909,300	20,747	22.8	8,136	8.9	12,715	14.0	2,464	2.7
1980	Total	3,121,800	51,908	16.6	25,138	8.1	53,915	17.3	13,595	4.4
	White	2,147,224	30,559	14.2	16,781	7.8	40,955	19.1	11,155	5.2
	Nonwhite	974,596	21,349	21.9	8,357	8.6	12,960	13.3	2,440	2.5
1981	Total	3,196,247	51,745	16.2	25,410	7.9	54,415	17.0	13,974	4.4
	White	2,196,957	30,542	13.9	17,199	7.8	41,746	19.0	11,503	5.2
	Nonwhite	999,290	21,203	21.2	8,211	8.2	12,669	12.7	2,471	2.5
1982	Total	3,256,259	51,554	15.8	25,066	7.7	53,496	16.4	13,600	4.2
	White	2,236,690	30,652	13.7	16,823	7.5	40,655	18.2	11,233	5.0
	Nonwhite	1,019,569	20,902	20.5	8,243	8.1	12,841	12.6	2,367	2.3
1983	Total	3,316,306	50,731	15.3	26,130	7.9	53,691	16.2	13,601	4.1
	White	2,276,477	30,448	13.4	17,717	7.8	41,490	18.2	11,060	4.9
	Nonwhite	1,039,829	20,283	19.5	8,413	8.1	12,201	11.7	2,541	2.4
1984	Total	3,300,500	50,561	15.3	26,363	8.0	55,357	16.8	13,674	4.1
	White	2,259,528	30,607	13.5	17,815	7.9	42,557	18.8	11,111	4.9
	Nonwhite	1,040,972	19,954	19.2	8,548	8.2	12,800	12.3	2,563	2.5
1985	Total	3,366,521	51,846	15.4	27,077	8.0	52,805	15.7	13,456	4.0
	White	2,302,246	31,543	13.7	18,390	8.0	40,315	17.5	11,045	4.8
	Nonwhite	1,064,275	20,303	19.1	8,687	8.2	12,490	11.7	2,411	2.3
1986	Total	3,417,611	51,726	15.1	28,122	8.2	53,974	15.8	13,431	3.9
	White	2,334,192	31,202	13.4	19,098	8.2	40,934	17.5	11,011	4.7
	Nonwhite	1,083,419	20,524	18.9	9,024	8.3	13,040	12.0	2,420	2.2

1/ 1970 and 1980 are actual census counts; estimated population for intercensal years. Estimates by race for 1974 have not been published. See S.C. Vital and Morbidity Statistics, 1974, page 5.
2/ Figures represent all reported marriages where license was issued in South Carolina.
3/ Figures represent all reported divorces and annulments granted in South Carolina by race of husband.
4/ Includes 22 races not stated

Table 2.
Out-of-Wedlock, Low Weight Births, Fetal Deaths, Death Under One Year and Under 28 Days, and Maternal Deaths, With Rates 1/, by Race: South Carolina, 1967-1986
(Residence Data)

Year	Race	Out-of Wedlock Live Births		Low Weight Live Births		Fetal Deaths		Infant Deaths				Maternal Deaths	
								Under 1 Year		Under 28 Days			
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1967	Total	7,521	151.0	4,833	97.0	937	18.8	1,384	27.8	891	17.9	24	4.8
	White	1,124	37.5	2,224	74.1	414	13.8	628	20.9	493	16.4	8	2.7
	Nonwhite	6,397	322.7	2,609	131.6	523	26.4	756	38.1	398	20.1	16	8.1
1968	Total	7,353	149.6	4,804	97.7	851	17.3	1,342	27.3	838	17.0	28	5.7
	White	1,117	36.7	2,277	74.9	394	13.0	614	20.2	457	15.0	11	3.6
	Nonwhite	6,236	332.7	2,527	134.8	457	24.4	728	38.8	381	20.3	17	9.1
1969	Total	7,439	147.6	4,828	95.8	845	16.8	1,220	24.2	776	15.4	18	3.6
	White	1,193	37.7	2,203	69.7	381	12.0	599	18.9	439	13.9	6	1.9
	Nonwhite	6,246	332.7	2,625	139.8	464	24.7	621	33.1	337	17.9	12	6.4
1970	Total	7,858	150.3	5,008	95.8	815	15.6	1,199	22.9	798	15.3	23	4.4
	White	1,226	37.5	2,374	72.6	417	12.8	607	18.6	469	14.3	6	1.8
	Nonwhite	6,632	338.7	2,634	134.5	398	20.3	592	30.2	329	16.8	17	8.7
1971	Total	8,218	155.1	4,690	88.5	813 2/	15.3	1,149	21.7	789	14.9	28	5.3
	White	1,191	36.2	2,145	65.2	366	11.1	536	16.3	423	12.9	8	2.4
	Nonwhite	7,027	350.1	2,545	126.8	445	22.2	613	30.5	366	18.2	20	10.0
1972	Total	8,387	167.9	4,533	90.7	791	15.8	1,126	22.5	774	15.5	19	3.8
	White	1,249	40.5	2,065	66.9	351	11.4	536	17.4	405	13.1	5	1.6
	Nonwhite	7,138	373.8	2,468	129.3	440	23.0	590	30.9	369	19.3	14	7.3
1973	Total	8,778	179.4	4,404	90.0	809 2/	16.5	1,105	22.6	752	15.4	18	3.7
	White	1,314	44.0	1,989	66.6	354	11.8	527	17.6	395	13.2	4	1.3
	Nonwhite	7,464	392.0	2,415	126.8	453	23.8	578	30.4	357	18.7	14	7.4
1974	Total	8,811	181.9	4,401	90.9	732 3/	15.1	1,031	21.3	727	15.0	10	2.1
	White	1,281	43.5	1,901	64.5	327	11.1	493	16.7	377	12.8	4	1.4
	Nonwhite	7,530	397.1	2,500	131.8	402	21.2	538	28.4	350	18.5	6	3.2
1975	Total	9,242	198.0	4,205	90.1	653 4/	14.0	897	19.2	638	13.7	5	1.1
	White	1,394	49.8	1,840	65.7	282	10.1	431	15.4	318	11.4	1	0.4
	Nonwhite	7,848	420.8	2,365	126.8	370	19.8	466	25.0	320	17.2	4	2.1
1976	Total	9,447	198.3	4,237	88.9	715 5/	15.0	930	19.5	633	13.3	13	2.7
	White	1,404	49.2	1,758	61.6	312	10.9	400	14.0	284	10.0	2	0.7
	Nonwhite	8,043	420.6	2,479	129.6	398	20.8	530	27.7	349	18.3	11	5.8
1977	Total	10,419	209.0	4,442	89.1	685 6/	13.7	876	17.6	607	12.2	10	2.0
	White	1,588	53.6	1,811	61.1	301	10.2	387	13.1	285	9.6	1	0.3
	Nonwhite	8,831	437.1	2,631	130.2	378	18.7	489	24.2	322	15.9	9	4.5
1978	Total	10,822	218.4	4,418	89.1	664	13.4	919	18.5	614	12.4	8	1.6
	White	1,674	57.6	1,749	60.2	284	9.8	386	13.3	274	9.4	5	1.7
	Nonwhite	9,148	446.0	2,669	130.1	380	18.5	533	26.0	340	16.6	3	1.5
1979	Total	10,749	212.5	4,479	88.5	654	12.9	857	17.0	565	11.2	6	1.2
	White	1,571	52.6	1,848	61.9	279	9.4	367	12.3	260	8.7	-	0
	Nonwhite	9,178	442.4	2,631	126.8	375	18.1	490	23.6	305	14.7	6	2.9
1980	Total	11,191	215.6	4,493	86.6	672	12.9	809	15.6	561	10.8	12	2.3
	White	1,747	57.2	1,836	60.1	288	9.4	330	10.8	232	7.6	7	2.3
	Nonwhite	9,444	442.4	2,657	124.5	384	17.9	479	22.4	329	15.4	5	2.3
1981	Total	11,339	219.1	4,582	88.5	669	12.9	836	16.2	562	10.9	3	0.6
	White	1,735	56.8	1,876	61.4	280	9.2	379	12.4	247	8.1	-	0
	Nonwhite	9,604	453.0	2,706	127.6	389	18.3	457	21.6	315	14.9	3	1.4
1982	Total	11,626	225.5	4,580	88.8	684	13.3	832	16.1	552	10.7	6	1.2
	White	2,013	65.7	1,884	61.5	284	9.3	367	12.0	248	8.1	-	0
	Nonwhite	9,613	459.9	2,696	129.0	400	19.1	465	22.2	304	14.5	6	2.9
1983	Total	11,908	234.7	4,395	86.6	645	12.7	760	15.0	497	9.8	4	0.8
	White	2,105	69.1	1,864	61.2	272	8.9	343	11.3	215	7.1	1	0.3
	Nonwhite	9,803	483.3	2,531	124.8	373	18.4	417	20.6	282	13.9	3	1.5
1984	Total	11,916	235.7	4,431	87.6	640	12.7	743	14.7	495	9.8	5	1.0
	White	2,129	69.5	1,916	62.6	292	9.5	339	11.1	239	7.8	3	1.0
	Nonwhite	9,787	490.5	2,515	126.0	348	17.4	404	20.2	256	12.8	2	1.0
1985	Total	12,513	241.3	4,461	86.0	588	11.3	735	14.2	516	10.0	3	0.6
	White	2,464	78.1	1,856	58.8	259	8.2	301	9.5	205	6.5	-	0
	Nonwhite	10,049	495.0	2,605	128.3	329	16.2	434	21.4	311	15.3	3	1.5
1986	Total	13,032	251.9	4,443	85.9	545	10.5	685	13.2	456	8.8	10	1.9
	White	2,722	87.2	1,913	61.3	235	7.5	318	10.2	216	6.9	1	0.3
	Nonwhite	10,310	502.3	2,530	123.3	310	15.1	367	17.9	240	11.7	9	4.4

1/ Rates for out-of-wedlock births, low weight births, fetal deaths, deaths under one year and under 28 days are calculated per 1,000 live births, rates for maternal deaths are calculated per 10,000 live births.
2/ Includes 2 race not stated
3/ Includes 3 race not stated
4/ Includes 1 race not stated
5/ Includes 5 race not stated
6/ Includes 6 race not stated

Table 3.
Mortality From Selected Causes of Death by Race With Rates1/ per 100,000 Population
South Carolina, 1977-1986
(Residence Data)

YEAR	Total		White		Nonwhite		Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Malignant Neoplasms 140-209 (140-208), 1.0026						Hypertension 400,401,403, (401,403), 1.2703					
1977	4,272	148.5	3,030	154.1	1,242	136.6	67	2.3	30	1.5	37	4.1
1978	4,278	146.6	3,011	149.5	1,267	140.3	71	2.4	24	1.2	47	5.2
1979	4,563	155.6	3,210	158.7	1,353	148.8	99	3.4	55	2.7	44	4.8
1980	4,890	156.6	3,466	161.4	1,424	146.1	112	3.6	51	2.4	61	6.3
1981	4,904	153.4	3,487	158.7	1,417	141.8	108	3.4	47	2.1	61	6.1
1982	5,059	155.4	3,523	157.5	1,536	150.7	132	4.1	62	2.8	70	6.9
1983	5,255	158.4	3,700	162.5	1,555	149.5	112	3.4	44	1.9	68	6.5
1984	5,524	167.4	3,809	168.6	1,715	164.8	128	3.9	52	2.3	76	7.3
1985	5,643	167.6	3,969	172.4	1,674	157.3	174	5.2	73	3.2	101	9.5
1986	5,778	169.1	4,117	176.4	1,661	153.3	183	5.4	83	3.6	100	9.2
	Malignant Neoplasms of Cervix 180 (180), N.A*						Atherosclerosis 440 (440), 1.0649					
1977	91	3.2	47	2.4	44	4.8	222	7.7	157	8.0	65	7.1
1978	78	2.7	40	2.0	38	4.2	239	8.2	185	9.2	54	6.0
1979	69	2.4	34	1.7	35	3.8	255	8.7	192	9.5	63	6.9
1980	94	3.0	48	2.2	46	4.7	264	8.5	175	8.2	89	9.1
1981	64	2.0	35	1.6	29	2.9	271	8.5	198	9.0	73	7.3
1982	94	2.9	48	2.1	46	4.5	266	8.2	187	8.4	79	7.7
1983	88	2.7	46	2.0	42	4.0	260	7.8	204	9.0	56	5.3
1984	87	2.6	47	2.1	40	3.8	250	7.6	201	8.9	49	4.7
1985	88	2.6	48	2.1	40	3.6	224	6.7	165	7.2	59	5.5
1986	96	2.8	46	2.0	50	4.6	251	7.3	182	7.8	79	6.4
	Cerebrovascular Disease 430-438 (430-438), 1.0049						Ischemic Heart Disease 410-414 (410-414), 0.8784					
1977	2,697	93.8	1,688	85.8	1,009	111.0	7,224	251.2	5,264	267.7	1,960	215.6
1978	2,541	87.1	1,569	77.9	972	107.6	7,067	242.3	5,190	257.7	1,877	207.8
1979	2,513	85.7	1,549	76.6	964	106.0	5,956	203.1	4,460	220.5	1,496	164.5
1980	2,488	79.7	1,532	71.3	956	98.1	6,060	194.1	4,655	216.8	1,405	144.2
1981	2,384	74.6	1,461	66.5	923	92.4	5,978	187.0	4,686	213.3	1,292	129.3
1982	2,378	73.0	1,429	63.9	949	93.1	5,926	182.0	4,543	203.1	1,383	135.6
1983	2,340	70.6	1,419	62.3	921	88.6	6,449	194.5	4,922	216.2	1,527	146.9
1984	2,377	72.0	1,492	93.2	885	85.0	6,163	186.7	4,693	207.7	1,470	141.2
1985	2,433	72.3	1,536	66.7	897	84.3	6,271	186.3	4,810	208.9	1,461	137.3
1986	2,445	71.5	1,474	63.1	970	89.6	6,418	187.6	4,933	211.3	1,485	137.1
	Heart Disease 390-398,402,404,410-429 (390-398,402,404-429), 1.0126						Influenza and Pneumonia 470-474,480-486 (480-486,487) 0.9264					
1977	8,636	300.3	6,069	308.6	2,567	282.4	673	23.4	430	21.9	243	26.7
1978	8,550	293.1	6,013	298.6	2,537	280.9	702	24.1	475	23.6	227	25.1
1979	8,640	297.7	6,081	300.7	2,559	281.4	546	18.6	376	18.6	170	18.7
1980	9,047	289.8	6,421	299.0	2,626	269.4	559	17.9	380	17.7	179	18.4
1981	9,151	286.3	6,603	300.6	2,548	255.0	646	20.2	448	20.4	198	19.8
1982	9,083	278.9	6,457	288.7	2,626	257.6	618	19.0	415	18.6	203	19.9
1983	9,662	291.3	6,926	304.2	2,736	263.1	667	20.1	458	20.1	209	20.1
1984	9,343	283.1	6,669	295.2	2,674	256.9	672	20.4	477	21.1	195	18.7
1985	9,524	282.9	6,779	294.5	2,745	257.9	781	23.2	603	26.2	178	16.7
1986	9,895	289.5	7,050	302.0	2,845	262.6	837	24.4	589	25.2	248	22.9

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

1/ Rates in table have not been adjusted

* Not Available

Table 3 (Cont.)

YEAR	Total		White		Nonwhite		Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Diabetes Mellitus 250 (250), 0.9991						Accidents, All Types E800-E949 (E800-E949), 0.9970					
1977	480	16.7	256	13.0	224	24.6	1,749	60.8	1,116	56.7	633	69.6
1978	450	15.4	245	12.2	205	22.7	1,658	56.8	1,052	52.2	606	67.1
1979	471	16.1	274	13.5	197	21.7	1,729	59.0	1,076	53.2	653	71.8
1980	475	15.2	256	11.9	219	22.5	1,700	54.5	1,092	50.9	608	62.4
1981	498	15.6	285	13.0	213	21.3	1,692	52.9	1,070	48.7	622	62.2
1982	476	14.6	240	10.7	236	23.1	1,548	47.5	1,031	46.1	517	50.7
1983	486	14.6	248	10.9	238	22.9	1,728	52.1	1,128	49.5	600	57.7
1984	480	14.5	248	11.0	232	22.3	1,721	52.1	1,113	49.3	608	58.4
1985	506	15.0	283	12.3	223	21.0	1,668	49.5	1,089	47.3	579	54.4
1986	545	15.9	278	11.9	267	24.6	1,856	54.3	1,200	51.4	656	60.5
	Complications of Pregnancy, Childbirth and Puerperium 630-678 (630-676), 1.1002/						Motor Vehicle Accidents E810-E823 (E810-E825), 1.0117					
1977	10	2.0	1	0.3	9	4.5	952	33.1	676	34.4	276	30.4
1978	8	1.6	5	1.7	3	1.5	919	31.5	613	30.4	306	33.9
1979	6	1.2	-	0	6	2.9	915	31.2	599	29.6	316	34.8
1980	12	2.3	7	2.3	5	2.3	863	27.6	592	27.6	271	27.8
1981	3	0.6	-	0	3	1.4	849	26.6	616	28.0	233	23.3
1982	6	1.2	-	0	6	2.9	753	23.1	517	23.1	236	23.1
1983	4	0.8	1	0.3	3	1.5	859	25.9	613	26.9	246	23.6
1984	5	1.0	3	1.0	2	1.0	949	28.8	648	28.7	301	28.9
1985	3	0.6	-	0	3	1.5	920	27.3	650	28.2	270	25.4
1986	10	1.9	1	0.3	9	4.4	1,043	30.5	712	30.5	331	30.5
	Congenital Anomalies 740-759 (740-759), 0.9984						Suicide E950-E959 (E950-E959), 1.0032					
1977	207	7.2	122	6.2	85	9.3	359	12.5	311	15.8	48	5.3
1978	185	6.3	112	5.6	73	8.1	332	11.4	290	14.4	42	4.7
1979	229	7.8	143	7.1	86	9.5	308	10.5	281	13.9	27	3.0
1980	196	6.3	118	5.5	78	8.0	301	9.6	251	11.7	50	5.1
1981	213	6.7	125	5.7	88	8.8	348	10.9	305	13.9	43	4.3
1982	219	6.7	127	5.7	92	9.0	366	11.2	323	14.4	43	4.2
1983	208	6.2	117	5.1	91	8.7	334	10.1	302	13.3	32	3.1
1984	186	5.6	128	5.7	58	5.6	390	11.8	340	15.1	50	4.8
1985	198	5.9	104	4.5	94	8.8	391	11.6	325	14.1	66	6.2
1986	211	6.2	135	5.8	76	7.0	385	11.3	348	14.9	37	3.4
	Certain Conditions Originating In The Perinatal Period 760-778 (760-779), 1.0765						Homicide E960-E978 (E960-E978), 1.0057					
1977	469	16.3	207	10.5	262	28.8	380	13.2	174	8.8	206	22.7
1978	441	15.1	188	9.3	253	28.0	359	12.3	165	8.2	194	21.5
1979	422	14.4	167	8.3	255	28.0	387	13.2	168	8.3	219	24.1
1980	446	14.3	175	8.2	271	27.8	392	12.6	162	7.5	230	23.6
1981	452	14.1	188	8.6	264	26.4	357	11.2	158	7.2	199	19.9
1982	416	12.8	177	7.9	239	23.4	379	11.6	171	7.6	208	20.4
1983	400	12.1	168	7.4	232	22.3	323	9.7	148	6.5	175	16.8
1984	404	12.2	169	7.5	235	22.6	304	9.2	125	5.5	179	17.2
1985	406	12.1	145	6.3	261	24.5	323	9.6	141	6.1	182	17.1
1986	353	10.3	153	6.6	200	18.5	327	9.6	131	5.6	196	18.1

NOTE: 8th revision codes; then 9th revison codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

1/ Rates in table have not been adjusted

* Not Available

2/ Rates per 10,000 live births

POPULATION

SUMMARY OF POPULATION

The estimated population of South Carolina for 1986 was 3,417,611, an increase of 51,090 (1.5 percent) over the 1985 estimated population of 3,366,521. The 1986 estimate was an increase of 20 percent over the 1976 estimated population of 2,848,000. Population figures for 1986 used in this report were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board.

1970 and 1980 CENSUS OF POPULATION

Population Density: In 1970, the population density (number of persons per square mile of land area) of South Carolina was approximately 85.6. Based on the most recent census count, the 1980 population density had increased to 103.4, a 20.8 percent increase. Approximately 70 percent of the 46 counties in South Carolina had population densities less than that of the state in 1980, and ten of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1970, there were 1,794,430 white and 796,086 nonwhite persons residing in South Carolina. The 1980 census count recorded a 19.7 percent increase in white population and a 22.4 percent increase in nonwhite population. Of the ten year population change from 1970 to 1980, the 25-34 year age group showed the greatest percentage increase. Only two age groups, 5-9 and 10-14, showed a decrease in population from 1970 to 1980. The age distribution and the percent change in number of resident population from 1970 to 1980 are as follows:

	1970		1980		Percent Change
	Total	Percent	Total	Percent	1970-1980
Total	2,590,516	100.0	3,121,820	100.0	+20.5
Under 1 Year	48,675	1.9	50,686	1.6	+ 4.1
1 - 4 Years	187,089	7.2	187,830	6.0	+ 0.4
5 - 9 Years	269,242	10.4	253,643	8.1	- 5.8
10 - 14 Years	282,703	10.9	266,179	8.5	- 5.8
15 - 19 Years	280,881	10.8	317,234	10.2	+12.9
20 - 24 Years	238,202	9.2	313,738	10.1	+31.7
25 - 34 Years	320,245	12.4	516,741	16.6	+61.4
35 - 44 Years	286,000	11.0	350,505	11.2	+22.6
45 - 54 Years	277,119	10.7	299,183	9.6	+ 8.0
55 - 64 Years	209,400	8.1	278,753	8.9	+33.1
65 - 74 Years	125,224	4.8	189,527	6.1	+51.4
75 and Over	65,736	2.5	97,801	3.1	+48.8

Table 4.
Population, Live Births, Deaths, and Natural Increase
South Carolina 1966-1986
(Residence Data)

YEAR	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		NATURAL INCREASE
		NUMBER	RATE	NUMBER	RATE	(BIRTHS MINUS DEATHS)
1966	2,536,800	50,653	20.0	22,081	8.7	28,572
1967	2,660,000	49,822	18.7	21,762	8.2	28,060
1968	2,669,000	49,158	18.4	23,411	8.8	25,747
1969	2,698,000	50,401	18.7	22,820	8.5	27,581
1970	2,590,516	52,283	20.2	22,762	8.8	29,521
1971	2,626,800	52,984	20.2	23,140	8.8	29,844
1972	2,665,000	49,951	18.7	23,920	9.0	26,031
1973	2,726,000	48,922	17.9	24,871	9.1	24,051
1974	2,784,000	48,432	17.4	24,169	8.7	24,263
1975	2,818,000	46,665	16.6	23,343	8.3	23,322
1976	2,848,000	47,651	16.7	23,639	8.3	24,012
1977	2,876,000	49,848	17.3	24,254	8.4	25,594
1978	2,918,000	49,558	17.0	24,055	8.2	25,503
1979	2,931,900	50,586	17.3	24,343	8.3	26,243
1980	3,121,820	51,908	16.6	25,138	8.1	26,770
1981	3,196,247	51,745	16.2	25,410	7.9	26,335
1982	3,256,259	51,554	15.8	25,066	7.7	26,488
1983	3,316,306	50,731	15.3	26,130	7.9	24,601
1984	3,300,500	50,561	15.3	26,363	8.0	24,198
1985	3,366,521	51,846	15.4	27,077	8.0	24,769
1986	3,417,611	51,726	15.1	28,122	8.2	23,604

Rate per 1,000 population

Figure 1 .
BIRTH RATES, DEATH RATES, AND NATURAL INCREASE
South Carolina, 1966-1986 (Residence Data)



POPULATION* DISTRIBUTION OF SOUTH CAROLINA, 1986

Figure 2.



Table 5.
Estimates of South Carolina Population by Race by County
July, 1986

	Total	White	Nonwhite
SOUTH CAROLINA	3,417,611	2,334,192	1,083,419
Abbeville	24,156	16,300	7,856
Aiken	115,344	85,574	29,770
Allendale	11,284	3,880	7,404
Anderson	143,780	118,282	25,498
Bamberg	18,468	7,487	10,981
Barnwell	20,957	11,254	9,703
Beaufort	88,029	58,269	29,760
Berkeley	122,986	89,190	33,796
Calhoun	12,306	6,022	6,284
Charleston	297,473	185,018	112,455
Cherokee	42,885	34,062	8,823
Chester	30,893	18,772	12,121
Chesterfield	39,322	26,028	13,294
Clarendon	29,550	12,684	16,866
Colleton	34,827	18,960	15,867
Darlington	64,908	38,688	26,220
Dillon	33,306	17,684	15,622
Dorchester	78,042	58,073	19,969
Edgefield	19,339	9,830	9,509
Fairfield	21,272	9,051	12,221
Florence	116,225	72,650	43,575
Georgetown	48,633	27,041	21,592
Greenville	307,498	249,940	57,558
Greenwood	61,136	41,815	19,321
Hampton	19,340	8,915	10,425
Horry	132,949	103,167	29,782
Jasper	15,998	7,031	8,967
Kershaw	42,831	28,969	13,862
Lancaster	56,295	42,502	13,793
Laurens	54,073	38,292	15,781
Lee	19,154	7,314	11,840
Lexington	160,876	143,661	17,215
McCormick	7,688	2,936	4,752
Marion	35,058	16,174	18,884
Marlboro	33,154	17,007	16,147
Newberry	32,304	22,344	9,960
Oconee	53,225	47,646	5,579
Orangeburg	87,640	36,776	50,864
Pickens	85,333	79,348	5,985
Richland	287,262	160,584	126,678
Saluda	17,065	11,148	5,917
Spartanburg	209,391	165,764	43,627
Sumter	95,545	50,439	45,106
Union	31,338	21,748	9,590
Williamsburg	40,102	14,105	25,997
York	118,371	91,768	26,603

SOURCE: Division of Research and Statistical Services

BIRTHS

SUMMARY OF BIRTHS

In 1986, there were 51,726 live births to South Carolina residents with a crude rate of 15.1 per 1,000 estimated population. Of the total resident live births 31,202 (60.3 percent) were white and 20,524 (39.7 percent) were nonwhite. The white live birth rate was 13.4 per 1,000 estimated population; the nonwhite rate was 18.9.

Figure 3.



In 1973, the resident birth rate in South Carolina dropped to its lowest rate since 1950 and, in 1975, a new record low rate of 16.6 was set. The 1976 rate reflected a stabilization after several years of declining rates and the 1977 rate of 17.3 showed a slight increase (3.6 percent) over the 1976 rate of 16.7. In 1978, the rate fell again slightly to a rate of 17.0, but in 1979, the birth rate again rose slightly to a rate of 17.3. The current birth rate of 15.1 is the lowest birth rate ever recorded in this state.

Table 6 .
Total Live Births and Birth Rate by Race
1963-1986
South Carolina Residents

YEAR	TOTAL		WHITE		NONWHITE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1963	58,231	23.7	34,256	21.0	23,975	28.8
1964	56,906	22.9	33,184	20.1	23,722	28.4
1965	52,853	21.0	30,635	18.3	22,218	26.6
1966	50,653	20.0	30,118	17.7	20,535	24.4
1967	49,822	18.7	29,996	16.3	19,826	24.2
1968	49,158	18.4	30,416	16.6	18,742	22.5
1969	50,401	18.7	31,626	17.0	18,775	22.3
1970	52,283	20.2	32,703	18.2	19,580	24.6
1971	52,984	20.2	32,912	18.0	20,072	25.3
1972	49,951	18.7	30,857	16.5	19,094	24.1
1973	48,922	17.9	29,881	15.5	19,041	23.9
1974	48,432	17.4	29,469	15.0	18,963	23.0
1975	46,665	16.6	28,016	14.4	18,649	21.3
1976	47,651	16.7	28,529	14.5	19,122	21.6
1977	49,848	17.3	29,646	15.1	20,202	22.2
1978	49,558	17.0	29,048	14.4	20,510	22.7
1979	50,586	17.3	29,839	14.8	20,747	22.8
1980	51,908	16.6	30,559	14.2	21,349	21.9
1981	51,745	16.2	30,542	13.9	21,203	21.2
1982	51,554	15.8	30,652	13.7	20,902	20.5
1983	50,731	15.3	30,448	13.4	20,283	19.5
1984	50,561	15.3	30,607	13.5	19,954	19.2
1985	51,846	15.4	31,543	13.7	20,303	19.1
1986	51,726	15.1	31,202	13.4	20,524	18.9

Rate per 1,000 population

Figure 4 .
Live Birth Rates by Race
South Carolina, 1963-1986 (Residence Data)



ATTENDANT AT BIRTH

Tables 24 and 25 give the number of births according to attendant at delivery by county of residence and occurrence. Of the total 51,726 resident births, 97.0 percent were attended by a physician. The term "physician" includes osteopaths, residents, interns and externs. Midwives attended 2.5 percent of the total births, 2.4 percent of the white births, and 2.7 percent of the nonwhite births. Other and not stated attendant accounted for less than one percent of total births. The term "other" includes any specified attendant other than physician, midwife or self-attended, such as a friend or relative, EMS, etc. Included in the "not stated" category are unknown, not specified or not classifiable attendants.

Table 7 shows resident births by attendant by delivery site.

Table 7.
Live Births by Attendant by Place of Delivery
South Carolina, 1986
(Residence Data)

	Total	Physician	Lay Midwife	Certified Nurse Midwife	Nurse Midwife Nurse or Other Midwife	Self	Other Attendant	Unk
Hospital or or Clinic	51,400	50,130	-	1,245	24	1	-	-
Doctors Office	2	1	-	1	-	-	-	-
Enroute or Born on Arrival	106	19	-	-	2	20	65	-
Residence	218	5	26	1	26	68	117	1
Total	51,726	50,155	26	1,247	52	89	182	1

The percentages of total births which were delivered in hospitals are shown by race in Table 8 for the 10-year period 1977-1986. In 1977, 98.8 percent of the total births occurred in hospitals; 1986 showed a slight increase (0.6 percent). The greatest change has been among nonwhite births for which the frequency of the hospital delivery has increased from 97.8 in 1977 to 99.0 percent in 1986.

Table 8.
Percentages of Births Occurring in Hospitals by Race:
South Carolina, 1977-1986
(Residence Data)

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1977	98.8	99.8	97.8	1982	99.0	99.2	98.5
1978	99.0	99.5	98.3	1983	99.0	99.9	98.8
1979	99.2	99.5	98.7	1984	98.9	99.0	98.8
1980	99.3	99.5	99.1	1985	99.3	99.6	98.8
1981	99.2	99.5	98.7	1986	99.4	99.7	99.0

OUT-OF-WEDLOCK

In 1986, there were 13,032 out-of-wedlock live births to resident mothers in South Carolina, representing 25.2 percent of all live births. This is an increase of 4.7 percent from the percent of out-of-wedlock reported in 1985. The out-of-wedlock rate (rate per 1,000 total live births) increased from 241.3 in 1985 to 251.9 in 1986. Data for 1986 out-of-wedlock live births and percent of out-of-wedlock live births are given, by county, in Table 33. As in the past, out-of-wedlock births occurred more frequently among young mothers. Females under age 20 accounted for 40.0 percent of all out-of-wedlock live births in 1986. However, this percentage has decreased 12.1 percent since 1982.

Table 9.
Percentage Distribution of Out-of-Wedlock Live Births
By Age of Mother: South Carolina, 1982-1986
(Residence Data)

AGE	1982	1983	1984	1985	1986
All Ages.....	100.0	100.0	100.0	100.0	100.0
Under 15 Years.....	2.0	2.0	1.8	2.0	1.7
15-19 Years.....	43.5	41.7	40.3	39.3	38.1
20-24 Years.....	34.7	34.8	35.9	36.4	36.1
25-29 Years.....	13.3	14.3	14.4	14.8	15.7
30 Years and Over.....	6.5	7.2	7.5	7.6	8.4

AGE OF MOTHER

In 1986, there were 249 resident live births to mothers under 15 years of age and only 12 live births to mothers 45 years of age and over. Women aged 15-44 years were responsible for 99.5 percent of all live births. Teenagers under the age of 20 accounted for 16.6 percent of all live births in 1986, as compared to 18.5 percent in 1982. The median age of has been steadily increasing over the past several years. In 1980, the median age of mother was 23.8 years. In 1986, it was 25 years. The youngest resident mother giving birth in 1986 was 10 years old and the oldest was 47 years old.

Table 10.
Percentage Distribution of Live Births by Age of Mother:
South Carolina, 1982-1986
(Residence Data)

AGE	1982	1983	1984	1985	1986
All Ages.....	100.0	100.0	100.0	100.0	100.0
Under 15 Years.....	0.5	0.5	0.5	0.5	0.5
15-19 Years.....	18.0	17.4	16.7	16.4	16.1
20-24 Years.....	34.0	33.8	33.6	33.4	33.0
25-29 Years.....	29.2	29.4	29.2	29.3	29.3
30-34 Years.....	14.0	14.5	15.5	15.4	15.9
35-39 Years.....	3.7	3.9	4.1	4.4	4.7
40-44 Years.....	4.2	0.5	0.6	0.5	0.5
45 Years and Over.....	0.0	0.0	0.0	0.0	0.0

BIRTH WEIGHT

Birth weights of less than 5 pounds 8 ounces (Low Birth Weight) were reported for 8.6 percent of 51,726 resident births in 1986. A greater proportion of the nonwhite children were born at the low birth weights than were the white children. The nonwhite low birth weight rate was 123.3 per 1,000 live births; the white rate, 61.3.

Table 11.
Live Births by Birth Weight by Race
With Percentages of Births in Weight Group:
South Carolina, 1986
(Residence Data)

Weight Group	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Total.....	51,726	100.0	31,202	100.0	20,524	100.0
Less Than 2,500 grams....	4,443	8.6	1,913	6.1	2,530	12.3
Under 500 grams.....	92	0.2	33	0.1	59	0.3
500-999 grams.....	298	0.6	110	0.4	188	0.9
1,000-1,499 grams.....	419	0.8	166	0.5	253	1.2
1,500-1,999 grams.....	876	1.7	384	1.2	492	2.4
2,000-2,499 grams.....	2,758	5.3	1,220	3.9	1,538	7.5
2,500 or More grams.....	47,277	91.4	29,288	93.9	17,989	87.6
Unknown Weight.....	6	0.0	1	0.0	5	0.0

The live birth of an infant weighing 1,499 grams or less was a very infrequent event (1.6 percent of all live births). The gram weight group of 2,000-2,499 grams represented only 5.3 percent of all live births, but accounted for 62.1 percent of all of the low birth weight babies.

In relation to age of mother, low weight births were comparatively frequent among very young mothers; 11.3 percent of all births to mother age 15-19 were low weight. Only 7.6 percent of all live births to mothers age 25-34 were low weight. The percent of births that were low weight, by age of mother and race, is shown in Table 12 and Figure 5.

Table 12.
Percent* of Births Less Than 2,500 Grams
By Age of Mother and Race:
South Carolina, 1986
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	14.9	11.3	8.6	7.6	8.4	0
White	8.6	8.1	6.2	5.6	5.9	0
Nonwhite	16.8	14.0	12.0	11.6	12.5	0

Low weight birth percentages are based on total live births within each age group.

Figure 5.
Percent of Births Less Than 2,500 Grams
by Age of Mother and Race
South Carolina, 1986 (Residence Data)



Eighty-two percent of all resident live births in 1986 occurred in the weight interval 2,500-3,999 grams. The first group in this interval (2,500-2,999 grams) contained 18.2 percent of all live births. The second gram weight group (3,000-3,499) contained 36.8 percent and the third (3,500-3,999 grams), 26.9 percent. Only a comparatively small proportion of births (1.6 percent) occurred in the upper weight interval of 4,500 grams or more.

Comparison of the percentages of white and nonwhite births at weights around the modal group for the distribution reveals some variation (see Figure 6). For both, the highest proportion of births occurred at 3,000-3,499 grams, but the mean white live birth weight was higher than the nonwhite mean weight.

Figure 6.
PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
By Birthweight and Race:
South Carolina, 1986 (Residence Data)



FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the proper population exposed to the chance of having a birth, since it is based on both sexes in the population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. If the event of birth were to be related to the population exposed to risk, that is, to females of the childbearing ages 15-44, a more specific rate could be computed. This fertility rate per 1,000 females in the age group 15-44 has decreased 18.3 percent from 76.5 in 1977 to 62.5 in 1986, even though the female population between these ages has increased by 27.0 percent. By race, this 1977 to 1986 pattern shows a 13.8 percent decrease in the white fertility rate and a 27.6 percent decrease occurring to nonwhites.

Table 13.
Fertility Rates 1/ by Race:
South Carolina, 1970-1986

YEAR	TOTAL	WHITE	NONWHITE
1970	93.7	83.4	117.9
1971	92.1	82.6	113.7
1972	84.8	75.7	105.3
1973	81.1	71.6	102.6
1974	78.5	69.0	100.0
1975	73.3	63.4	95.9
1976	74.5	64.7	96.4
1977	76.5	66.0	100.1
1978	74.2	63.2	98.7
1979	72.1	62.1	94.2
1980	69.1	60.4	87.4
1981	67.2	58.8	84.6
1982	65.4	57.9	81.0
1983	63.0	56.4	76.3
1984	62.8	57.0	74.4
1985	63.5	58.1	74.2
1986	62.5	56.9	73.4

1/ Rate per 1,000 census population of females aged 15-44 years (1970, 1980)
Rate per 1,000 projected female population aged 15-44 years (1971-79, 1985-86)
Rate per 1,000 estimated population aged 15-44 years (1981-1984)

Table 14.
Population of Females Age 15-44, by Race:
South Carolina, 1970-1986

YEAR	TOTAL	WHITE	NONWHITE
1970	558,052	392,021	166,031
1971	575,207	398,639	176,568
1972	589,015	407,756	181,259
1973	602,886	417,291	185,595
1974	616,927	427,272	189,655
1975	636,469	442,097	194,372
1976	639,264	440,857	198,407
1977	651,320	449,482	201,838
1978	663,289	458,227	205,062
1979*	697,351	479,583	217,768
1980	746,625	505,229	241,396
1981	769,799	519,118	250,681
1982	787,720	529,546	258,174
1983	805,657	539,988	265,669
1984	804,807	536,698	268,109
1985	816,620	542,860	273,760
1986	827,405	547,943	279,462

* revised

SEX RATIO

Out of the total 51,726 live births occurring to South Carolina residents in 1986, male births numbered 26,430 and female births numbered 25,296, giving a ratio of 104.5 males per 100 females.

Table 15.
Sex Ratio of Males Per 100 Females:
South Carolina, 1982-1986
(Residence Data)

Year	Total	White	Nonwhite
1982	103.1	103.2	102.9
1983	103.4	105.2	100.7
1984	102.9	104.8	100.0
1985	105.5	106.6	103.8
1986	104.5	106.1	102.2

MULTIPLE BIRTHS

During 1986, a total of 1,133 live births occurred as a result of multiple births. Of that number, there were 552 sets of twins, 7 sets of triplets and 2 sets of quadruplets. The 1,133 multiple births resulted in a ratio of 1 multiple birth per 45.7 live births.

CONGENITAL MALFORMATIONS

Congenital malformations were reported on 392 birth records in 1986. This corresponds to a rate to 7.6 per 1,000 live births. The three major malformations reported in 1986 were 1) Other Anomalies of Limbs, 2) Other, Unspecified or Multiple Anomalies, and 3) Cleft Palate and Cleft Lip and also Anomalies of Genital Organs. Table 35 shows live births with reported congenital malformations for residents of South Carolina and each county.

Table 16.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina.....	51,726	15.1	31,202	13.4	20,524	18.9
Abbeville.....	304	12.6	185	11.3	119	15.1
Abbeville.....	90	---	36	---	54	---
Honea Path (Part)....	2	---	2	---	-	---
Balance of County....	212	---	147	---	65	---
Aiken.....	1,752	15.2	1,182	13.8	570	19.1
New Ellenton.....	28	---	23	---	5	---
Aiken.....	298	---	146	---	152	---
N. Augusta.....	259	---	179	---	80	---
Balance of County....	1,167	---	834	---	333	---
Allendale.....	190	16.8	38	9.8	152	20.5
Allendale.....	85	---	13	---	72	---
Balance of County....	105	---	25	---	80	---
Anderson.....	1,778	12.4	1,333	11.3	445	17.5
Belton.....	64	---	43	---	21	---
Honea Path (Part)....	44	---	30	---	14	---
Williamston.....	30	---	22	---	8	---
Clemson Vill (Part)..	-	---	-	---	-	---
Pendleton.....	54	---	31	---	23	---
Anderson.....	397	---	204	---	193	---
Balance of County....	1,189	---	1,003	---	186	---
Bamberg.....	252	13.6	74	9.9	178	16.2
Bamberg.....	60	---	22	---	38	---
Denmark.....	60	---	8	---	52	---
Balance of County....	132	---	44	---	88	---
Barnwell.....	301	14.4	159	14.1	142	14.6
Barnwell.....	68	---	30	---	38	---
Williston.....	43	---	24	---	19	---
Blackville.....	45	---	12	---	33	---
Balance of County....	145	---	93	---	52	---
Beaufort.....	1,563	17.8	965	16.6	598	20.1
Beaufort.....	248	---	167	---	81	---
Port Royal.....	78	---	52	---	26	---
Hilton Head.....	263	---	218	---	45	---
Balance of County....	974	---	528	---	446	---
Berkeley.....	2,261	18.4	1,624	18.2	637	18.8
Goose Creek.....	484	---	389	---	95	---
Hanahan.....	188	---	156	---	32	---
Moncks Corner.....	111	---	64	---	47	---
Balance of County....	1,478	---	1,015	---	463	---
Calhoun.....	171	13.9	70	11.6	101	16.1
Balance of County....	171	---	70	---	101	---
Charleston.....	5,342	18.0	2,938	15.9	2,404	21.4
Mt. Pleasant.....	417	---	329	---	88	---
Summerville (Part)...	4	---	3	---	1	---
Isle of Palms.....	35	---	35	---	-	---
Charleston.....	1,946	---	860	---	1,086	---
N. Charleston.....	1,220	---	724	---	496	---
Balance of County....	1,720	---	987	---	733	---

Table 16 . (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee.....	556	13.0	385	11.3	171	19.4
Gaffney.....	239	---	119	---	120	---
Balance of County....	317	---	266	---	51	---
Chester.....	484	15.7	212	11.3	272	22.4
Chester.....	132	---	39	---	93	---
Great Falls.....	43	---	23	---	20	---
Balance of County....	309	---	150	---	159	---
Chesterfield.....	553	14.1	311	11.9	242	18.2
Cheraw.....	99	---	46	---	53	---
Pageland.....	41	---	20	---	21	---
Balance of County....	413	---	245	---	168	---
Clarendon.....	450	15.2	152	12.0	298	17.7
Manning.....	85	---	32	---	53	---
Balance of County....	365	---	120	---	245	---
Colleton.....	568	16.3	251	13.2	317	20.0
Walterboro.....	152	---	74	---	78	---
Balance of County....	416	---	177	---	239	---
Darlington.....	850	13.1	443	11.5	407	15.5
Darlington.....	147	---	67	---	80	---
Hartsville.....	145	---	68	---	77	---
Balance of County....	558	---	308	---	250	---
Dillon.....	522	15.7	223	12.6	299	19.1
Dillon.....	138	---	55	---	83	---
Balance of County....	384	---	168	---	216	---
Dorchester.....	1,413	18.1	1,015	17.5	398	19.9
Summerville (Part)...	536	---	403	---	133	---
Balance of County....	877	---	612	---	265	---
Edgefield.....	281	14.5	122	12.4	159	16.7
Edgefield.....	33	---	13	---	20	---
Johnston.....	48	---	12	---	36	---
Balance of County....	200	---	97	---	103	---
Fairfield.....	332	15.6	100	11.0	232	19.0
Winnsboro.....	101	---	26	---	75	---
Balance of County....	231	---	74	---	157	---
Florence.....	1,782	15.3	867	11.9	915	21.0
Lake City.....	116	---	32	---	84	---
Florence.....	497	---	209	---	288	---
Balance of County....	1,169	---	626	---	543	---
Georgetown.....	721	14.8	279	10.3	442	20.5
Andrews (Part).....	58	---	20	---	38	---
Georgetown.....	168	---	59	---	109	---
Balance of County....	495	---	200	---	295	---
Greenville.....	4,407	14.3	3,275	13.1	1,132	19.7
Travelers Rest.....	24	---	21	---	3	---
Simpsonville.....	96	---	78	---	18	---
Fountain Inn (Part)..	33	---	23	---	10	---
Mauldin.....	45	---	31	---	14	---
Greenville.....	836	---	426	---	410	---
Greer (Part).....	75	---	59	---	16	---
Balance of County....	3,298	---	2,637	---	661	---

Table 16. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood	810	13.2	492	11.8	318	16.5
Greenwood	331	---	154	---	177	---
Balance of County	479	---	338	---	141	---
Hampton	359	18.6	113	12.7	246	23.6
Hampton	41	---	20	---	21	---
Balance of County	318	---	93	---	225	---
Horry	2,119	15.9	1,501	14.5	618	20.8
Conway	197	---	86	---	111	---
Myrtle Beach	517	---	413	---	104	---
N. Myrtle Beach	94	---	79	---	15	---
Surfside Beach	59	---	56	---	3	---
Balance of County	1,252	---	867	---	385	---
Jasper	282	17.6	104	14.8	178	19.9
Balance of County	282	---	104	---	178	---
Kershaw	540	12.6	345	11.9	195	14.1
Camden	105	---	42	---	63	---
Balance of County	435	---	303	---	132	---
Lancaster	763	13.6	495	11.6	268	19.4
Lancaster	186	---	74	---	112	---
Balance of County	577	---	421	---	156	---
Laurens	734	13.6	463	12.1	271	17.2
Clinton	114	---	57	---	57	---
Fountain Inn (Part)	8	---	5	---	3	---
Laurens	132	---	54	---	78	---
Balance of County	480	---	347	---	133	---
Lee	259	13.5	69	9.4	190	16.0
Bishopville	49	---	14	---	35	---
Balance of County	210	---	55	---	155	---
Lexington	2,273	14.1	1,881	13.1	392	22.8
Batesburg (Part)	52	---	24	---	28	---
Cayce	133	---	87	---	46	---
Springdale	1	---	1	---	-	---
W. Columbia	346	---	270	---	76	---
Irmo (Part)	51	---	43	---	8	---
Balance of County	1,690	---	1,456	---	234	---
McCormick	105	13.7	20	6.8	85	17.9
Balance of County	105	---	20	---	85	---
Marion	543	15.5	183	11.3	360	19.1
Marion	118	---	33	---	85	---
Mullins	77	---	26	---	51	---
Balance of County	348	---	124	---	224	---
Marlboro	465	14.0	178	10.5	287	17.8
Bennettsville	190	---	55	---	135	---
McColl	41	---	29	---	12	---
Balance of County	234	---	94	---	140	---
Newberry	462	14.3	247	11.1	215	21.6
Newberry	172	---	73	---	99	---
Balance of County	290	---	174	---	116	---

Table 16. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee	683	12.8	589	12.4	94	16.8
Seneca	135	---	81	---	54	---
Walhalla	49	---	41	---	8	---
Westminster	52	---	45	---	7	---
Balance of County	447	---	422	---	25	---
Orangeburg	1,369	15.6	479	13.0	890	17.5
Orangeburg	283	---	88	---	195	---
Balance of County	1,086	---	391	---	695	---
Pickens	1,033	12.1	924	11.6	109	18.2
Liberty	19	---	17	---	2	---
Pickens	38	---	28	---	10	---
Clemson Vill (Part)	56	---	34	---	22	---
Easley	131	---	105	---	26	---
Balance of County	789	---	740	---	49	---
Richland	4,203	14.6	2,059	12.8	2,144	16.9
Forest Acres	4	---	4	---	-	---
Irmo (Part)	109	---	94	---	15	---
Columbia	2,255	---	878	---	1,377	---
Balance of County	1,835	---	1,083	---	752	---
Saluda	212	12.4	108	9.7	104	17.6
Batesburg (Part)	11	---	2	---	9	---
Saluda	53	---	23	---	30	---
Balance of County	148	---	83	---	65	---
Spartanburg	2,980	14.2	2,122	12.8	858	19.7
Woodruff	12	---	7	---	5	---
Spartanburg	761	---	340	---	421	---
Greer (Part)	27	---	20	---	7	---
Balance of County	2,180	---	1,755	---	425	---
Sumter	1,801	18.8	860	17.1	941	20.9
Sumter	648	---	256	---	392	---
Balance of County	1,153	---	604	---	549	---
Union	392	12.5	235	10.8	157	16.4
Union	141	---	68	---	73	---
Balance of County	251	---	167	---	84	---
Williamsburg	650	16.2	165	11.7	485	18.7
Andrews (Part)	4	---	-	---	4	---
Kingstree	94	---	19	---	75	---
Balance of County	552	---	146	---	406	---
York	1,856	15.7	1,367	14.9	489	18.4
Clover	54	---	43	---	11	---
Fort Mill	66	---	51	---	15	---
York	105	---	55	---	50	---
Rock Hill	674	---	376	---	298	---
Balance of County	957	---	842	---	115	---

Rate per 1,000 estimated population

Table 17.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1986
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina.....	49,557	14.5	29,589	12.7	19,968	18.4
Abbeville.....	173	7.2	64	3.9	109	13.9
Abbeville.....	173	---	64	---	109	---
Honea Path (Part)....	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Aiken.....	508	4.4	239	2.8	269	9.0
New Ellenton.....	-	---	-	---	-	---
Aiken.....	495	---	233	---	262	---
N. Augusta.....	1	---	-	---	1	---
Balance of County....	12	---	6	---	6	---
Allendale.....	109	9.7	14	3.6	95	12.8
Allendale.....	-	---	-	---	-	---
Balance of County....	109	---	14	---	95	---
Anderson.....	1,787	12.4	1,317	11.1	470	18.4
Belton.....	-	---	-	---	-	---
Honea Path (Part)....	-	---	-	---	-	---
Williamston.....	-	---	-	---	-	---
Clemson Vill (Part)..	-	---	-	---	-	---
Pendleton.....	-	---	-	---	-	---
Anderson.....	1,784	---	1,314	---	470	---
Balance of County....	3	---	3	---	-	---
Bamberg.....	282	15.3	152	20.3	130	11.8
Bamberg.....	279	---	150	---	129	---
Denmark.....	-	---	-	---	-	---
Balance of County....	3	---	2	---	1	---
Barnwell.....	94	4.5	33	2.9	61	6.3
Barnwell.....	94	---	33	---	61	---
Williston.....	-	---	-	---	-	---
Blackville.....	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Beaufort.....	1,746	19.8	960	16.5	786	26.4
Beaufort.....	1,088	---	444	---	644	---
Port Royal.....	-	---	-	---	-	---
Hilton Head.....	236	---	206	---	30	---
Balance of County....	422	---	310	---	112	---
Berkeley.....	11	0.1	3	0.0	8	0.2
Goose Creek.....	2	---	-	---	2	---
Hanahan.....	1	---	1	---	-	---
Moncks Corner.....	2	---	-	---	2	---
Balance of County....	6	---	2	---	4	---
Calhoun.....	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Charleston.....	9,339	31.4	5,740	31.0	3,599	32.0
Mt. Pleasant.....	446	---	358	---	88	---
Summerville (Part)...	-	---	-	---	-	---
Isle of Palms.....	-	---	-	---	-	---
Charleston.....	6,043	---	3,085	---	2,958	---
N. Charleston.....	1,459	---	1,136	---	323	---
Balance of County....	1,391	---	1,161	---	230	---

Table 17. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee	308	7.2	169	5.0	139	15.8
Gaffney	-	---	-	---	-	---
Balance of County	308	---	169	---	139	---
Chester	352	11.4	129	6.9	223	18.4
Chester	-	---	-	---	-	---
Great Falls	-	---	-	---	-	---
Balance of County	352	---	129	---	223	---
Chesterfield	335	8.5	98	3.8	237	17.8
Cheraw	333	---	97	---	236	---
Pageland	-	---	-	---	-	---
Balance of County	2	---	1	---	1	---
Clarendon	282	9.5	66	5.2	216	12.8
Manning	282	---	66	---	216	---
Balance of County	-	---	-	---	-	---
Colleton	353	10.1	143	7.5	210	13.2
Walterboro	349	---	142	---	207	---
Balance of County	4	---	1	---	3	---
Darlington	760	11.7	384	9.9	376	14.3
Darlington	527	---	241	---	286	---
Hartsville	231	---	143	---	88	---
Balance of County	2	---	-	---	2	---
Dillon	259	7.8	94	5.3	165	10.6
Dillon	259	---	94	---	165	---
Balance of County	-	---	-	---	-	---
Dorchester	2	0.0	-	---	2	0.1
Summerville (Part)	-	---	-	---	-	---
Balance of County	2	---	-	---	2	---
Edgefield	55	2.8	10	1.0	45	4.7
Edgefield	54	---	10	---	44	---
Johnston	-	---	-	---	-	---
Balance of County	1	---	-	---	1	---
Fairfield	11	0.5	2	0.2	9	0.7
Winnsboro	1	---	-	---	1	---
Balance of County	10	---	2	---	8	---
Florence	2,562	22.0	1,293	17.8	1,269	29.1
Lake City	-	---	-	---	-	---
Florence	2,558	---	1,291	---	1,267	---
Balance of County	4	---	2	---	2	---
Georgetown	682	14.0	246	9.1	436	20.2
Andrews (Part)	-	---	-	---	-	---
Georgetown	682	---	246	---	436	---
Balance of County	-	---	-	---	-	---
Greenville	5,524	18.0	4,270	17.1	1,254	21.8
Travelers Rest	-	---	-	---	-	---
Simpsonville	195	---	140	---	55	---
Fountain Inn (Part)	-	---	-	---	-	---
Mauldin	-	---	-	---	-	---
Greenville	5,022	---	3,864	---	1,158	---
Greer (Part)	297	---	259	---	38	---
Balance of County	10	---	7	---	3	---

Table 17. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood.....	1,712	28.0	982	23.5	730	37.8
Greenwood.....	1,711	---	982	---	729	---
Balance of County....	1	---	-	---	1	---
Hampton.....	173	8.9	38	4.3	135	12.9
Hampton.....	1	---	-	---	1	---
Balance of County....	172	---	38	---	134	---
Horry.....	2,128	16.0	1,527	14.8	601	20.2
Conway.....	-	---	-	---	-	---
Myrtle Beach.....	1,056	---	842	---	214	---
N. Myrtle Beach.....	1	---	1	---	-	---
Surfside Beach.....	-	---	-	---	-	---
Balance of County....	1,071	---	684	---	387	---
Jasper.....	10	0.6	1	0.1	9	1.0
Balance of County....	10	---	1	---	9	---
Kershaw.....	405	9.5	240	8.3	165	11.9
Camden.....	405	---	240	---	165	---
Balance of County....	-	---	-	---	-	---
Lancaster.....	540	9.6	294	6.9	246	17.8
Lancaster.....	539	---	294	---	245	---
Balance of County....	1	---	-	---	1	---
Laurens.....	114	2.1	50	1.3	64	4.1
Clinton.....	111	---	49	---	62	---
Fountain Inn (Part)..	-	---	-	---	-	---
Laurens.....	2	---	-	---	2	---
Balance of County....	1	---	1	---	-	---
Lee.....	102	5.3	11	1.5	91	7.7
Bishopville.....	99	---	11	---	88	---
Balance of County....	3	---	-	---	3	---
Lexington.....	2,016	12.5	1,634	11.4	382	22.2
Batesburg (Part).....	-	---	-	---	-	---
Cayce.....	1	---	1	---	-	---
Springdale.....	-	---	-	---	-	---
W. Columbia.....	-	---	-	---	-	---
Irmo (Part).....	-	---	-	---	-	---
Balance of County....	2,015	---	1,633	---	382	---
McCormick.....	2	0.3	-	0.0	2	0.4
Balance of County....	2	---	-	---	2	---
Marion.....	723	20.6	264	16.3	459	24.3
Marion.....	634	---	219	---	415	---
Mullins.....	85	---	45	---	40	---
Balance of County....	4	---	-	---	4	---
Marlboro.....	235	7.1	97	5.7	138	8.5
Bennettsville.....	235	---	97	---	138	---
McColl.....	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Newberry.....	371	11.5	173	7.7	198	19.9
Newberry.....	370	---	173	---	197	---
Balance of County....	1	---	-	---	1	---

Table 17 . (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee	547	10.3	476	10.0	71	12.7
Seneca	-	---	-	---	-	---
Walhalla	1	---	1	---	-	---
Westminster	-	---	-	---	-	---
Balance of County	546	---	475	---	71	---
Orangeburg	1,523	17.4	508	13.8	1,015	20.0
Orangeburg	-	---	-	---	-	---
Balance of County	1,523	---	508	---	1,015	---
Pickens	585	6.9	531	6.7	54	9.0
Liberty	-	---	-	---	-	---
Pickens	-	---	-	---	-	---
Clemson Vill (Part)	-	---	-	---	-	---
Easley	579	---	526	---	53	---
Balance of County	6	---	5	---	1	---
Richland	5,519	19.2	2,878	17.9	2,641	20.8
Forest Acres	-	---	-	---	-	---
Irmo (Part)	-	---	-	---	-	---
Columbia	5,509	---	2.874	---	2,635	---
Balance of County	10	---	4	---	6	---
Saluda	-	---	-	---	-	---
Batesburg (Part)	-	---	-	---	-	---
Saluda	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Spartanburg	3,092	14.8	2,189	13.2	903	20.7
Woodruff	-	---	-	---	-	---
Spartanburg	2,139	---	1,350	---	789	---
Greer (Part)	-	---	-	---	-	---
Balance of County	953	---	839	---	114	---
Sumter	1,949	20.4	904	17.9	1,045	23.2
Sumter	1,538	---	623	---	915	---
Balance of County	411	---	281	---	130	---
Union	257	8.2	141	6.5	116	12.1
Union	256	---	140	---	116	---
Balance of County	1	---	1	---	-	---
Williamsburg	338	8.4	39	2.8	299	11.5
Andrews (Part)	-	---	-	---	-	---
Kingstree	332	---	39	---	293	---
Balance of County	6	---	-	---	6	---
York	1,682	14.2	1,186	12.9	496	18.6
Clover	1	---	1	---	-	---
Fort Mill	-	---	-	---	-	---
York	1	---	-	---	1	---
Rock Hill	1,673	---	1,180	---	493	---
Balance of County	7	---	5	---	2	---

Rate per 1,000 estimated population

Table 18.
Live Births by Race and Sex: South Carolina and Each County, 1986
(Residence Data)

County of Residence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	51,726	26,430	25,296	31,202	16,065	15,137	20,524	10,365	10,159
Abbeville	304	147	157	185	94	91	119	53	66
Aiken	1,752	884	868	1,182	611	571	570	273	297
Allendale	190	103	87	38	20	18	152	83	69
Anderson	1,778	902	876	1,333	685	648	445	217	228
Bamberg	252	124	128	74	36	38	178	88	90
Barnwell	301	145	156	159	89	70	142	56	86
Beaufort	1,563	815	748	965	515	450	598	300	298
Berkeley	2,261	1,190	1,071	1,624	868	756	637	322	315
Calhoun	171	91	80	70	31	39	101	60	41
Charleston	5,342	2,701	2,641	2,938	1,498	1,440	2,404	1,203	1,201
Cherokee	556	294	262	385	206	179	171	88	83
Chester	484	232	252	212	101	111	272	131	141
Chesterfield	553	289	264	311	174	137	242	115	127
Clarendon	450	255	195	152	84	68	298	171	127
Colleton	568	285	283	251	136	115	317	149	168
Darlington	850	428	422	443	219	224	407	209	198
Dillon	522	267	255	223	113	110	299	154	145
Dorchester	1,413	715	698	1,015	504	511	398	211	187
Edgefield	281	155	126	122	70	52	159	85	74
Fairfield	332	161	171	100	50	50	232	111	121
Florence	1,782	907	875	867	431	436	915	476	439
Georgetown	721	333	388	279	140	139	442	193	249
Greenville	4,407	2,259	2,148	3,275	1,673	1,602	1,132	586	546
Greenwood	810	409	401	492	254	238	318	155	163
Hampton	359	196	163	113	60	53	246	136	110
Horry	2,119	1,127	992	1,501	802	699	618	325	293
Jasper	282	152	130	104	59	45	178	93	85
Kershaw	540	281	259	345	176	169	195	105	90
Lancaster	763	405	358	495	269	226	268	136	132
Laurens	734	375	359	463	230	233	271	145	126
Lee	259	141	118	69	35	34	190	106	84
Lexington	2,273	1,151	1,122	1,881	956	925	392	195	197
McCormick	105	61	44	20	11	9	85	50	35
Marion	543	252	291	183	81	102	360	171	189
Marlboro	465	264	201	178	95	83	287	169	118
Newberry	462	237	225	247	129	118	215	108	107
Oconee	683	356	327	589	319	270	94	37	57
Orangeburg	1,369	681	688	479	249	230	890	432	458
Pickens	1,033	494	539	924	440	484	109	54	55
Richland	4,203	2,157	2,046	2,059	1,061	998	2,144	1,096	1,048
Saluda	212	104	108	108	53	55	104	51	53
Spartanburg	2,980	1,518	1,462	2,122	1,095	1,027	858	423	435
Sumter	1,801	908	893	860	431	429	941	477	464
Union	392	193	199	235	117	118	157	76	81
Williamsburg	650	320	330	165	77	88	485	243	242
York	1,856	966	890	1,367	718	649	489	248	241

Table 19.
Live Births by Race and Sex: South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	49,557	25,328	24,229	29,589	15,226	14,363	19,968	10,102	9,866
Abbeville	173	86	87	64	32	32	109	54	55
Aiken	508	262	246	239	136	103	269	126	143
Allendale	109	62	47	14	10	4	95	52	43
Anderson	1,787	901	886	1,317	677	640	470	224	246
Bamberg	282	147	135	152	86	66	130	61	69
Barnwell	94	46	48	33	18	15	61	28	33
Beaufort	1,746	910	836	960	513	447	786	397	389
Berkeley	11	1	10	3	-	3	8	1	7
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	9,339	4,772	4,567	5,740	2,956	2,784	3,599	1,816	1,783
Cherokee	308	162	146	169	87	82	139	75	64
Chester	352	174	178	129	70	59	223	104	119
Chesterfield	335	179	156	98	57	41	237	122	115
Clarendon	282	148	134	66	33	33	216	115	101
Colleton	353	178	175	143	80	63	210	98	112
Darlington	760	386	374	384	198	186	376	188	188
Dillon	259	135	124	94	52	42	165	83	82
Dorchester	2	-	2	-	-	-	2	-	2
Edgefield	55	31	24	10	7	3	45	24	21
Fairfield	11	4	7	2	1	1	9	3	6
Florence	2,562	1,295	1,267	1,293	632	661	1,269	663	606
Georgetown	682	310	372	246	121	125	436	189	247
Greenville	5,524	2,828	2,696	4,270	2,179	2,091	1,254	649	605
Greenwood	1,712	870	842	982	496	486	730	374	356
Hampton	173	102	71	38	21	17	135	81	54
Horry	2,128	1,125	1,003	1,527	810	717	601	315	286
Jasper	10	7	3	1	1	-	9	6	3
Kershaw	405	205	200	240	122	118	165	83	82
Lancaster	540	298	242	294	166	128	246	132	114
Laurens	114	59	55	50	29	21	64	30	34
Lee	102	55	47	11	6	5	91	49	42
Lexington	2,016	1,025	991	1,634	826	808	382	199	183
McCormick	2	2	-	-	-	-	2	2	-
Marion	723	349	374	264	123	141	459	226	233
Marlboro	235	139	96	97	58	39	138	81	57
Newberry	371	194	177	173	94	79	198	100	98
Oconee	547	281	266	476	252	224	71	29	42
Orangeburg	1,523	767	756	508	254	254	1,015	513	502
Pickens	585	281	304	531	256	275	54	25	29
Richland	5,519	2,802	2,717	2,878	1,471	1,407	2,641	1,331	1,310
Saluda	-	-	-	-	-	-	-	-	-
Spartanburg	3,092	1,578	1,514	2,189	1,130	1,059	903	448	455
Sumter	1,949	1,009	940	904	462	442	1,045	547	498
Union	257	124	133	141	68	73	116	56	60
Williamsburg	338	166	172	39	16	23	299	150	149
York	1,682	873	809	1,186	620	566	496	253	243

Table 20.
LIVE BIRTHS BY COUNTY OF OCCURRENCE BY COUNTY OF RESIDENCE
SOUTH CAROLINA, 1986

County of Occurrence	County of Residence																						
	Abbeville	Aiken	Allendale	Anderson	Bamberg	Barnwell	Beaufort	Berkeley	Calhoun	Charleston	Cherokee	Chester	Chesterfield	Clarendon	Colleton	Darlington	Dillon	Dorchester	Edgefield	Fairfield	Florence	Georgetown	Greenville	Greenwood
Abbeville	134	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Aiken	-	393	5	-	1	81	-	-	-	-	-	-	-	-	-	-	-	-	14	-	-	-	-	-
Allendale	-	-	89	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	42	1	-	1398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	2
Bamberg	-	14	8	-	120	19	4	1	1	11	-	-	-	-	13	-	-	12	-	-	-	-	-	-
Barnwell	1	-	11	-	4	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort	-	1	2	1	-	-	1449	-	-	5	-	-	-	-	11	-	-	-	-	-	-	-	-	-
Berkeley	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	1	-	13	-	2	-	38	2229	-	5281	-	-	-	3	192	1	-	1359	-	-	3	57	2	-
Cherokee	-	-	-	1	-	-	-	-	-	-	300	-	-	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-	327	-	-	-	-	-	-	-	9	1	-	-	-
Chesterfield	-	-	-	-	-	-	-	-	-	-	-	-	212	-	-	1	1	-	-	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	1	-	-	-	-	-	231	1	-	-	-	-	-	-	-	-	-
Colleton	-	-	1	-	1	-	-	-	-	1	-	-	-	-	330	-	-	8	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	1	-	-	100	-	-	546	3	-	-	-	69	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	218	-	-	-	-	-	-	-
Dorchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Edgefield	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-
Florence	-	-	-	-	-	-	-	1	-	-	-	-	98	30	-	281	78	-	-	-	1661	12	-	-
Georgetown	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	589	-	-
Greenville	2	-	-	309	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	4335	2
Greenwood	119	6	-	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	92	-	-	-	1	794
Hampton	-	-	4	-	-	1	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Horry	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	43	1	-
Jasper	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	2	1	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-	42	15	-	-	-	-	-	-	3	-	-	-	-
Laurens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-
Lexington	-	13	-	-	-	2	-	-	18	-	-	1	-	-	-	-	-	-	-	10	-	-	1	1
McCormick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	216	-	-	-	5	1	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	2	-	-	-	-	-	-	-
Newberry	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-
Oconee	-	-	-	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Orangeburg	2	6	32	-	108	35	-	1	119	-	-	-	-	2	15	-	-	22	-	-	2	-	1	-
Pickens	-	-	-	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	1
Richland	-	28	11	2	13	27	1	2	30	3	-	21	3	7	2	7	-	5	3	280	4	9	3	3
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	-	-	-	2	-	-	-	2	1	1	199	1	-	-	-	-	-	-	-	-	-	-	21	1
Sumter	-	-	-	-	-	-	-	-	-	1	-	-	1	175	-	9	-	-	-	-	15	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	11	7	-	-
York	-	-	-	-	-	-	-	-	-	2	4	79	-	-	-	-	-	-	-	6	1	-	-	-
Out-of-State	3	1288	14	4	1	58	69	9	2	34	49	8	108	-	2	2	3	5	122	1	6	3	15	3

Table 20. (Cont.)
LIVE BIRTHS BY COUNTY OF OCCURRENCE BY COUNTY OF RESIDENCE
SOUTH CAROLINA, 1986

County of Occurrence	County of Residence																						
	Hampton	Horry	Jasper	Kershaw	Lancaster	Laurens	Lee	Lexington	McCormick	Marion	Marlboro	Newberry	Oconee	Orangeburg	Pickens	Richland	Saluda	Spartanburg	Sumter	Union	Williamsburg	York	Out-of-State
Abbeville	-	-	-	-	-	-	-	-	18	-	1	-	-	-	-	-	-	-	-	-	-	-	6
Aiken	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	6	-	-	-	-	-	4
Allendale	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	-	-	-	1	-	2	-	-	-	-	-	-	130	-	62	-	-	2	-	-	-	-	136
Bamberg	7	-	-	-	-	-	-	4	-	-	-	-	-	54	-	1	-	-	1	-	-	-	12
Barnwell	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort	105	-	158	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	13
Berkeley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	31	4	6	1	-	-	-	3	-	1	1	1	-	44	1	4	-	1	4	-	19	-	37
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	2
Chester	-	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	7	-
Chesterfield	-	-	-	-	2	-	-	-	-	-	114	-	-	-	-	-	-	1	-	-	-	-	4
Clarendon	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	23	-	23	-	1
Colleton	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
Darlington	-	1	-	3	-	-	24	-	-	-	9	-	-	-	-	-	-	-	2	-	1	-	1
Dillon	-	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-	34
Dorchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgefield	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florence	-	34	-	2	-	-	31	1	-	79	35	-	-	2	-	3	-	-	16	-	186	-	12
Georgetown	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	78	-	2
Greenville	-	-	-	-	-	137	-	-	-	-	-	2	41	-	401	2	-	263	-	3	-	1	23
Greenwood	-	-	-	-	-	460	-	3	67	-	-	26	-	-	-	-	124	4	-	-	-	-	4
Hampton	148	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	2001	-	-	-	-	-	-	-	6	-	-	-	-	-	1	-	-	1	-	3	-	67
Jasper	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	343	24	-	15	-	-	-	-	-	-	-	-	3	-	-	11	-	-	-	1
Lancaster	-	1	-	13	459	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5
Laurens	-	-	-	-	-	111	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
Lee	-	-	-	2	-	-	92	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
Lexington	1	1	-	5	-	-	-	1457	-	-	-	31	-	16	-	415	35	-	7	-	-	-	2
McCormick	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	45	-	-	-	-	-	-	-	446	-	-	-	-	-	1	-	-	-	-	1	-	8
Marlboro	-	-	-	-	-	-	-	-	-	-	220	-	1	-	-	-	-	-	-	-	-	-	2
Newberry	-	-	-	-	-	7	-	4	-	-	-	331	1	-	-	-	16	-	-	1	-	-	-
Oconee	-	-	-	-	-	-	-	-	-	-	-	-	490	-	34	-	-	-	-	-	-	-	14
Orangeburg	18	-	1	1	-	-	-	5	-	-	-	-	-	1151	1	-	-	-	1	-	-	-	-
Pickens	-	-	-	-	-	-	-	-	-	-	-	-	5	-	529	-	-	1	-	-	-	-	3
Richland	5	1	-	160	20	2	10	786	-	2	4	61	1	93	1	3750	22	5	97	1	4	12	18
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	-	-	-	1	-	12	-	1	-	-	-	1	1	-	1	-	-	2668	-	139	-	2	38
Sumter	-	2	-	4	1	-	86	-	-	-	-	-	-	3	-	4	-	-	1622	-	18	1	7
Union	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	2	-	242	-	1	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	316	-	-
York	-	-	-	-	91	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	1438	58
Out-of-State	12	20	96	4	163	2	-	4	16	5	78	-	13	3	3	15	8	30	12	2	1	390	-

Table 21.
Live Births by Number of Prenatal Care Visits:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total Births	Total Number of Prenatal Care Visits						
		No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	51,726	845	3,797	1,780	19,548	21,666	3,375	715
Abbeville	304	2	22	12	142	114	6	6
Aiken	1,752	31	110	54	575	723	85	174
Allendale	190	4	28	8	82	61	3	4
Anderson	1,778	36	81	58	735	780	86	2
Bamberg	252	7	11	7	92	115	19	1
Barnwell	301	3	23	11	113	112	13	26
Beaufort	1,563	5	43	16	428	919	149	3
Berkeley	2,261	17	143	53	724	1,038	227	59
Calhoun	171	2	7	5	67	86	3	1
Charleston	5,342	85	474	207	1,923	2,101	512	40
Cherokee	556	11	25	17	215	222	54	12
Chester	484	9	57	33	194	158	32	1
Chesterfield	553	7	59	36	197	213	41	-
Clarendon	450	15	53	16	186	167	10	3
Colleton	568	5	65	24	245	200	25	4
Darlington	850	8	108	36	320	324	53	1
Dillon	522	13	65	21	202	194	25	2
Dorchester	1,413	8	103	37	449	646	135	35
Edgefield	281	6	36	14	110	82	8	25
Fairfield	332	6	57	19	132	111	6	1
Florence	1,782	24	44	30	546	1,044	94	-
Georgetown	721	34	60	24	214	321	67	1
Greenville	4,407	58	312	171	2,279	1,319	266	2
Greenwood	810	10	99	51	383	183	23	61
Hampton	359	2	37	21	169	118	12	-
Horry	2,119	62	119	36	475	1,212	205	10
Jasper	282	1	9	3	95	156	18	-
Kershaw	540	7	16	12	160	263	79	3
Lancaster	763	14	44	28	319	311	47	-
Laurens	734	9	69	41	333	192	43	47
Lee	259	5	22	11	117	84	20	-
Lexington	2,273	22	84	47	641	1,286	141	52
McCormick	105	3	10	5	46	33	4	4
Marion	543	13	44	28	199	234	25	-
Marlboro	465	16	106	34	181	111	14	3
Newberry	462	8	27	10	165	229	20	3
Oconee	683	19	14	10	216	354	68	2
Orangeburg	1,369	10	78	32	575	658	13	3
Pickens	1,033	10	49	31	409	461	73	-
Richland	4,203	82	378	174	1,450	1,846	236	37
Saluda	212	2	23	12	75	77	5	18
Spartanburg	2,980	47	305	130	1,594	796	62	46
Sumter	1,801	60	100	66	655	804	112	4
Union	392	2	31	8	150	150	44	7
Williamsburg	650	14	38	28	278	265	23	4
York	1,856	31	109	53	693	793	169	8

Table 21-A.
Live Births by Number of Prenatal Care Visits by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total Births	White Number of Prenatal Care Visits						
		No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	31,202	232	1,291	748	11,004	15,027	2,486	414
Abbeville	185	-	7	7	84	81	3	3
Aiken	1,182	7	46	21	361	595	68	84
Allendale	38	-	1	1	12	23	-	1
Anderson	1,333	14	37	35	528	641	77	1
Bamberg	74	1	3	2	18	45	5	-
Barnwell	159	2	2	6	58	75	8	8
Beaufort	965	1	17	8	198	623	117	1
Berkeley	1,624	7	68	33	474	812	185	45
Calhoun	70	-	2	-	18	49	1	-
Charleston	2,938	23	118	80	931	1,382	371	33
Cherokee	385	5	11	9	155	160	35	10
Chester	212	1	14	2	81	88	26	-
Chesterfield	311	-	15	15	88	162	31	-
Clarendon	152	-	6	4	47	90	5	-
Colleton	251	1	16	6	107	100	18	3
Darlington	443	2	28	6	160	211	36	-
Dillon	223	3	17	8	71	111	13	-
Dorchester	1,015	3	33	22	311	501	114	31
Edgefield	122	2	4	4	48	51	6	7
Fairfield	100	1	6	3	32	55	3	-
Florence	867	1	15	6	225	563	57	-
Georgetown	279	4	7	3	66	156	43	-
Greenville	3,275	22	177	114	1,751	1,007	202	2
Greenwood	492	2	36	27	255	123	18	31
Hampton	113	-	4	4	52	48	5	-
Horry	1,501	26	57	19	293	943	153	10
Jasper	104	-	2	1	20	73	8	-
Kershaw	345	3	10	4	87	178	62	1
Lancaster	495	5	14	13	190	233	40	-
Laurens	463	3	31	20	217	132	30	30
Lee	69	-	4	2	20	34	9	-
Lexington	1,881	11	50	31	502	1,127	124	36
McCormick	20	-	1	1	8	9	-	1
Marion	183	1	7	2	55	107	11	-
Marlboro	178	2	24	8	76	57	10	1
Newberry	247	2	5	6	76	149	8	1
Oconee	589	12	10	7	178	317	63	2
Orangeburg	479	-	15	5	176	276	6	1
Pickens	924	8	36	28	368	414	70	-
Richland	2,059	15	77	40	597	1,169	149	12
Saluda	108	-	4	5	36	55	2	6
Spartanburg	2,122	20	153	68	1,134	660	49	38
Sumter	860	7	27	22	214	514	73	3
Union	235	-	11	2	87	102	27	6
Williamsburg	165	3	5	3	51	94	8	1
York	1,367	12	58	35	488	632	137	5

Table 21-A.
Live Births by Number of Prenatal Care Visits by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total Births	Nonwhite Number of Prenatal Care Visits						
		No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	20,524	613	2,506	1,032	8,544	6,639	889	301
Abbeville	119	2	15	5	58	33	3	3
Aiken	570	24	64	33	214	128	17	90
Allendale	152	4	27	7	70	38	3	3
Anderson	445	22	44	23	207	139	9	1
Bamberg	178	6	8	5	74	70	14	1
Barnwell	142	1	21	5	55	37	5	18
Beaufort	598	4	26	8	230	296	32	2
Berkeley	637	10	75	20	250	226	42	14
Calhoun	101	2	5	5	49	37	2	1
Charleston	2,404	62	356	127	992	719	141	7
Cherokee	171	6	14	8	60	62	19	2
Chester	272	8	43	31	113	70	6	1
Chesterfield	242	7	44	21	109	51	10	-
Clarendon	298	15	47	12	139	77	5	3
Colleton	317	4	49	18	138	100	7	1
Darlington	407	6	80	30	160	113	17	1
Dillon	299	10	48	13	131	83	12	2
Dorchester	398	5	70	15	138	145	21	4
Edgefield	159	4	32	10	62	31	2	18
Fairfield	232	5	51	16	100	56	3	1
Florence	915	23	29	24	321	481	37	-
Georgetown	442	30	53	21	148	165	24	1
Greenville	1,132	36	135	57	528	312	64	-
Greenwood	318	8	63	24	128	60	5	30
Hampton	246	2	33	17	117	70	7	-
Horry	618	36	62	17	182	269	52	-
Jasper	178	1	7	2	75	83	10	-
Kershaw	195	4	6	8	73	85	17	2
Lancaster	268	9	30	15	129	78	7	-
Laurens	271	6	38	21	116	60	13	17
Lee	190	5	18	9	97	50	11	-
Lexington	392	11	34	16	139	159	17	16
McCormick	85	3	9	4	38	24	4	3
Marion	360	12	37	26	144	127	14	-
Marlboro	287	14	82	26	105	54	4	2
Newberry	215	6	22	4	89	80	12	2
Oconee	94	7	4	3	38	37	5	-
Orangeburg	890	10	63	27	399	382	7	2
Pickens	109	2	13	3	41	47	3	-
Richland	2,144	67	301	134	853	677	87	25
Saluda	104	2	19	7	39	22	3	12
Spartanburg	858	27	152	62	460	136	13	8
Sumter	941	53	73	44	441	290	39	1
Union	157	2	20	6	63	48	17	1
Williamsburg	485	11	33	25	227	171	15	3
York	489	19	51	18	205	161	32	3

Table 22.
Live Births by Month Prenatal Care Began
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total	Total										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk.
SOUTH CAROLINA	51,726	845	5,454	17,549	11,417	5,991	3,936	2,667	1,762	1,126	388	591
Abbeville	304	2	27	116	71	36	21	10	10	3	1	7
Aiken	,752	33	233	669	374	153	114	79	53	14	8	19
Allendale	190	4	11	59	45	26	16	9	7	9	1	3
Anderson	1,778	36	116	942	282	175	124	51	33	13	3	3
Bamberg	252	7	10	83	59	44	21	12	10	4	1	1
Barnwell	301	3	37	103	82	41	19	12	3	-	1	-
Beaufort	1,563	4	246	582	403	166	83	40	23	10	1	5
Berkeley	2,261	17	310	566	562	310	206	124	84	44	26	12
Calhoun	171	2	15	66	42	18	9	10	6	2	-	1
Charleston	5,342	85	799	1,437	1,142	649	450	336	217	156	59	12
Cherokee	556	11	55	177	123	67	38	30	24	11	1	19
Chester	484	9	25	137	119	79	39	36	18	14	4	4
Chesterfield	553	7	46	167	115	83	58	37	19	15	5	1
Clarendon	450	15	31	105	91	56	44	46	22	25	12	3
Colleton	568	5	73	154	139	73	54	32	18	13	3	4
Darlington	850	8	145	231	151	104	77	52	31	34	15	2
Dillon	522	13	45	120	116	60	56	46	34	19	10	3
Dorchester	1,413	8	217	405	361	155	97	86	40	29	10	5
Edgefield	281	6	20	76	68	34	20	12	9	12	4	20
Fairfield	332	6	13	83	103	42	32	22	10	17	3	1
Florence	1,782	24	521	634	265	134	94	56	31	17	3	3
Georgetown	721	34	59	228	141	94	66	51	30	14	3	1
Greenville	4,407	58	407	1,630	915	481	344	231	188	108	43	2
Greenwood	810	10	106	274	143	73	44	32	25	15	9	79
Hampton	359	2	53	120	80	49	24	20	9	2	-	-
Horry	2,119	62	231	659	457	259	147	133	73	59	19	20
Jasper	282	1	32	92	72	38	27	12	7	1	-	-
Kershaw	540	7	20	201	158	70	37	20	18	2	4	3
Lancaster	763	14	82	286	159	87	69	36	22	6	1	1
Laurens	734	9	81	257	150	62	51	28	21	15	5	55
Lee	259	5	10	82	52	44	24	18	12	9	3	-
Lexington	2,273	22	176	1,127	506	176	80	57	31	25	4	69
McCormick	105	3	5	32	25	15	8	5	5	2	-	5
Marion	543	13	65	168	99	79	50	37	16	13	3	-
Marlboro	465	16	23	113	91	56	47	34	30	40	11	4
Newberry	462	8	9	159	128	67	44	18	19	6	-	4
Oconee	683	19	49	242	167	86	59	30	20	7	2	2
Orangeburg	1,369	10	116	442	351	191	109	77	40	26	6	1
Pickens	1,033	10	79	409	217	110	76	53	44	24	11	-
Richland	4,203	82	167	1,575	1,013	484	328	207	162	91	34	60
Saluda	212	2	19	73	43	17	10	15	9	2	2	20
Spartanburg	2,980	47	170	1,020	654	386	239	149	104	73	21	117
Sumter	1,801	59	89	399	427	251	204	163	104	75	24	6
Union	392	2	14	139	88	55	44	17	16	7	2	8
Williamsburg	650	14	78	209	141	98	35	41	15	14	3	2
York	1,856	31	319	701	427	158	98	45	40	26	7	4

Table 22-A.
Live Births by Month Prenatal Care Began by Race
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total	White										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk.
SOUTH CAROLINA	31,202	232	4,087	12,729	6,795	2,923	1,719	1,046	732	439	161	339
Abbeville	185	-	18	81	42	21	11	4	1	2	1	4
Aiken	1,182	8	181	523	245	78	59	42	28	8	2	8
Allendale	38	-	4	19	9	2	-	1	1	2	-	-
Anderson	1,333	14	106	788	204	101	61	34	13	8	2	2
Bamberg	74	1	2	32	23	8	3	1	4	-	-	-
Barnwell	159	2	16	62	47	17	6	8	1	-	-	-
Beaufort	965	1	159	419	229	88	32	19	9	7	-	2
Berkeley	1,624	7	264	433	411	216	123	66	51	26	15	12
Calhoun	70	-	9	35	19	4	1	2	-	-	-	-
Charleston	2,938	23	591	958	625	298	190	105	78	47	16	7
Cherokee	385	5	39	137	86	46	22	15	16	6	1	12
Chester	212	1	17	77	64	23	9	11	3	4	2	1
Chesterfield	311	-	35	128	70	30	22	13	5	6	1	1
Clarendon	152	-	19	60	32	18	7	4	2	7	3	-
Colleton	251	1	44	95	46	26	19	11	4	3	1	1
Darlington	443	2	99	151	83	42	29	12	10	11	3	1
Dillon	223	3	26	62	60	16	21	15	12	5	3	-
Dorchester	1,015	3	188	321	267	98	56	43	22	10	3	4
Edgefield	122	2	14	50	30	10	5	2	2	1	-	6
Fairfield	100	1	6	42	33	5	4	2	1	5	1	-
Florence	867	1	316	333	108	43	29	15	12	7	1	2
Georgetown	279	4	44	124	48	29	14	9	3	3	1	-
Greenville	3,275	22	368	1,407	672	305	191	130	98	57	23	2
Greenwood	492	2	82	191	79	37	19	15	11	6	7	43
Hampton	113	-	16	52	20	18	4	1	1	1	-	-
Horry	1,501	26	199	522	336	157	87	73	42	32	10	17
Jasper	104	-	12	45	24	10	8	3	2	-	-	-
Kershaw	345	3	13	152	97	40	14	13	7	1	4	1
Lancaster	495	5	71	218	93	49	37	12	8	1	-	1
Laurens	463	3	61	188	92	32	20	16	8	8	3	32
Lee	69	-	5	32	17	7	4	1	1	2	-	-
Lexington	1,881	11	155	1,008	412	119	48	41	19	12	4	52
McCormick	20	-	3	10	2	-	2	-	1	1	-	1
Marion	183	1	32	73	34	21	7	6	4	4	1	-
Marlboro	178	2	17	64	35	12	15	11	6	11	4	1
Newberry	247	2	8	114	66	31	10	6	7	1	-	2
Oconee	589	12	48	218	143	74	45	22	18	7	1	1
Orangeburg	479	-	43	205	123	49	34	14	4	5	2	-
Pickens	924	8	78	380	199	94	63	42	35	17	8	-
Richland	2,059	15	123	1,023	480	170	95	41	55	26	14	17
Saluda	108	-	12	53	21	6	5	2	1	-	-	8
Spartanburg	2,122	20	151	840	465	229	130	83	63	44	10	87
Sumter	860	6	69	255	238	109	76	42	34	17	9	5
Union	235	-	8	102	55	29	20	5	7	3	1	5
Williamsburg	165	3	34	69	30	11	5	9	2	1	1	-
York	1,367	12	282	578	281	95	57	24	20	14	3	1

Table 22-A.
Live Births by Month Prenatal Care Began by Race
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total	Nonwhite										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk.
SOUTH CAROLINA	20,518	613	1,367	4,819	4,622	3,068	2,217	1,621	1,030	687	227	247
Abbeville	119	2	9	35	29	15	10	6	9	1	-	3
Aiken	570	25	52	146	129	75	55	37	25	9	6	11
Allendale	152	4	7	40	36	24	16	8	6	7	1	3
Anderson	445	22	10	154	78	74	63	17	20	5	1	1
Bamberg	178	6	8	51	36	36	18	11	6	4	1	1
Barnwell	142	1	21	41	35	24	13	4	2	-	1	-
Beaufort	598	3	87	163	174	78	51	21	14	3	1	3
Berkeley	637	10	46	133	151	94	83	58	33	18	11	-
Calhoun	100	2	6	31	23	14	8	8	6	2	-	-
Charleston	2,402	62	208	479	517	351	260	231	139	109	43	3
Cherokee	171	6	16	40	37	21	16	15	8	5	-	7
Chester	272	8	8	60	55	56	30	25	15	10	2	3
Chesterfield	242	7	11	39	45	53	36	24	14	9	4	-
Clarendon	298	15	12	45	59	38	37	42	20	18	9	3
Colleton	317	4	29	59	93	47	35	21	14	10	2	3
Darlington	407	6	46	80	68	62	48	40	21	23	12	1
Dillon	299	10	19	58	56	44	35	31	22	14	7	3
Dorchester	398	5	29	84	94	57	41	43	18	19	7	1
Edgefield	159	4	6	26	38	24	15	10	7	11	4	14
Fairfield	232	5	7	41	70	37	28	20	9	12	2	1
Florence	915	23	205	301	157	91	65	41	19	10	2	1
Georgetown	442	30	15	104	93	65	52	42	27	11	2	1
Greenville	1,132	36	39	223	243	176	153	101	90	51	20	-
Greenwood	318	8	24	83	64	36	25	17	14	9	2	36
Hampton	246	2	37	68	60	31	20	19	8	1	-	-
Horry	618	36	32	137	121	102	60	60	31	27	9	3
Jasper	178	1	20	47	48	28	19	9	5	1	-	-
Kershaw	195	4	7	49	61	30	23	7	11	1	-	2
Lancaster	268	9	11	68	66	38	32	24	14	5	1	-
Laurens	271	6	20	69	58	30	31	12	13	7	2	23
Lee	190	5	5	50	35	37	20	17	11	7	3	-
Lexington	392	11	21	119	94	57	32	16	12	13	-	17
McCormick	85	3	2	22	23	15	6	5	4	1	-	4
Marion	360	12	33	95	65	58	43	31	12	9	2	-
Marlboro	287	14	6	49	56	44	32	23	24	29	7	3
Newberry	215	6	1	45	62	36	34	12	12	5	-	2
Oconee	94	7	1	24	24	12	14	8	2	-	1	1
Orangeburg	890	10	73	237	228	142	75	63	36	21	4	1
Pickens	109	2	1	29	18	16	13	11	9	7	3	-
Richland	2,144	67	44	552	533	314	233	166	107	65	20	43
Saluda	104	2	7	20	22	11	5	13	8	2	2	12
Spartanburg	857	27	19	180	189	157	109	66	41	29	11	29
Sumter	940	53	20	143	189	142	128	121	70	58	15	1
Union	157	2	6	37	33	26	24	12	9	4	1	3
Williamsburg	485	11	44	140	111	87	30	32	13	13	2	2
York	488	19	37	123	146	63	41	21	20	12	4	2

Table 23.
Live Births by Education of Mother
South Carolina and Each County, 1986
(Residence Data)

County of Residence	TOTAL									
	Total	None	<9th Grade	9-11th Grade	12th Grade	1-3 Yr College	4 Yr College	5+ yr College	Tech School	Unk
SOUTH CAROLINA	51,726	5	1,874	10,854	22,065	9,254	5,357	2,134	58	125
Abbeville	304	-	19	81	133	45	16	8	1	1
Aiken	1,752	-	80	335	744	336	192	61	-	4
Allendale	190	-	4	61	90	21	12	2	-	-
Anderson	1,778	-	73	451	747	272	135	68	31	1
Bamberg	252	-	13	61	101	46	21	10	-	-
Barnwell	301	-	20	70	132	56	19	3	-	1
Beaufort	1,563	-	20	206	790	325	154	68	-	-
Berkeley	2,261	2	51	367	1,130	485	180	39	-	7
Calhoun	171	-	5	30	88	31	12	4	-	1
Charleston	5,342	1	162	1012	2,087	1,143	674	251	-	12
Cherokee	556	-	44	161	226	72	34	14	1	4
Chester	484	-	8	134	236	72	23	10	-	1
Chesterfield	553	-	30	156	252	75	28	11	-	1
Clarendon	450	-	26	104	218	69	20	12	-	1
Colleton	568	-	19	156	242	88	49	11	-	3
Darlington	850	-	26	227	384	126	66	20	-	1
Dillon	522	-	27	172	249	48	11	12	-	3
Dorchester	1,413	-	31	242	685	291	118	41	-	5
Edgefield	281	-	26	69	126	40	12	6	-	2
Fairfield	332	-	10	83	160	47	21	9	-	2
Florence	1,782	-	70	394	799	276	180	62	-	1
Georgetown	721	-	38	155	375	86	49	18	-	-
Greenville	4,407	-	156	946	1,691	745	651	215	-	3
Greenwood	810	-	39	180	283	169	85	45	1	8
Hampton	359	-	10	93	174	58	20	3	-	1
Horry	2,119	-	76	422	881	449	221	62	-	8
Jasper	282	-	11	68	148	37	15	3	-	-
Kershaw	540	-	16	124	275	65	41	18	-	1
Lancaster	763	-	30	195	368	100	43	27	-	-
Laurens	734	-	65	211	300	87	43	21	1	6
Lee	259	-	5	70	130	28	21	5	-	-
Lexington	2,273	-	38	340	929	446	339	171	-	10
McCormick	105	-	8	38	41	17	1	-	-	-
Marion	543	-	28	126	272	76	22	14	2	3
Marlboro	465	-	20	137	230	50	16	5	-	7
Newberry	462	-	30	108	205	62	35	21	-	1
Oconee	683	-	27	168	303	96	48	33	5	3
Orangeburg	1,369	-	34	303	583	285	108	55	-	1
Pickens	1,033	-	39	242	430	154	98	55	15	-
Richland	4,203	-	59	584	1,426	996	786	341	-	11
Saluda	212	-	10	55	91	33	15	7	-	1
Spartanburg	2,980	1	200	704	1,151	490	294	134	1	5
Sumter	1,801	-	54	361	903	296	143	42	-	2
Union	392	1	27	113	167	48	25	10	-	1
Williamsburg	650	-	20	131	342	94	51	12	-	-
York	1,856	-	70	408	748	323	210	95	-	2

Table 23-A.
Live Births by Education of Mother and Race
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total	WHITE								
		None	<9th Grade	9-11th Grade	12th Grade	1-3 Yr College	4 Yr College	5+ yr College	Tech School	Unk
SOUTH CAROLINA	31,202	2	1,079	5,636	12,251	6,094	4,225	1,814	45	56
Abbeville	185	-	11	42	80	29	14	8	1	-
Aiken	1,182	-	54	189	462	264	163	47	-	3
Allendale	38	-	-	15	12	5	5	1	-	-
Anderson	1,333	-	57	311	523	231	126	62	22	1
Bamberg	74	-	3	16	32	10	6	7	-	-
Barnwell	159	-	12	35	60	32	16	3	-	1
Beaufort	965	-	7	100	459	220	128	51	-	-
Berkeley	1,624	-	40	277	795	352	126	31	-	3
Calhoun	70	-	2	3	36	20	7	2	-	-
Charleston	2,938	1	76	405	1,057	657	525	214	-	3
Cherokee	385	-	35	104	143	59	29	12	1	2
Chester	212	-	6	47	90	40	19	9	-	1
Chesterfield	311	-	14	68	147	49	22	11	-	-
Clarendon	152	-	8	18	67	33	16	10	-	-
Colleton	251	-	12	72	92	41	25	9	-	-
Darlington	443	-	14	101	187	77	49	15	-	-
Dillon	223	-	11	63	99	29	8	12	-	1
Dorchester	1,015	-	18	163	485	211	101	32	-	5
Edgefield	122	-	18	19	50	19	9	5	-	2
Fairfield	100	-	-	15	45	21	12	7	-	-
Florence	867	-	29	145	345	167	130	51	-	-
Georgetown	279	-	15	53	113	53	28	17	-	-
Greenville	3,275	-	105	614	1,136	625	595	197	-	3
Greenwood	492	-	23	101	141	105	74	44	1	3
Hampton	113	-	3	24	52	22	11	1	-	-
Horry	1501	-	44	247	591	359	197	57	-	-
Jasper	104	-	6	34	43	13	5	3	-	-
Kershaw	345	-	11	79	162	46	30	16	-	1
Lancaster	495	-	22	121	214	74	38	26	-	-
Laurens	463	-	46	112	183	64	37	18	1	2
Lee	69	-	1	13	32	8	11	4	-	-
Lexington	1,881	-	33	272	735	376	305	154	-	6
McCormick	20	-	1	6	6	7	-	-	-	-
Maion	183	-	8	38	73	37	14	12	1	-
Marlboro	178	-	13	56	70	22	10	5	-	2
Newberry	247	-	7	39	107	43	30	21	-	-
Oconee	589	-	24	146	258	79	46	31	4	1
Orangeburg	479	-	13	109	186	105	39	27	-	-
Pickens	924	-	36	217	381	140	87	49	14	-
Richland	2,059	-	20	187	569	457	554	269	-	3
Saluda	108	-	3	21	37	26	13	7	-	1
Spartanburg	2,122	-	122	440	797	380	258	122	-	3
Sumter	860	-	19	150	419	164	76	31	-	1
Union	235	1	16	59	96	31	21	10	-	1
Williamsburg	165	-	6	29	68	33	22	7	-	-
York	1,367	-	55	261	516	259	188	87	-	1

Table 23-A.

Live Births by Education of Mother and Race
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total	NONWHITE								
		None	<9th Grade	9-11th Grade	12th Grade	1-3 Yr College	4 Yr College	5+ yr College	Tech School	Unk
SOUTH CAROLINA	20,524	3	795	5,218	9,814	3,160	1,132	320	13	69
Abbeville	119	-	8	39	53	16	2	-	-	1
Aiken	570	-	26	146	282	72	29	14	-	1
Allendale	152	-	4	46	78	16	7	1	-	-
Anderson	445	-	16	140	224	41	9	6	9	-
Bamberg	178	-	10	45	69	36	15	3	-	-
Barnwell	142	-	8	35	72	24	3	-	-	-
Beaufort	598	-	13	106	331	105	26	17	-	-
Berkeley	637	2	11	90	335	133	54	8	-	4
Calhoun	101	-	3	27	52	11	5	2	-	1
Charleston	2,404	-	86	607	1,030	486	149	37	-	9
Cherokee	171	-	9	57	83	13	5	2	-	2
Chester	272	-	2	87	146	32	4	1	-	-
Chesterfield	242	-	16	88	105	26	6	-	-	1
Clarendon	298	-	18	86	151	36	4	2	-	1
Colleton	317	-	7	84	150	47	24	2	-	3
Darlington	407	-	12	126	197	49	17	5	-	1
Dillon	299	-	16	109	150	19	3	-	-	2
Dorchester	398	-	13	79	200	80	17	9	-	-
Edgefield	159	-	8	50	76	21	3	1	-	-
Fairfield	232	-	10	68	115	26	9	2	-	2
Florence	915	-	41	249	454	109	50	11	-	1
Georgetown	442	-	23	102	262	33	21	1	-	-
Greenville	1,132	-	51	332	555	120	56	18	-	-
Greenwood	318	-	16	79	142	64	11	1	-	5
Hampton	246	-	7	69	122	36	9	2	-	1
Horry	618	-	32	175	290	90	24	5	-	2
Jasper	178	-	5	34	105	24	10	-	-	-
Kershaw	195	-	5	45	113	19	11	2	-	-
Lancaster	268	-	8	74	154	26	5	1	-	-
Laurens	271	-	19	99	117	23	6	3	-	4
Lee	190	-	4	57	98	20	10	1	-	-
Lexington	392	-	5	68	194	70	34	17	-	4
McCormick	85	-	7	32	35	10	1	-	-	-
Marion	360	-	20	88	199	39	8	2	1	3
Marlboro	287	-	7	81	160	28	6	-	-	5
Newberry	215	-	23	69	98	19	5	-	-	1
Oconee	94	-	3	22	45	17	2	2	1	2
Orangeburg	890	-	21	194	397	180	69	28	-	1
Pickens	109	-	3	25	49	14	11	6	1	-
Richland	2,144	-	39	397	857	539	232	72	-	8
Saluda	104	-	7	34	54	7	2	-	-	-
Spartanburg	858	1	78	264	354	110	36	12	1	2
Sumter	941	-	35	211	484	132	67	11	-	1
Union	157	-	11	54	71	17	4	-	-	-
Williamsburg	485	-	14	102	274	61	29	5	-	-
York	489	-	15	147	232	64	22	8	-	1

Table 24.
Live Births by Attendant: South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total	Total								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	51,726	50,149	6	1,245	2	26	26	182	89	1
Abbeville	304	304	-	-	-	-	-	-	-	-
Aiken	1,752	1,724	-	13	-	-	3	8	4	-
Allendale	190	180	-	8	-	-	-	2	-	-
Anderson	1,778	1,768	-	4	-	-	-	5	1	-
Bamberg	252	140	-	106	1	1	1	1	2	-
Barnwell	301	283	-	16	-	1	-	-	1	-
Beaufort	1,563	1,545	-	4	-	8	-	6	-	-
Berkeley	2,261	2,057	-	185	-	-	-	15	4	-
Calhoun	171	169	-	1	-	-	-	1	-	-
Charleston	5,342	5,080	1	224	-	-	-	21	16	-
Cherokee	556	555	-	1	-	-	-	-	-	-
Chester	484	483	-	-	-	-	-	1	-	-
Chesterfield	553	548	1	1	-	2	-	1	-	-
Clarendon	450	448	-	-	-	1	-	1	-	-
Colleton	568	445	-	121	-	-	-	1	1	-
Darlington	850	839	-	3	-	4	-	2	2	-
Dillon	522	522	-	-	-	-	-	-	-	-
Dorchester	1,413	1,292	-	112	-	-	-	9	-	-
Edgefield	281	279	-	-	-	-	-	2	-	-
Fairfield	332	329	-	-	-	-	-	1	2	-
Florence	1,782	1,770	-	1	-	2	-	8	1	-
Georgetown	721	702	1	10	-	1	-	4	3	-
Greenville	4,407	4,336	-	53	1	1	4	8	4	-
Greenwood	810	805	-	1	-	-	1	2	1	-
Hampton	359	348	-	6	-	1	-	1	3	-
Horry	2,119	2,002	-	110	-	1	-	4	2	-
Jasper	282	279	-	-	-	-	-	3	-	-
Kershaw	540	537	-	3	-	-	-	-	-	-
Lancaster	763	759	-	1	-	-	-	3	-	-
Laurens	734	725	-	2	-	-	-	4	3	-
Lee	259	253	-	1	-	-	-	1	4	-
Lexington	2,273	2,231	-	27	-	-	4	9	1	1
McCormick	105	103	-	-	-	-	-	-	2	-
Marion	543	537	-	-	-	-	-	5	1	-
Marlboro	465	464	-	-	-	1	-	-	-	-
Newberry	462	459	-	-	-	-	-	3	-	-
Oconee	683	635	-	43	-	-	-	1	4	-
Orangeburg	1,369	1,307	1	53	-	-	-	6	2	-
Pickens	1,033	1,024	1	4	-	-	2	2	-	-
Richland	4,203	4,154	-	20	-	1	8	10	10	-
Saluda	212	211	-	1	-	-	-	-	-	-
Spartanburg	2,980	2,946	-	14	-	-	3	13	4	-
Sumter	1,801	1,703	-	90	-	-	-	2	6	-
Union	392	390	-	-	-	-	-	2	-	-
Williamsburg	650	639	1	-	-	1	-	5	4	-
York	1,856	1,840	-	6	-	-	-	9	1	-

Table 24-A.
Live Births by Attendant by Race: South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total	White								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	31,202	30,385	-	704	2	14	26	51	19	1
Abbeville	185	185	-	-	-	-	-	-	-	-
Aiken	1,182	1,164	-	12	-	-	3	3	-	-
Allendale	38	38	-	-	-	-	-	-	-	-
Anderson	1,333	1,327	-	3	-	-	-	2	1	-
Bamberg	74	41	-	30	1	-	1	-	1	-
Barnwell	159	146	-	13	-	-	-	-	-	-
Beaufort	965	955	-	4	-	6	-	-	-	-
Berkeley	1,624	1,524	-	97	-	-	-	3	-	-
Calhoun	70	69	-	1	-	-	-	-	-	-
Charleston	2,938	2,839	-	93	-	-	-	3	3	-
Cherokee	385	384	-	1	-	-	-	-	-	-
Chester	212	211	-	-	-	-	-	1	-	-
Chesterfield	311	309	-	1	-	1	-	-	-	-
Clarendon	152	151	-	-	-	1	-	-	-	-
Colleton	251	213	-	38	-	-	-	-	-	-
Darlington	443	440	-	1	-	2	-	-	-	-
Dillon	223	223	-	-	-	-	-	-	-	-
Dorchester	1,015	954	-	58	-	-	-	3	-	-
Edgefield	122	122	-	-	-	-	-	-	-	-
Fairfield	100	100	-	-	-	-	-	-	-	-
Florence	867	863	-	1	-	1	-	2	-	-
Georgetown	279	276	-	3	-	-	-	-	-	-
Greenville	3,275	3,211	-	53	1	-	4	5	1	-
Greenwood	492	490	-	1	-	-	1	-	-	-
Hampton	113	106	-	6	-	1	-	-	-	-
Horry	1,501	1,412	-	84	-	1	-	2	2	-
Jasper	104	104	-	-	-	-	-	-	-	-
Kershaw	345	342	-	3	-	-	-	-	-	-
Lancaster	495	494	-	1	-	-	-	-	-	-
Laurens	463	459	-	2	-	-	-	2	-	-
Lee	69	69	-	-	-	-	-	-	-	-
Lexington	1,881	1,847	-	25	-	-	4	4	-	1
McCormick	20	20	-	-	-	-	-	-	-	-
Marion	183	183	-	-	-	-	-	-	-	-
Marlboro	178	178	-	-	-	-	-	-	-	-
Newberry	247	247	-	-	-	-	-	-	-	-
Oconee	589	548	-	36	-	-	-	1	4	-
Orangeburg	479	445	-	32	-	-	-	1	1	-
Pickens	924	917	-	4	-	-	2	1	-	-
Richland	2,059	2,026	-	18	-	1	8	2	4	-
Saluda	108	107	-	1	-	-	-	-	-	-
Spartanburg	2,122	2,095	-	14	-	-	3	8	2	-
Sumter	860	794	-	66	-	-	-	-	-	-
Union	235	234	-	-	-	-	-	1	-	-
Williamsburg	165	165	-	-	-	-	-	-	-	-
York	1,367	1,358	-	2	-	-	-	7	-	-

Table 24-A.
Live Births by Attendant by Race: South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total	Nonwhite								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	20,524	19,764	6	541	-	12	-	131	70	-
Abbeville	119	119	-	-	-	-	-	-	-	-
Aiken	570	560	-	1	-	-	-	5	4	-
Allendale	152	142	-	8	-	-	-	2	-	-
Anderson	445	441	-	1	-	-	-	3	-	-
Bamberg	178	99	-	76	-	1	-	1	1	-
Barnwell	142	137	-	3	-	1	-	-	1	-
Beaufort	598	590	-	-	-	2	-	6	-	-
Berkeley	637	533	-	88	-	-	-	12	4	-
Calhoun	101	100	-	-	-	-	-	1	-	-
Charleston	2,404	2,241	1	131	-	-	-	18	13	-
Cherokee	171	171	-	-	-	-	-	-	-	-
Chester	272	272	-	-	-	-	-	-	-	-
Chesterfield	242	239	1	-	-	1	-	1	-	-
Clarendon	298	297	-	-	-	-	-	1	-	-
Colleton	317	232	-	83	-	-	-	1	1	-
Darlington	407	399	-	2	-	2	-	2	2	-
Dillon	299	299	-	-	-	-	-	-	-	-
Dorchester	398	338	-	54	-	-	-	6	-	-
Edgefield	159	157	-	-	-	-	-	2	-	-
Fairfield	232	229	-	-	-	-	-	1	2	-
Florence	915	907	-	-	-	1	-	6	1	-
Georgetown	442	426	1	7	-	1	-	4	3	-
Greenville	1,132	1,125	-	-	-	1	-	3	3	-
Greenwood	318	315	-	-	-	-	-	2	1	-
Hampton	246	242	-	-	-	-	-	1	3	-
Horry	618	590	-	26	-	-	-	2	-	-
Jasper	178	175	-	-	-	-	-	3	-	-
Kershaw	195	195	-	-	-	-	-	-	-	-
Lancaster	268	265	-	-	-	-	-	3	-	-
Laurens	271	266	-	-	-	-	-	2	3	-
Lee	190	184	-	1	-	-		1	4	-
Lexington	392	384	-	2	-	-	-	5	1	-
McCormick	85	83	-	-	-	-	-	-	2	-
Marion	360	354	-	-	-	-	-	5	1	-
Marlboro	287	286	-	-	-	1	-	-	-	-
Newberry	215	212	-	-	-	-	-	3	-	-
Oconee	94	87	-	7	-	-	-	-	-	-
Orangeburg	890	862	1	21	-	-	-	5	1	-
Pickens	109	107	1	-	-	-	-	1	-	-
Richland	2,144	2,128	-	2	-	-	-	8	6	-
Saluda	104	104	-	-	-	-	-	-	-	-
Spartanburg	858	851	-	-	-	-	-	5	2	-
Sumter	941	909	-	24	-	-	-	2	6	-
Union	157	156	-	-	-	-	-	1	-	-
Williamsburg	485	474	1	-	-	1	-	5	4	-
York	489	482	-	4	-	-	-	2	1	-

Table 25.
Live Births by Attendant: South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	Total	Total								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	49,557	47,966	5	1,254	2	27	27	185	89	2
Abbeville	173	173	-	-	-	-	-	-	-	-
Aiken	508	492	-	-	-	-	3	10	3	-
Allendale	109	109	-	-	-	-	-	-	-	-
Anderson	1,787	1,781	-	-	-	-	-	5	1	-
Bamberg	282	15	-	258	1	2	1	2	3	-
Barnwell	94	90	-	-	-	1	-	1	2	-
Beaufort	1,746	1,731	-	-	-	8	-	7	-	-
Berkeley	11	-	-	-	-	-	-	9	2	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	9,339	8,775	2	510	-	-	-	34	18	-
Cherokee	308	308	-	-	-	-	-	-	-	-
Chester	352	352	-	-	-	-	-	-	-	-
Chesterfield	335	332	1	-	-	-	-	2	-	-
Clarendon	282	278	-	1	-	2	-	1	-	-
Colleton	353	242	-	107	-	-	-	2	1	1
Darlington	760	749	-	-	-	7	-	2	2	-
Dillon	259	259	-	-	-	-	-	-	-	-
Dorchester	2	-	-	-	-	-	-	2	-	-
Edgefield	55	54	-	-	-	-	-	1	-	-
Fairfield	11	8	-	-	-	-	-	1	2	-
Florence	2,562	2,550	-	1	-	1	-	9	1	-
Georgetown	682	678	-	-	-	-	-	2	2	-
Greenville	5,524	5,430	-	76	1	1	4	8	4	-
Greenwood	1,712	1,705	-	-	-	-	-	4	3	-
Hampton	173	169	-	-	-	-	-	1	3	-
Horry	2,128	2,006	-	111	-	2	-	6	3	-
Jasper	10	8	-	-	-	-	-	2	-	-
Kershaw	405	405	-	-	-	-	-	-	-	-
Lancaster	540	536	-	-	-	-	-	4	-	-
Laurens	114	110	-	-	-	-	-	3	1	-
Lee	102	98	-	-	-	-	-	1	3	-
Lexington	2,016	1,962	-	41	-	-	4	7	1	1
McCormick	2	-	-	-	-	-	-	-	2	-
Marion	723	717	-	-	-	-	-	5	1	-
Marlboro	235	234	-	-	-	1	-	-	-	-
Newberry	371	366	-	1	-	-	-	4	-	-
Oconee	547	497	-	44	-	-	-	2	4	-
Orangeburg	1,523	1,515	1	-	-	-	-	6	1	-
Pickens	585	579	1	-	-	-	4	1	-	-
Richland	5,519	5,481	-	6	-	1	8	13	10	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	3,092	3,073	-	-	-	-	3	12	4	-
Sumter	1,949	1,847	-	93	-	-	-	2	7	-
Union	257	255	-	-	-	-	-	2	-	-
Williamsburg	338	330	-	-	-	-	-	4	4	-
York	1,682	1,667	-	5	-	1	-	8	1	-

Table 25-A.
Live Births by Attendant by Race: South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	Total	White								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	29,589	28,759	-	713	2	15	27	53	19	1
Abbeville	64	64	-	-	-	-	-	-	-	-
Aiken	239	231	-	-	-	-	3	5	-	-
Allendale	14	14	-	-	-	-	-	-	-	-
Anderson	1,317	1,314	-	-	-	-	-	2	1	-
Bamberg	152	8	-	139	1	1	1	1	1	-
Barnwell	33	32	-	-	-	-	-	-	1	-
Beaufort	960	954	-	-	-	6	-	-	-	-
Berkeley	3	-	-	-	-	-	-	3	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	5,740	5,497	-	234	-	-	-	6	3	-
Cherokee	169	169	-	-	-	-	-	-	-	-
Chester	129	129	-	-	-	-	-	-	-	-
Chesterfield	98	97	-	-	-	-	-	1	-	-
Clarendon	66	65	-	-	-	1	-	-	-	-
Colleton	143	112	-	30	-	-	-	1	-	-
Darlington	384	380	-	-	-	4	-	-	-	-
Dillon	94	94	-	-	-	-	-	-	-	-
Dorchester	-	-	-	-	-	-	-	-	-	-
Edgefield	10	10	-	-	-	-	-	-	-	-
Fairfield	2	2	-	-	-	-	-	-	-	-
Florence	1,293	1,290	-	1	-	-	-	2	-	-
Georgetown	246	246	-	-	-	-	-	-	-	-
Greenville	4,270	4,183	-	76	1	-	4	5	1	-
Greenwood	982	981	-	-	-	-	-	1	-	-
Hampton	38	38	-	-	-	-	-	-	-	-
Horry	1,527	1,437	-	85	-	1	-	2	2	-
Jasper	1	1	-	-	-	-	-	-	-	-
Kershaw	240	240	-	-	-	-	-	-	-	-
Lancaster	294	293	-	-	-	-	-	1	-	-
Laurens	50	49	-	-	-	-	-	1	-	-
Lee	11	11	-	-	-	-	-	-	-	-
Lexington	1,634	1,587	-	38	-	-	4	4	-	1
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	264	264	-	-	-	-	-	-	-	-
Marlboro	97	97	-	-	-	-	-	-	-	-
Newberry	173	172	-	1	-	-		-	-	-
Oconee	476	435	-	36	-	-	-	1	4	-
Orangeburg	508	508	-	-	-	-	-	-	-	-
Pickens	531	526	-	-	-	-	4	1	-	-
Richland	2,878	2,858	-	5	-	1	8	2	4	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	2,189	2,177	-	-	-	-	3	7	2	-
Sumter	904	837	-	67	-	-	-	-	-	-
Union	141	140	-	-	-	-	-	1	-	-
Williamsburg	39	39	-	-	-	-	-	-	-	-
York	1,186	1,178	-	1	-	1	-	6	-	-

Table 25-A.
Live Births by Attendant by Race: South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	Total	Nonwhite								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	19,968	19,207	5	541	-	12	-	132	70	1
Abbeville	109	109	-	-	-	-	-	-	-	-
Aiken	269	261	-	-	-	-	-	5	3	-
Allendale	95	95	-	-	-	-	-	-	-	-
Anderson	470	467	-	-	-	-	-	3	-	-
Bamberg	130	7	-	119	-	1	-	1	2	-
Barnwell	61	58	-	-	-	1	-	1	1	-
Beaufort	786	777	-	-	-	2	-	7	-	-
Berkeley	8	-	1	-	-	-	-	6	2	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	3,599	3,278	2	276	-	-	-	28	15	-
Cherokee	139	139	-	-	-	-	-	-	-	-
Chester	223	223	-	-	-	-	-	-	-	-
Chesterfield	237	235	1	-	-	-	-	1	-	-
Clarendon	216	213	-	1	-	1	-	1	-	-
Colleton	210	130	-	77	-	-	-	1	1	1
Darlington	376	369	-	-	-	3	-	2	2	-
Dillon	165	165	-	-	-	-	-	-	-	-
Dorchester	2	-	-	-	-	-	-	2	-	-
Edgefield	45	44	-	-	-	-	-	1	-	-
Fairfield	9	6	-	-	-	-	-	1	2	-
Florence	1,269	1,260	-	-	-	1	-	7	1	-
Georgetown	436	432	-	-	-	-	-	2	2	-
Greenville	1,254	1,247	-	-	-	1	-	3	3	-
Greenwood	730	724	-	-	-	-	-	3	3	-
Hampton	135	131	-	-	-	-	-	1	3	-
Horry	601	569	-	26	-	1	-	4	1	-
Jasper	9	7	-	-	-	-	-	2	-	-
Kershaw	165	165	-	-	-	-	-	-	-	-
Lancaster	246	243	-	-	-	-	-	3	-	-
Laurens	64	61	-	-	-	-	-	2	1	-
Lee	91	87	-	-	-	-	-	1	3	-
Lexington	382	375	-	3	-	-	-	3	1	-
McCormick	2	-	-	-	-	-	-	-	2	-
Marion	459	453	-	-	-	-	-	5	1	-
Marlboro	138	137	-	-	-	1	-	-	-	-
Newberry	198	194	-	-	-	-		4	-	-
Oconee	71	62	-	8	-	-	-	1	-	-
Orangeburg	1,015	1,007	1	-	-	-	-	6	1	-
Pickens	54	53	1	-	-	-	-	-	-	-
Richland	2,641	2,623	-	1	-	-	-	11	6	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	903	896	-	-	-	-	-	5	2	-
Sumter	1,045	1,010	-	26	-	-	-	2	7	-
Union	116	115	-	-	-	-	-	1	-	-
Williamsburg	299	291	-	-	-	-	-	4	4	-
York	496	489	-	4	-	-	-	2	1	-

Table 26.
Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1986
(Residence Data)

Age of Mother	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Live Births by Age of Mother						
All Ages	51,726	100.0	31,202	100.0	20,524	100.0
<15	249	0.5	58	0.2	191	0.9
15 - 19	8,329	16.1	3,802	12.2	4,527	22.1
20 - 24	17,073	33.0	10,004	32.1	7,069	34.4
25 - 29	15,150	29.3	10,091	32.3	5,059	24.6
30 - 34	8,202	15.9	5,577	17.9	2,625	12.8
35 - 39	2,450	4.7	1,534	4.9	916	4.5
40 - 44	258	0.5	130	0.4	128	0.6
45+	12	0.0	5	0.0	7	0.0
Not Stated	3	0.0	1	0.0	2	0.0
Live Births by Age of Married Mother						
All Ages	38,694	100.0	28,480	100.0	10,214	100.0
<15	21	0.1	19	0.1	2	0.0
15 - 19	3,366	8.7	2,665	9.4	701	6.9
20 - 24	12,366	32.0	9,067	31.8	3,299	32.3
25 - 29	13,107	33.9	9,694	34.0	3,413	33.4
30 - 34	7,418	19.2	5,439	19.1	1,979	19.4
35 - 39	2,196	5.7	1,471	5.2	725	7.1
40 - 44	210	0.5	120	0.4	90	0.9
45+	8	0.0	5	0.0	3	0.0
Not Stated	2	0.0	-	0	2	0.0
Live Births by Age of Unmarried Mother						
All Ages	13,032	100.0	2,722	100.0	10,310	100.0
<15	228	1.7	39	1.4	189	1.8
15 - 19	4,963	38.1	1,137	41.8	3,826	37.1
20 - 24	4,707	36.1	937	34.4	3,770	36.6
25 - 29	2,043	15.7	397	14.6	1,646	16.0
30 - 34	784	6.0	138	5.1	646	6.3
35 - 39	254	1.9	63	2.3	191	1.9
40 - 44	48	0.4	10	0.4	38	0.4
45+	4	0.0	-	0	4	0.0
Not Stated	1	0.0	1	0.0	-	0

Table 27.
Live Births by Age of Mother:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	Total								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk.
South Carolina	51,726	249	8,329	17,073	15,150	8,202	2,450	258	12	3
Abbeville	304	-	69	109	67	36	19	4	-	-
Aiken	1,752	10	274	546	515	314	82	10	1	-
Allendale	190	1	48	70	38	24	8	1	-	-
Anderson	1,778	8	272	625	542	259	65	6	1	-
Bamberg	252	5	55	81	57	39	15	-	-	-
Barnwell	301	2	61	104	81	44	8	1	-	-
Beaufort	1,563	5	188	602	429	245	87	7	-	-
Berkeley	2,261	7	286	838	724	314	78	14	-	-
Calhoun	171	-	33	68	42	20	6	2	-	-
Charleston	5,342	16	791	1,733	1,640	858	279	25	-	-
Cherokee	556	5	135	192	140	60	22	2	-	-
Chester	484	3	109	156	134	56	23	3	-	-
Chesterfield	553	4	117	210	126	72	20	4	-	-
Clarendon	450	4	70	141	123	83	25	3	-	1
Colleton	568	2	99	201	150	96	17	3	-	-
Darlington	850	6	171	293	224	115	37	3	1	-
Dillon	522	3	122	186	135	58	16	2	-	-
Dorchester	1,413	4	179	495	459	206	64	6	-	-
Edgefield	281	1	51	105	73	38	12	1	-	-
Fairfield	332	5	67	111	75	53	20	1	-	-
Florence	1,782	12	347	550	498	273	87	15	-	-
Georgetown	721	6	120	232	204	113	43	3	-	-
Greenville	4,407	25	664	1,320	1,332	813	230	21	2	-
Greenwood	810	6	153	259	220	136	33	3	-	-
Hampton	359	1	75	115	112	36	18	2	-	-
Horry	2,119	11	318	759	604	323	92	12	-	-
Jasper	282	-	44	98	94	34	8	4	-	-
Kershaw	540	2	80	194	150	82	30	2	-	-
Lancaster	763	2	142	256	221	109	28	3	2	-
Laurens	734	5	139	286	183	100	21	-	-	-
Lee	259	-	38	82	73	49	17	-	-	-
Lexington	2,273	5	265	662	759	453	112	16	-	1
McCormick	105	-	18	42	21	12	11	1	-	-
Marion	543	3	103	196	129	86	21	5	-	-
Marlboro	465	5	117	165	105	52	18	3	-	-
Newberry	462	3	80	162	132	58	21	4	2	-
Oconee	683	2	106	231	195	113	32	4	-	-
Orangeburg	1,369	8	228	498	372	187	70	6	-	-
Pickens	1,033	4	176	337	304	168	40	4	-	-
Richland	4,203	14	521	1,115	1,399	851	279	21	2	1
Saluda	212	2	37	74	65	23	9	2	-	-
Spartanburg	2,980	23	557	950	884	437	117	11	1	-
Sumter	1,801	7	307	686	478	251	66	6	-	-
Union	392	3	84	146	96	50	12	1	-	-
Williamsburg	650	2	117	197	181	110	38	5	-	-
York	1,856	7	296	595	565	293	94	6	-	-

Table 27-A.
Live Births by Age of Mother and Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	White								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk
South Carolina	31,202	58	3,802	10,004	10,091	5,577	1,534	130	5	1
Abbeville	185	-	31	67	46	26	13	2	-	-
Aiken	1,182	4	154	367	377	224	54	2	-	-
Allendale	38	-	7	16	8	5	2	-	-	-
Anderson	1,333	5	172	462	431	213	45	4	1	-
Bamberg	74	-	17	18	22	16	1	-	-	-
Barnwell	159	-	24	55	53	22	4	1	-	-
Beaufort	965	-	91	359	291	159	61	4	-	-
Berkeley	1,624	1	188	633	542	209	47	4	-	-
Calhoun	70	-	7	25	26	9	2	1	-	-
Charleston	2,938	1	296	896	1,014	547	167	17	-	-
Cherokee	385	2	69	147	104	48	13	2	-	-
Chester	212	2	31	70	66	33	8	2	-	-
Chesterfield	311	-	39	116	83	55	14	4	-	-
Clarendon	152	-	18	45	53	25	11	-	-	-
Colleton	251	-	34	80	85	45	5	2	-	-
Darlington	443	1	68	148	143	63	20	-	-	-
Dillon	223	1	44	88	60	24	6	-	-	-
Dorchester	1,015	-	101	367	353	146	45	3	-	-
Edgefield	122	-	19	42	34	20	6	1	-	-
Fairfield	100	1	13	35	28	19	4	-	-	-
Florence	867	1	121	251	284	157	48	5	-	-
Georgetown	279	1	33	89	90	52	13	1	-	-
Greenville	3,275	8	355	935	1,068	693	198	17	1	-
Greenwood	492	-	74	139	154	98	26	1	-	-
Hampton	113	-	20	43	34	9	7	-	-	-
Horry	1,501	2	175	517	467	259	71	10	-	-
Jasper	104	-	17	37	32	12	5	1	-	-
Kershaw	345	1	36	125	109	54	19	1	-	-
Lancaster	495	-	71	168	165	67	21	1	2	-
Laurens	463	-	73	174	128	75	13	-	-	-
Lee	69	-	4	27	22	11	5	-	-	-
Lexington	1,881	4	191	529	647	404	95	10	-	1
McCormick	20	-	1	3	7	5	4	-	-	-
Marion	183	1	18	67	57	33	5	2	-	-
Marlboro	178	2	44	61	42	23	5	1	-	-
Newberry	247	-	26	83	84	39	13	1	1	-
Oconee	589	1	89	208	166	97	27	1	-	-
Orangeburg	479	2	61	171	144	80	21	-	-	-
Pickens	924	3	148	300	273	158	38	4	-	-
Richland	2,059	3	143	425	777	529	172	10	-	-
Saluda	108	-	9	43	36	15	4	1	-	-
Spartanburg	2,122	8	327	652	685	354	89	7	-	-
Sumter	860	-	105	349	246	135	23	2	-	-
Union	235	1	44	95	57	33	5	-	-	-
Williamsburg	165	-	21	48	52	39	5	-	-	-
York	1,367	2	173	429	446	238	74	5	-	-

Table 27-A.
Live Births by Age of Mother and Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	Nonwhite								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk
South Carolina	20,524	191	4,527	7,069	5,059	2,625	916	128	7	2
Abbeville	119	-	38	42	21	10	6	2	-	-
Aiken	570	6	120	179	138	90	28	8	1	-
Allendale	152	1	41	54	30	19	6	1	-	-
Anderson	445	3	100	163	111	46	20	2	-	-
Bamberg	178	5	38	63	35	23	14	-	-	-
Barnwell	142	2	37	49	28	22	4	-	-	-
Beaufort	598	5	97	243	138	86	26	3	-	-
Berkeley	637	6	98	205	182	105	31	10	-	-
Calhoun	101	-	26	43	16	11	4	1	-	-
Charleston	2,404	15	495	837	626	311	112	8	-	-
Cherokee	171	3	66	45	36	12	9	-	-	-
Chester	272	1	78	86	68	23	15	1	-	-
Chesterfield	242	4	78	94	43	17	6	-	-	-
Clarendon	298	4	52	96	70	58	14	3	-	1
Colleton	317	2	65	121	65	51	12	1	-	-
Darlington	407	5	103	145	81	52	17	3	1	-
Dillon	299	2	78	98	75	34	10	2	-	-
Dorchester	398	4	78	128	106	60	19	3	-	-
Edgefield	159	1	32	63	39	18	6	-	-	-
Fairfield	232	4	54	76	47	34	16	1	-	-
Florence	915	11	226	299	214	116	39	10	-	-
Georgetown	442	5	87	143	114	61	30	2	-	-
Greenville	1,132	17	309	385	264	120	32	4	1	-
Greenwood	318	6	79	120	66	38	7	2	-	-
Hampton	246	1	55	72	78	27	11	2	-	-
Horry	618	9	143	242	137	64	21	2	-	-
Jasper	178	-	27	61	62	22	3	3	-	-
Kershaw	195	1	44	69	41	28	11	1	-	-
Lancaster	268	2	71	88	56	42	7	2	-	-
Laurens	271	5	66	112	55	25	8	-	-	-
Lee	190	-	34	55	51	38	12	-	-	-
Lexington	392	1	74	133	112	49	17	6	-	-
McCormick	85	-	17	39	14	7	7	1	-	-
Marion	360	2	85	129	72	53	16	3	-	-
Marlboro	287	3	73	104	63	29	13	2	-	-
Newberry	215	3	54	79	48	19	8	3	1	-
Oconee	94	1	17	23	29	16	5	3	-	-
Orangeburg	890	6	167	327	228	107	49	6	-	-
Pickens	109	1	28	37	31	10	2	-	-	-
Richland	2,144	11	378	690	622	322	107	11	2	1
Saluda	104	2	28	31	29	8	5	1	-	-
Spartanburg	858	15	230	298	199	83	28	4	1	-
Sumter	941	7	202	337	232	116	43	4	-	-
Union	157	2	40	51	39	17	7	1	-	-
Williamsburg	485	2	96	149	129	71	33	5	-	-
York	489	5	123	166	119	55	20	1	-	-

Table 28.
Live Births to Mothers Less Than 20 Years Old
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total <19	Age of Mother					
		<15	15	16	17	18	19
SOUTH CAROLINA	8,578	249	484	1,053	1,620	2,296	2,876
Abbeville	69	-	1	10	15	17	26
Aiken	284	10	10	35	57	76	96
Allendale	49	1	2	7	10	12	17
Anderson	280	8	12	35	63	71	91
Bamberg	60	5	3	4	10	15	23
Barnwell	63	2	3	4	13	24	17
Beaufort	193	5	5	18	35	51	79
Berkeley	293	7	17	30	45	75	119
Calhoun	33	-	-	7	4	8	14
Charleston	807	16	45	114	149	207	276
Cherokee	140	5	11	16	23	35	50
Chester	112	3	8	14	17	27	43
Chesterfield	121	4	5	14	24	35	39
Clarendon	74	4	3	13	11	24	19
Colleton	101	2	4	13	22	23	37
Darlington	177	6	12	16	26	52	65
Dillon	125	3	11	12	26	32	41
Dorchester	183	4	7	22	41	38	71
Edgefield	52	1	2	8	16	15	10
Fairfield	72	5	5	8	13	20	21
Florence	359	12	18	41	80	109	99
Georgetown	126	6	6	13	22	31	48
Greenville	689	25	47	90	118	179	230
Greenwood	159	6	12	24	26	46	45
Hampton	76	1	1	19	12	19	24
Horry	329	11	20	34	63	81	120
Jasper	44	-	4	4	9	11	16
Kershaw	82	2	6	10	20	25	19
Lancaster	144	2	2	18	37	42	43
Laurens	144	5	12	22	29	31	45
Lee	38	-	5	5	10	9	9
Lexington	270	5	11	32	52	78	92
McCormick	18	-	2	3	3	4	6
Marion	106	3	6	13	21	31	32
Marlboro	122	5	12	9	24	38	34
Newberry	83	3	4	12	17	20	27
Oconee	108	2	3	13	21	33	36
Orangeburg	236	8	11	31	32	72	82
Pickens	180	4	11	21	36	54	54
Richland	535	14	30	66	102	139	184
Saluda	39	2	4	3	6	13	11
Spartanburg	580	23	40	72	107	158	180
Sumter	314	7	19	37	62	76	113
Union	87	3	3	13	14	24	30
Williamsburg	119	2	11	14	23	35	34
York	303	7	18	34	54	81	109

Table 29.
Live Births by Birth Weight, by Age of Mother and Race: South Carolina, 1986
(Residence Data)

County and Race	Birth Weight												
	Total	499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 Grams	5000+ grams	Not Stated
SOUTH CAROLINA	51,726	92	298	419	876	2,758	9,390	19,019	13,893	4,141	716	118	6
White	31,202	33	110	166	384	1,220	4,425	10,974	9,910	3,306	582	91	1
Nonwhite	20,524	59	188	253	492	1,538	4,965	8,045	3,983	835	134	27	5
Under 15 Years	249	2	2	4	7	22	68	92	39	12	-	1	-
White	58	-	-	2	2	1	12	19	15	6	-	1	-
Nonwhite	191	2	2	2	5	21	56	73	24	6	-	-	-
15-19 Years	8,329	24	73	93	200	553	1,912	3,228	1,759	431	48	6	2
White	3,802	9	25	34	70	170	648	1,425	1,064	320	33	4	-
Nonwhite	4,527	15	48	59	130	383	1,264	1,803	695	111	15	2	2
20-24 Years	17,073	18	95	121	260	968	3,235	6,453	4,472	1,240	184	25	2
White	10,004	5	30	43	108	431	1,521	3,586	3,141	964	155	19	1
Nonwhite	7,069	13	65	78	152	537	1,714	2,867	1,331	276	29	6	1
25-34 Years	23,352	41	116	180	362	1,074	3,751	8,338	6,795	2,190	429	74	2
White	15,668	17	49	79	182	558	2,027	5,402	5,139	1,802	352	61	-
Nonwhite	7,684	24	67	101	180	516	1,724	2,936	1,656	388	77	13	2
35-44 Years	2,708	7	12	21	47	141	420	901	824	268	55	12	-
White	1,664	2	6	8	22	60	215	540	549	214	42	6	-
Nonwhite	1,044	5	6	13	25	81	205	361	275	54	13	6	-
45 and Over	12	-	-	-	-	-	4	4	4	-	-	-	-
White	5	-	-	-	-	-	2	1	2	-	-	-	-
Nonwhite	7	-	-	-	-	-	2	3	2	-	-	-	-
Not Stated	3	-	-	-	-	-	-	3	-	-	-	-	-
White	1	-	-	-	-	-	-	1	-	-	-	-	-
Nonwhite	2	-	-	-	-	-	-	2	-	-	-	-	-

Table 30.
Low Weight* Live Births and Percent of Low Weight Live Births:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	4,443	8.6	1,913	6.1	2,530	12.3
Abbeville	25	8.2	14	7.6	11	9.2
Aiken	134	7.6	70	5.9	64	11.2
Allendale	15	7.9	1	2.6	14	9.2
Anderson	125	7.0	74	5.6	51	11.5
Bamberg	26	10.3	4	5.4	22	12.4
Barnwell	37	12.3	11	6.9	26	18.3
Beaufort	123	7.9	41	4.2	82	13.7
Berkeley	138	6.1	79	4.9	59	9.3
Calhoun	10	5.8	2	2.9	8	7.9
Charleston	482	9.0	183	6.2	299	12.4
Cherokee	49	8.8	25	6.5	24	14.0
Chester	53	11.0	14	6.6	39	14.3
Chesterfield	43	7.8	18	5.8	25	10.3
Clarendon	46	10.2	7	4.6	39	13.1
Colleton	55	9.7	22	8.8	33	10.4
Darlington	83	9.8	32	7.2	51	12.5
Dillon	45	8.6	14	6.3	31	10.4
Dorchester	76	5.4	45	4.4	31	7.8
Edgefield	25	8.9	12	9.8	13	8.2
Fairfield	35	10.5	8	8.0	27	11.6
Florence	189	10.6	62	7.2	127	13.9
Georgetown	63	8.7	9	3.2	54	12.2
Greenville	377	8.6	225	6.9	152	13.4
Greenwood	93	11.5	49	10.0	44	13.8
Hampton	29	8.1	6	5.3	23	9.3
Horry	161	7.6	80	5.3	81	13.1
Jasper	24	8.5	4	3.8	20	11.2
Kershaw	49	9.1	29	8.4	20	10.3
Lancaster	62	8.1	36	7.3	26	9.7
Laurens	67	9.1	35	7.6	32	11.8
Lee	34	13.1	4	5.8	30	15.8
Lexington	169	7.4	117	6.2	52	13.3
McCormick	10	9.5	1	5.0	9	10.6
Marion	64	11.8	8	4.4	56	15.6
Marlboro	50	10.8	15	8.4	35	12.2
Newberry	35	7.6	13	5.3	22	10.2
Oconee	47	6.9	34	5.8	13	13.8
Orangeburg	139	10.2	27	5.6	112	12.6
Pickens	79	7.6	65	7.0	14	12.8
Richland	399	9.5	112	5.4	287	13.4
Saluda	21	9.9	6	5.6	15	14.4
Spartanburg	251	8.4	137	6.5	114	13.3
Sumter	152	8.4	48	5.6	104	11.1
Union	36	9.2	19	8.1	17	10.8
Williamsburg	74	11.4	13	7.9	61	12.6
York	144	7.8	83	6.1	61	12.5

* Live birth weighing less than 2500 grams

Table 31 .
Low Weight* Live Births by Age of Mother:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	Total								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk.
South Carolina	4,443	37	943	1,462	1,135	638	205	23	-	-
Abbeville	25	-	7	8	7	-	2	1	-	-
Aiken	134	4	30	41	27	22	8	2	-	-
Allendale	15	-	6	5	1	1	2	-	-	-
Anderson	125	1	25	43	33	16	7	-	-	-
Bamberg	26	-	8	8	7	3	-	-	-	-
Barnwell	37	1	8	16	10	2	-	-	-	-
Beaufort	123	-	20	49	29	18	6	1	-	-
Berkeley	138	-	22	40	45	26	3	2	-	-
Calhoun	10	-	2	5	3	-	-	-	-	-
Charleston	482	1	89	167	135	62	24	4	-	-
Cherokee	49	1	15	11	14	6	2	-	-	-
Chester	53	-	18	18	11	2	4	-	-	-
Chesterfield	43	-	12	15	8	5	2	1	-	-
Clarendon	46	-	10	13	10	11	1	1	-	-
Colleton	55	-	10	20	13	12	-	-	-	-
Darlington	83	-	13	45	16	7	2	-	-	-
Dillon	45	1	8	18	12	5	-	1	-	-
Dorchester	763	1	14	26	19	11	5	-	-	-
Edgefield	25	-	7	10	4	4	-	-	-	-
Fairfield	35	-	9	11	9	5	1	-	-	-
Florence	189	4	45	53	46	36	4	1	-	-
Georgetown	63	-	14	16	12	15	6	-	-	-
Greenville	377	3	82	120	88	62	21	1	-	-
Greenwood	93	2	22	34	23	12	-	-	-	-
Hampton	29	-	6	10	11	1	1	-	-	-
Horry	161	3	34	51	33	30	8	2	-	-
Jasper	24	-	4	8	9	3	-	-	-	-
Kershaw	49	-	13	16	13	3	3	1	-	-
Lancaster	62	-	13	22	18	7	2	-	-	-
Laurens	67	3	12	24	13	11	4	-	-	-
Lee	34	-	4	9	10	9	2	-	-	-
Lexington	169	-	26	41	55	37	9	1	-	-
McCormick	10	-	2	6	2	-	-	-	-	-
Marion	64	1	16	18	18	10	1	-	-	-
Marlboro	50	1	17	15	11	5	1	-	-	-
Newberry	35	-	10	12	7	3	2	1	-	-
Oconee	47	-	9	15	14	6	3	-	-	-
Orangeburg	139	-	33	48	31	18	9	-	-	-
Pickens	79	-	17	28	18	11	5	-	-	-
Richland	399	4	77	116	112	62	26	2	-	-
Saluda	21	-	5	10	5	1	-	-	-	-
Spartanburg	251	3	58	80	74	30	6	-	-	-
Sumter	152	1	37	53	34	18	9	-	-	-
Union	36	-	9	17	7	2	1	-	-	-
Williamsburg	74	1	13	26	20	11	3	-	-	-
York	144	1	32	45	38	17	10	1	-	-

* Live birth weighing less than 2500 grams

Table 31-A.
Low Weight* Live Births by Age of Mother and Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	White								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk
South Carolina	1,913	5	308	617	567	318	91	7	-	-
Abbeville	14	-	2	5	5	-	2	-	-	-
Aiken	70	1	14	22	17	12	4	-	-	-
Allendale	1	-	-	1	-	-	-	-	-	-
Anderson	74	-	16	19	24	12	3	-	-	-
Bamberg	4	-	2	-	2	-	-	-	-	-
Barnwell	11	-	2	4	4	1	-	-	-	-
Beaufort	41	-	4	19	8	9	1	-	-	-
Berkeley	79	-	11	27	25	14	2	-	-	-
Calhoun	2	-	1	1	-	-	-	-	-	-
Charleston	183	-	22	69	53	27	11	1	-	-
Cherokee	25	-	9	5	6	4	1	-	-	-
Chester	14	-	4	5	5	-	-	-	-	-
Chesterfield	18	-	2	6	3	5	1	1	-	-
Clarendon	7	-	1	2	1	1	2	1	-	-
Colleton	22	-	3	8	5	6	-	-	-	-
Darlington	32	-	2	14	11	3	2	-	-	-
Dillon	14	-	2	4	5	3	-	-	-	-
Dorchester	45	-	6	15	15	5	4	-	-	-
Edgefield	12	-	4	3	3	2	-	-	-	-
Fairfield	8	-	-	1	5	2	-	-	-	-
Florence	62	-	12	12	23	14	1	-	-	-
Georgetown	9	-	1	3	1	4	-	-	-	-
Greenville	225	1	33	74	58	45	14	-	-	-
Greenwood	49	-	10	17	15	7	-	-	-	-
Hampton	6	-	3	1	1	-	1	-	-	-
Horry	80	1	10	25	20	17	5	2	-	-
Jasper	4	-	-	2	2	-	-	-	-	-
Kershaw	29	-	4	9	11	3	2	-	-	-
Lancaster	36	-	4	17	10	4	1	-	-	-
Laurens	35	-	8	13	8	4	2	-	-	-
Lee	4	-	1	2	-	1	-	-	-	-
Lexington	117	-	16	28	42	25	6	-	-	-
McCormick	1	-	-	-	1	-	-	-	-	-
Marion	8	1	-	2	3	2	-	-	-	-
Marlboro	15	1	6	3	3	1	1	-	-	-
Newberry	13	-	2	5	3	2	1	-	-	-
Oconee	34	-	8	11	9	4	2	-	-	-
Orangeburg	27	-	4	7	9	5	2	-	-	-
Pickens	65	-	12	24	14	10	5	-	-	-
Richland	112	-	11	23	45	22	9	2	-	-
Saluda	6	-	-	5	-	1	-	-	-	-
Spartanburg	137	-	30	40	48	18	1	-	-	-
Sumter	48	-	9	19	11	7	2	-	-	-
Union	19	-	3	11	3	2	-	-	-	-
Williamsburg	13	-	2	5	3	2	1	-	-	-
York	83	-	12	29	27	11	3	1	-	-

* Live birth weighing less than 2500 grams

Table 31-A.
Low Weight* Live Births by Age of Mother and Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	Nonwhite								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk
South Carolina	2,530	32	635	845	568	320	114	16	-	-
Abbeville	11	-	5	3	2	-	-	1	-	-
Aiken	64	3	16	19	10	10	4	2	-	-
Allendale	14	-	6	4	1	1	2	-	-	-
Anderson	51	1	9	24	9	4	4	-	-	-
Bamberg	22	-	6	8	5	3	-	-	-	-
Barnwell	26	1	6	12	6	1	-	-	-	-
Beaufort	82	-	16	30	21	9	5	1	-	-
Berkeley	59	-	11	13	20	12	1	2	-	-
Calhoun	8	1	4	3	-	-	-	-	-	-
Charleston	299	1	67	98	82	35	13	3	-	-
Cherokee	24	1	6	6	8	2	1	-	-	-
Chester	39	-	14	13	6	2	4	-	-	-
Chesterfield	25	-	10	9	5	-	1	-	-	-
Clarendon	39	-	9	11	9	9	-	1	-	-
Colleton	33	-	7	12	8	6	-	-	-	-
Darlington	51	-	11	31	5	4	-	-	-	-
Dillon	31	1	6	14	7	2	-	1	-	-
Dorchester	31	1	8	11	4	6	1	-	-	-
Edgefield	13	-	3	7	1	2	-	-	-	-
Fairfield	27	-	9	10	4	3	1	-	-	-
Florence	127	4	33	41	23	22	3	1	-	-
Georgetown	54	-	13	13	11	11	6	-	-	-
Greenville	152	2	49	46	30	17	7	1	-	-
Greenwood	44	2	12	17	8	5	-	-	-	-
Hampton	23	-	3	9	10	1	-	-	-	-
Horry	81	2	24	26	13	13	3	-	-	-
Jasper	20	-	4	6	7	3	-	-	-	-
Kershaw	20	-	9	7	2	-	1	1	-	-
Lancaster	26	-	9	5	8	3	1	-	-	-
Laurens	32	3	4	11	5	7	2	-	-	-
Lee	30	-	3	7	10	8	2	-	-	-
Lexington	52	-	10	13	13	12	3	1	-	-
McCormick	9	-	2	6	1	-	-	-	-	-
Marion	56	-	16	16	15	8	1	-	-	-
Marlboro	35	-	11	12	8	4	-	-	-	-
Newberry	22	-	8	7	4	1	1	1	-	-
Oconee	13	-	1	4	5	2	1	-	-	-
Orangeburg	112	-	29	41	22	13	7	-	-	-
Pickens	14	-	5	4	4	1	-	-	-	-
Richland	287	4	66	93	67	40	17	-	-	-
Saluda	15	-	5	5	5	-	-	-	-	-
Spartanburg	114	3	28	40	26	12	5	-	-	-
Sumter	104	1	28	34	23	11	7	-	-	-
Union	17	-	6	6	4	-	1	-	-	-
Williamsburg	61	1	11	21	17	9	2	-	-	-
York	61	1	20	16	11	6	7	-	-	-

* Live birth weighing less than 2500 grams

Table 32.
Live Births by Birth Weight and Race, South Carolina and Each County, 1986
(Residence Data)

County and Race	Birth Weight												
	Total	499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
SOUTH CAROLINA	51,726	92	298	419	876	2,758	9,390	19,019	13,893	4,141	716	118	6
White	31,202	33	110	166	384	1,220	4,425	10,974	9,910	3,306	582	91	1
Nonwhite	20,524	59	188	253	492	1,538	4,965	8,045	3,983	835	134	27	5
Abbeville	304	1	1	6	6	11	54	109	83	22	10	1	-
White	185	1	1	4	1	7	27	56	60	17	10	1	-
Nonwhite	119	-	-	2	5	4	27	53	23	5	-	-	-
Aiken	1,752	1	5	13	26	89	327	644	458	164	22	3	-
White	1,182	-	2	4	15	49	176	435	341	138	19	3	-
Nonwhite	570	1	3	9	11	40	151	209	117	26	3	-	-
Allendale	190	2	1	2	3	7	43	76	46	7	3	-	-
White	38	-	-	-	-	1	7	17	11	2	-	-	-
Nonwhite	152	2	1	2	3	6	36	59	35	5	3	-	-
Anderson	1,778	2	12	15	23	73	304	692	483	139	30	5	-
White	1,333	-	6	10	12	46	186	512	403	127	27	4	-
Nonwhite	445	2	6	5	11	27	118	180	80	12	3	1	-
Bamberg	252	-	5	3	6	12	50	102	50	20	3	1	-
White	74	-	1	-	1	2	8	33	19	8	2	-	-
Nonwhite	178	-	4	3	5	10	42	69	31	12	1	1	-
Barnwell	301	-	1	1	15	20	51	109	66	34	3	1	-
White	159	-	-	-	5	6	15	54	47	29	2	1	-
Nonwhite	142	-	1	1	10	14	36	55	19	5	1	-	-
Beaufort	1,563	3	6	6	15	93	264	575	436	147	16	2	-
White	965	1	3	4	4	29	114	342	337	116	13	2	-
Nonwhite	598	2	3	2	11	64	150	233	99	31	3	-	-

Table 32 . (Cont.)

County and Race	Birth Weight												
	Total	499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Berkeley	2,261	4	8	10	30	86	383	781	683	222	45	9	-
White	1,624	2	5	5	16	51	224	534	549	190	39	9	-
Nonwhite	637	2	3	5	14	35	159	247	134	32	6	-	-
Calhoun	171	-	2	-	5	3	40	70	37	11	2	-	1
White	70	-	-	-	-	2	10	29	19	9	1	-	-
Nonwhite	101	-	2	-	5	1	30	41	18	2	1	-	1
Charleston	5,342	12	45	47	93	285	968	1,953	1,437	417	68	15	2
White	2,938	4	10	14	37	118	398	1,011	947	329	59	11	-
Nonwhite	2,404	8	35	33	56	167	570	942	490	88	9	4	2
Cherokee	556	1	2	2	11	33	104	211	145	39	8	-	-
White	385	1	1	-	8	15	71	138	106	38	7	-	-
Nonwhite	171	-	1	2	3	18	33	73	39	1	1	-	-
Chester	484	-	4	6	12	31	103	157	127	37	5	2	-
White	212	-	1	2	2	9	38	65	66	24	4	1	-
Nonwhite	272	-	3	4	10	22	65	92	61	13	1	1	-
Chesterfield	553	1	2	5	7	28	109	226	136	35	4	-	-
White	311	-	1	2	3	12	43	121	102	25	2	-	-
Nonwhite	242	1	1	3	4	16	66	105	34	10	2	-	-
Clarendon	450	-	2	8	4	32	74	180	111	32	7	-	-
White	152	-	-	1	1	5	23	56	46	18	2	-	-
Nonwhite	298	-	2	7	3	27	51	124	65	14	5	-	-
Colleton	568	-	4	11	8	32	109	205	137	49	12	1	-
White	251	-	1	4	2	15	33	79	78	30	8	1	-
Nonwhite	317	-	3	7	6	17	76	126	59	19	4	-	-

Table 32. (Cont.)

County and Race	Birth Weight												
	Total	499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Darlington	850	1	6	5	18	53	184	322	210	41	8	2	-
White	443	-	4	1	4	23	72	159	140	35	5	-	-
Nonwhite	407	1	2	4	14	30	112	163	70	6	3	2	-
Dillon	522	2	2	3	7	31	121	173	142	37	3	1	-
White	223	1	-	1	5	7	35	69	79	24	1	1	-
Nonwhite	299	1	2	2	2	24	86	104	63	13	2	-	-
Dorchester	1,413	-	7	8	14	47	235	494	434	141	29	3	1
White	1,015	-	3	3	11	28	144	335	338	124	26	2	1
Nonwhite	398	-	4	5	3	19	91	159	96	17	3	1	-
Edgefield	281	1	2	7	7	8	56	104	68	24	4	-	-
White	122	1	1	4	3	3	17	41	33	17	2	-	-
Nonwhite	159	-	1	3	4	5	39	63	35	7	2	-	-
Fairfield	332	-	2	7	4	22	84	124	74	12	2	1	-
White	100	-	1	2	2	3	14	35	34	8	1	-	-
Nonwhite	232	-	1	5	2	19	70	89	40	4	1	1	-
Florence	1,782	6	12	17	38	116	370	659	434	111	16	3	-
White	867	2	3	4	13	40	137	300	265	89	12	2	-
Nonwhite	915	4	9	13	25	76	233	359	169	22	4	1	-
Georgetown	721	1	4	8	14	36	132	265	194	57	9	1	-
White	279	-	3	-	2	4	40	92	103	31	4	-	-
Nonwhite	442	1	1	8	12	32	92	173	91	26	5	1	-
Greenville	4,407	14	16	34	62	251	788	1,656	1,208	320	55	3	-
White	3,275	5	9	19	43	149	479	1,235	999	283	51	3	-
Nonwhite	1,132	9	7	15	19	102	309	421	209	37	4	-	-

Table 32. (Cont.)

County and Race	Birth Weight												
	Total	499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Greenwood	810	1	4	12	13	63	145	304	214	40	13	1	-
White	492	-	2	8	6	33	61	187	154	30	11	-	-
Nonwhite	318	1	2	4	7	30	84	117	60	10	2	1	-
Hampton	359	1	3	2	3	20	71	135	97	25	2	-	-
White	113	1	1	1	-	3	18	37	41	11	-	-	-
Nonwhite	246	-	2	1	3	17	53	98	56	14	2	-	-
Horry	2,119	3	5	9	28	116	369	764	590	203	31	1	-
White	1,501	1	3	6	10	60	216	537	461	178	28	1	-
Nonwhite	618	2	2	3	18	56	153	227	129	25	3	-	-
Jasper	282	-	-	1	1	22	70	106	62	15	5	-	-
White	104	-	-	-	-	4	19	39	29	9	4	-	-
Nonwhite	178	-	-	1	1	18	51	67	33	6	1	-	-
Kershaw	540	-	3	8	9	29	103	179	146	51	9	3	-
White	345	-	2	4	6	17	57	104	104	40	8	3	-
Nonwhite	195	-	1	4	3	12	46	75	42	11	1	-	-
Lancaster	763	-	2	4	21	35	133	308	201	53	5	1	-
White	495	-	1	4	11	20	75	193	143	43	4	1	-
Nonwhite	268	-	1	-	10	15	58	115	58	10	1	-	-
Laurens	734	1	6	7	13	40	137	278	182	54	13	3	-
White	463	1	2	3	6	23	76	165	131	43	11	2	-
Nonwhite	271	-	4	4	7	17	61	113	51	11	2	1	-
Lee	259	-	3	3	10	18	51	105	51	14	2	2	-
White	69	-	-	-	1	3	12	26	24	2	1	-	-
Nonwhite	190	-	3	3	9	15	39	79	27	12	1	2	-

Table 32. (Cont.)

County and Race	Birth Weight												
	Total	499 grams or less	500–999 grams	1000–1499 grams	1500–1999 grams	2000–2499 grams	2500–2999 grams	3000–3499 grams	3500–3999 grams	4000–4499 grams	4500–4999 grams	5000+ grams	Not Stated
Lexington	2,273	6	12	15	32	104	351	802	671	242	34	4	-
White	1,881	4	6	9	23	75	250	657	591	230	32	4	-
Nonwhite	392	2	6	6	9	29	101	145	80	12	2	-	-
McCormick	105	-	2	-	4	4	20	43	25	4	2	1	-
White	20	-	-	-	1	-	2	12	3	1	1	-	-
Nonwhite	85	-	2	-	3	4	18	31	22	3	1	1	-
Marion	543	1	3	5	14	41	118	212	113	30	6	-	-
White	183	-	-	1	2	5	25	72	58	18	2	-	-
Nonwhite	360	1	3	4	12	36	93	140	55	12	4	-	-
Marlboro	465	-	3	2	15	30	84	195	95	30	10	1	-
White	178	-	1	-	3	11	23	60	55	19	5	1	-
Nonwhite	287	-	2	2	12	19	61	135	40	11	5	-	-
Newberry	462	-	4	4	7	20	95	180	129	17	6	-	-
White	247	-	2	1	3	7	37	91	90	12	4	-	-
Nonwhite	215	-	2	3	4	13	58	89	39	5	2	-	-
Oconee	683	-	4	3	8	32	99	246	222	58	9	2	-
White	589	-	3	1	7	23	82	214	196	54	7	2	-
Nonwhite	94	-	1	2	1	9	17	32	26	4	2	-	-
Orangeburg	1,369	3	9	18	22	87	281	534	308	89	15	3	-
White	479	-	4	3	6	14	66	173	146	55	11	1	-
Nonwhite	890	3	5	15	16	73	215	361	162	34	4	2	-
Pickens	1,033	1	6	7	16	49	145	364	318	105	21	1	-
White	924	-	4	7	14	40	122	325	290	101	20	1	-
Nonwhite	109	1	2	-	2	9	23	39	28	4	1	-	-

Table 32. (Cont.)

County and Race	Birth Weight												
	Total	499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Richland	4,203	5	32	40	89	233	744	1,521	1,108	356	61	14	-
White	2,059	-	6	12	22	72	259	698	696	242	42	10	-
Nonwhite	2,144	5	26	28	67	161	485	823	412	114	19	4	-
Saluda	212	-	2	2	3	14	37	86	50	17	1	-	-
White	108	-	1	1	-	4	16	43	30	12	1	-	-
Nonwhite	104	-	1	1	3	10	21	43	20	5	-	-	-
Spartanburg	2,980	8	16	25	51	151	527	1,022	868	252	48	11	1
White	2,122	5	9	13	33	77	322	688	699	222	44	10	-
Nonwhite	858	3	7	12	18	74	205	334	169	30	4	1	1
Sumter	1,801	4	14	10	36	88	343	671	466	137	24	8	-
White	860	1	3	1	12	31	130	304	259	92	20	7	-
Nonwhite	941	3	11	9	24	57	213	367	207	45	4	1	-
Union	392	3	2	1	3	27	82	147	91	31	5	-	-
White	235	-	1	1	1	16	41	81	68	23	3	-	-
Nonwhite	157	3	1	-	2	11	41	66	23	8	2	-	-
Williamsburg	650	2	6	3	12	51	135	276	122	35	7	1	-
White	165	2	-	-	3	8	25	60	44	18	5	-	-
Nonwhite	485	-	6	3	9	43	110	216	78	17	2	1	-
York	1,856	1	6	14	38	85	297	654	565	165	23	7	1
White	1,367	-	3	6	24	50	180	460	476	140	21	7	-
Nonwhite	489	1	3	8	14	35	117	194	89	25	2	-	1

Table 33 .
Out-of-Wedlock Live Births and Percent of Out-of-Wedlock Live Births
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	13,032	25.2	2,722	8.7	10,310	50.2
Abbeville	101	33.2	16	8.6	85	71.4
Aiken	379	21.6	108	9.1	271	47.5
Allendale	94	49.5	4	10.5	90	59.2
Anderson	332	18.7	112	8.4	220	49.4
Bamberg	103	40.9	8	10.8	95	53.4
Barnwell	82	27.2	7	4.4	75	52.8
Beaufort	280	17.9	51	5.3	229	38.3
Berkeley	330	14.6	117	7.2	213	33.4
Calhoun	52	30.4	3	4.3	49	48.5
Charleston	1,461	27.3	222	7.6	1,239	51.5
Cherokee	151	27.2	38	9.9	113	66.1
Chester	176	36.4	22	10.4	154	56.6
Chesterfield	170	30.7	30	9.6	140	57.9
Clarendon	173	38.4	13	8.6	160	53.7
Colleton	184	32.4	27	10.8	157	49.5
Darlington	267	31.4	38	8.6	229	56.3
Dillon	208	39.8	39	17.5	169	56.5
Dorchester	215	15.2	64	6.3	151	37.9
Edgefield	99	35.2	6	4.9	93	58.5
Fairfield	127	38.3	7	7.0	120	51.7
Florence	539	30.2	76	8.8	463	50.6
Georgetown	234	32.5	24	8.6	210	47.5
Greenville	970	22.0	312	9.5	658	58.1
Greenwood	241	29.8	60	12.2	181	56.9
Hampton	111	30.9	7	6.2	104	42.3
Horry	451	21.3	131	8.7	320	51.8
Jasper	104	36.9	15	14.4	89	50.0
Kershaw	116	21.5	28	8.1	88	45.1
Lancaster	181	23.7	38	7.7	143	53.4
Laurens	229	31.2	62	13.4	167	61.6
Lee	109	42.1	4	5.8	105	55.3
Lexington	339	14.9	159	8.5	180	45.9
McCormick	43	41.0	1	5.0	42	49.4
Marion	222	40.9	14	7.7	208	57.8
Marlboro	198	42.6	29	16.3	169	58.9
Newberry	135	29.2	15	6.1	120	55.8
Oconee	74	10.8	39	6.6	35	37.2
Orangeburg	487	35.6	40	8.4	447	50.2
Pickens	151	14.6	99	10.7	52	47.7
Richland	1,000	23.8	143	6.9	857	40.0
Saluda	66	31.1	4	3.7	62	59.6
Spartanburg	736	24.7	225	10.6	511	59.6
Sumter	515	28.6	77	9.0	438	46.5
Union	121	30.9	27	11.5	94	59.9
Williamsburg	253	38.9	14	8.5	239	49.3
York	423	22.8	147	10.8	276	56.4

Table 34 .
Out-of-Wedlock Live Births by Age of Mother
South Carolina and Each County, 1986
(Residence Data)

unty of sidence	Total All Ages	Total								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Older	Not Stated
TH CAROLINA	13,032	228	4,963	4,707	2,043	784	254	48	4	1
eville	101	-	43	37	10	5	5	1	-	-
en	379	8	149	122	56	29	9	5	1	-
endale	94	1	38	35	13	5	2	-	-	-
erson	332	7	120	132	54	14	4	1	-	-
berg	103	5	34	36	16	9	3	-	-	-
nwell	82	2	33	26	11	9	1	-	-	-
ufort	280	5	80	116	49	25	4	1	-	-
keley	330	7	127	113	62	16	3	2	-	-
houn	52	-	23	25	3	-	-	1	-	-
rleston	1,461	15	531	525	264	95	27	4	-	-
rokee	151	3	80	40	23	4	1	-	-	-
ster	176	3	76	53	26	10	7	1	-	-
sterfield	170	4	78	59	22	7	-	-	-	-
rendon	173	4	51	62	35	16	4	1	-	-
leton	184	2	59	72	34	14	3	-	-	-
lington	267	5	107	102	27	18	5	2	1	-
lon	208	3	82	76	35	9	3	-	-	-
chester	215	4	93	75	30	10	3	-	-	-
efield	99	1	32	43	11	8	4	-	-	-
rfield	127	4	48	47	16	8	3	1	-	-
rence	539	11	237	183	66	29	9	4	-	-
rgetown	234	6	82	91	39	11	5	-	-	-
enville	970	25	403	355	126	45	15	1	-	-
enwood	241	5	89	92	38	13	3	1	-	-
pton	111	1	51	35	16	6	2	-	-	-
ry	451	10	157	171	74	23	15	1	-	-
per	104	-	26	41	24	10	2	1	-	-
shaw	116	2	54	39	10	8	3	-	-	-
caster	181	2	73	58	25	18	4	1	-	-
rens	229	5	89	88	31	12	4	-	-	-
	109	-	34	38	18	14	5	-	-	-
ington	339	4	134	115	55	23	5	2	-	1
ormick	43	-	15	17	5	3	3	-	-	-
ion	222	3	77	86	31	21	3	1	-	-
lboro	198	4	72	70	32	15	5	-	-	-
berry	135	3	47	51	24	8	1	1	-	-
nee	74	2	26	28	13	2	2	1	-	-
ngeburg	487	7	151	203	85	28	11	2	-	-
kens	151	3	81	41	17	6	3	-	-	-
hland	1,000	13	343	368	186	64	23	2	1	-
uda	66	2	26	20	14	2	1	1	-	-
rtanburg	736	18	302	257	121	28	7	2	1	-
ter	515	7	205	193	72	27	11	-	-	-
on	121	3	48	35	25	4	5	1	-	-
liamsburg	253	2	90	85	38	24	12	2	-	-
k	423	7	167	151	61	29	4	4	-	-

Table 34-A.
Out-of-Wedlock Live Births by Age of Mother and Race
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	White								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Older	Not Stated
SOUTH CAROLINA	2,722	39	1,137	937	397	138	63	10	-	1
Abbeville	16	-	7	7	1	-	1	-	-	-
Aiken	108	2	49	30	17	6	4	-	-	-
Allendale	4	-	3	1	-	-	-	-	-	-
Anderson	112	4	43	46	16	1	1	1	-	-
Bamberg	8	-	3	4	1	-	-	-	-	-
Barnwell	7	-	4	1	1	1	-	-	-	-
Beaufort	51	-	14	22	10	3	1	1	-	-
Berkeley	117	1	52	39	20	4	-	1	-	-
Calhoun	3	-	-	2	1	-	-	1	-	-
Charleston	222	1	98	70	31	13	9	-	-	-
Cherokee	38	-	19	14	5	-	-	-	-	-
Chester	22	2	5	7	4	2	1	1	-	-
Chesterfield	30	-	10	11	6	3	-	-	-	-
Clarendon	13	-	5	4	2	1	1	-	-	-
Colleton	27	-	8	10	8	1	-	-	-	-
Darlington	38	-	16	12	7	2	1	-	-	-
Dillon	39	1	15	16	7	-	-	-	-	-
Dorchester	64	-	27	25	10	2	-	-	-	-
Edgefield	6	-	2	3	1	-	-	-	-	-
Fairfield	7	-	1	4	1	1	-	-	-	-
Florence	76	-	44	23	6	3	-	-	-	-
Georgetown	24	1	11	9	2	1	-	-	-	-
Greenville	312	8	132	108	37	16	11	-	-	-
Greenwood	60	-	22	21	13	3	1	-	-	-
Hampton	7	-	2	3	-	2	-	-	-	-
Horry	131	1	40	47	26	8	8	1	-	-
Jasper	15	-	4	5	4	-	2	-	-	-
Kershaw	28	1	15	6	3	2	1	-	-	-
Lancaster	38	-	13	12	8	3	2	-	-	-
Laurens	62	-	28	23	8	2	1	-	-	-
Lee	4	-	1	1	1	1	-	-	-	-
Lexington	159	3	69	49	26	8	2	1	-	1
McCormick	1	-	-	-	-	-	1	-	-	-
Marion	14	1	4	8	1	-	-	-	-	-
Marlboro	29	1	15	8	3	2	-	-	-	-
Newberry	15	-	2	9	4	-	-	-	-	-
Oconee	39	1	15	17	4	-	2	-	-	-
Orangeburg	40	1	15	13	5	4	2	-	-	-
Pickens	99	2	56	23	11	4	3	-	-	-
Richland	143	2	52	52	24	8	4	1	-	-
Saluda	4	-	2	2	-	-	-	-	-	-
Spartanburg	225	3	105	76	31	9	1	-	-	-
Sumter	77	-	32	31	8	6	-	-	-	-
Union	27	1	14	6	4	-	2	-	-	-
Williamsburg	14	-	5	6	-	3	-	-	-	-
York	147	2	58	51	19	13	1	3	-	-

Table 34-A.
Out-of-Wedlock Live Births by Age of Mother and Race
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	Nonwhite								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Older	Not Stated
SOUTH CAROLINA	10,310	189	3,826	3,770	1,646	646	191	38	4	-
Abbeville	85	-	36	30	9	5	4	1	-	-
Aiken	271	6	100	92	39	23	5	5	1	-
Allendale	90	1	35	34	13	5	2	-	-	-
Anderson	220	3	77	86	38	13	3	-	-	-
Bamberg	95	5	31	32	15	9	3	-	-	-
Barnwell	75	2	29	25	10	8	1	-	-	-
Beaufort	229	5	66	94	39	22	3	-	-	-
Berkeley	213	6	75	74	42	12	3	1	-	-
Calhoun	49	-	23	23	2	-	-	1	-	-
Charleston	1,239	14	433	455	233	82	18	4	-	-
Cherokee	113	3	61	26	18	4	1	-	-	-
Chester	154	1	71	46	22	8	6	-	-	-
Chesterfield	140	4	68	48	16	4	-	-	-	-
Clarendon	160	4	46	58	33	15	3	1	-	-
Colleton	157	2	51	62	26	13	3	-	-	-
Darlington	229	5	91	90	20	16	4	2	1	-
Dillon	169	2	67	60	38	9	3	-	-	-
Dorchester	151	4	66	50	20	8	3	-	-	-
Edgefield	93	1	30	40	10	8	4	-	-	-
Fairfield	120	4	47	43	15	7	3	1	-	-
Florence	463	11	193	160	60	26	9	4	-	-
Georgetown	210	5	71	82	37	10	5	-	-	-
Greenville	658	17	271	247	89	29	4	1	-	-
Greenwood	181	5	67	71	25	10	2	1	-	-
Hampton	104	1	49	32	16	4	2	-	-	-
Horry	320	9	117	124	48	15	7	-	-	-
Jasper	89	-	22	36	20	10	-	1	-	-
Kershaw	88	1	39	33	7	6	2	-	-	-
Lancaster	143	2	60	46	17	15	2	1	-	-
Laurens	167	5	61	65	23	10	3	-	-	-
Lee	105	-	33	37	17	13	5	-	-	-
Lexington	180	1	65	66	29	15	3	1	-	-
McCormick	42	-	15	17	5	3	2	-	-	-
Marion	208	2	73	78	30	21	3	1	-	-
Marlboro	169	3	57	62	29	13	5	-	-	-
Newberry	120	3	45	42	20	8	1	1	-	-
Oconee	35	1	11	11	9	2	-	1	-	-
Orangeburg	447	6	136	190	80	24	9	2	-	-
Pickens	52	1	25	18	6	2	-	-	-	-
Richland	857	11	291	316	162	56	19	1	1	-
Saluda	62	2	24	18	14	2	1	1	-	-
Spartanburg	511	15	197	181	90	19	6	2	1	-
Sumter	438	7	173	162	64	21	11	-	-	-
Union	94	2	34	29	21	4	3	1	-	-
Williamsburg	239	2	85	79	38	21	12	2	-	-
York	276	5	109	100	42	16	3	1	-	-

Table 35.
Live Births With Reported Congenital Malformations[1/]
South Carolina and Each County, 1984-1986
(Residence Data)

County of Residence	1984		1985		1986	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	346	6.8	421	8.1	392	7.6
Abbeville	2	6.4	-	0	6	19.7
Aiken	13	7.5	9	4.9	8	4.6
Allendale	2	10.2	2	11.7	2	10.5
Anderson	8	4.5	20	10.6	9	5.1
Bamberg	5	17.7	3	12.1	10	36.7
Barnwell	-	0	2	6.2	-	0
Beaufort	11	1.9	17	11.2	9	5.8
Berkeley	14	6.5	17	7.6	8	3.5
Calhoun	2	11.2	-	0	-	0
Charleston	46	8.4	39	7.0	32	6.0
Cherokee	2	3.7	4	6.7	8	14.4
Chester	5	9.7	13	26.0	10	20.7
Chesterfield	6	11.3	12	21.3	18	32.5
Clarendon	3	6.7	2	4.4	7	15.6
Colleton	9	16.5	-	0	8	14.1
Darlington	9	10.6	8	9.5	18	21.2
Dillon	4	7.4	7	13.2	3	5.7
Dorchester	7	5.6	12	9.0	4	2.8
Edgefield	2	6.9	2	7.0	1	3.6
Fairfield	7	21.7	4	12.9	3	9.0
Florence	6	3.3	5	2.9	6	3.4
Georgetown	7	9.6	12	16.0	11	15.3
Greenville	12	2.8	15	3.5	19	4.3
Greenwood	-	0	3	3.6	4	4.9
Hampton	2	6.6	1	3.0	1	2.8
Horry	16	8.4	17	8.0	41	19.3
Jasper	-	0	1	3.6	1	3.5
Kershaw	6	9.5	5	8.4	1	1.9
Lancaster	5	6.9	10	13.5	11	14.4
Laurens	2	2.6	4	5.4	6	8.2
Lee	3	9.5	3	10.1	2	7.7
Lexington	6	2.8	22	9.7	8	3.5
McCormick	-	0	-	0	-	0
Marion	2	3.6	4	8.0	4	7.4
Marlboro	8	16.7	13	24.9	6	12.9
Newberry	4	8.9	5	11.3	12	26.0
Oconee	12	17.8	6	9.0	2	2.9
Orangeburg	8	6.0	21	15.0	10	7.3
Pickens	17	17.4	5	5.0	5	4.8
Richland	26	6.4	35	8.3	22	5.2
Saluda	1	4.0	-	0	1	4.7
Spartanburg	10	3.4	14	4.7	11	3.7
Sumter	21	11.9	15	8.8	9	5.0
Union	2	5.6	6	16.9	4	10.2
Williamsburg	5	8.1	6	10.0	8	12.3
York	8	4.7	20	11.3	23	12.4

1/ Classified and coded according to the International Classification of of Diseases, (ICD) 9th Revision 740-759
Rates per 1,000 live births

Table 36.
Live Births With Reported Congenital Malformations1/ By Type:
South Carolina, 1984-1986
(Residence Data)

CONGENITAL MALFORMATIONS	1984	1985	1986
Anencephalus (740)	7	8	5
Spina Bifida (741)	16	16	13
Other of Nervous System (742)	14	6	6
Of Eye (743)	2	4	2
Of Ear, Face and Neck (744)	4	5	7
Bulbus Cordis and Cardiac Septal Closure (745)	1	3	1
Other of Heart (746)	16	18	15
Circulatory System (747)	4	3	4
Respiratory System (748)	2	3	7
Cleft Palate and Cleft Lip (749)	27	28	30
Other of Upper Alimentary Tract (750)	2	4	3
Other Digestive System (751)	7	4	9
Of Genital Organs (752)	43	31	30
Of Urinary System (753)	6	8	7
Certain Musculoskeletal Deformities (754)	28	33	29
Other of Limbs (755)	85	114	106
Other Musculoskeletal Anomalies (756)	19	24	15
Of the Integument (757)	22	15	23
Chromosomal Anomalies (758)	8	18	18
Other, Unspecified or Multiple Anomalies (759)	33	76	62
TOTAL	346	421	392
Rate per 1,000 live births	6.8	8.1	7.6

1/ Classified and coded according to the International Classification of Diseases (ICD) Ninth Revision

DEATHS

DEATH SUMMARY

In 1986, there were 28,122 deaths to residents of South Carolina. This is an increase of 1,045 from the number of deaths reported in 1985. The 1986 death rate of 8.2 per 1,000 estimated population increased slightly from the 1985 rate of 8.0.

Figure 7.

RESIDENT DEATH RATES SOUTH CAROLINA, 1986



The pattern of mortality for the last twenty-four years is shown by race in Figure 8 . The total death rate fluctuated between the lowest rate of 7.7 and highest rate of 9.1 for this period. The nonwhite death rate has been consistently higher than the white or total rate for this same time period, as Figure 8 shows.

Table 37.
Total Deaths and Death Rate by Race
1963-1986
South Carolina Residents

YEAR	TOTAL		WHITE		NONWHITE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1963	21,675	8.8	12,714	7.8	8,961	10.7
1964	21,309	8.6	12,789	7.7	8,520	10.2
1965	21,668	8.6	13,101	7.8	8,567	10.3
1966	22,081	8.7	13,427	7.9	8,654	10.4
1967	21,762	8.2	13,611	7.4	8,151	10.0
1968	23,411	8.8	14,778	8.0	8,633	10.4
1969	22,820	8.5	14,612	7.9	8,208	9.8
1970	22,762	8.8	14,752	8.2	8,010	10.1
1971	23,140	8.8	15,035	8.2	8,105	10.2
1972	23,920	9.0	15,475	8.3	8,445	10.7
1973	24,871	9.1	16,188	8.4	8,683	10.9
1974	24,169	8.7	15,941	8.1	8,228	10.0
1975	23,343	8.3	15,464	8.0	7,879	9.0
1976	23,639	8.3	15,652	8.0	7,987	9.0
1977	24,254	8.4	16,088	8.2	8,166	9.0
1978	24,055	8.2	15,993	7.9	8,062	8.9
1979	24,343	8.3	16,207	8.0	8,136	8.9
1980	25,138	8.1	16,781	7.8	8,357	8.6
1981	25,410	7.9	17,199	7.8	8,211	8.2
1982	26,066	7.7	16,823	7.5	8,243	8.1
1983	26,130	7.9	17,717	7.8	8,413	8.1
1984	26,363	8.0	17,815	7.9	8,548	8.2
1985	27,077	8.0	18,390	8.0	8,687	8.2
1986	28,122	8.2	19,098	8.2	9,024	8.3

Rate per 1,000 population

Figure 8 .
Death Rates by Race
South Carolina, 1963-1986 (Residence Data)



AGE AT DEATH

A comparison of mortality by age between 1986 and twenty years ago shows how the age at death structure is changing. The age group showing the greatest percentage change from 1967 to 1986 is infants under one year of age. In 1967, 6.3 percent of all deaths occurred to infants under one year of age; in 1986, however, this group accounted for only 2.4 percent of all deaths. The age groups of 55 years old and over accounted for a greater percentage of total deaths in 1986 (79.2 percent) than in 1967, when death in these age groups represented 66.0 percent of all deaths.

The percentage distribution of resident deaths by age and race, for South Carolina, 1967 and 1986, is shown in Table 38. This table shows that the changes in age at death between 1967 and 1986, as noted for total deaths, are paralleled by changes in the race distributions.

Table 38.
Percentages Distribution of Deaths by Race by Age:
South Carolina, 1967 and 1986
(Residence Data)

	Total		White		Nonwhite	
Age at Death	1967	1986	1967	1986	1967	1986
All Ages	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	6.3	2.4	4.6	1.7	9.2	4.1
01 - 04	1.3	0.5	0.9	0.4	2.1	0.8
05 - 09	0.7	0.3	0.4	0.2	0.8	0.5
10 - 14	0.6	0.4	0.5	0.3	0.9	0.5
15 - 19	0.1	1.4	1.3	1.0	1.8	0.9
20 - 24	1.7	1.4	1.4	1.4	2.2	1.7
25 - 34	2.9	3.2	2.3	2.5	3.9	4.7
35 - 44	5.9	4.3	5.0	3.3	7.6	6.3
45 - 54	12.2	7.2	10.7	6.5	15.0	8.8
55 - 64	18.8	15.6	18.1	15.0	20.3	16.9
65 - 74	22.4	25.4	22.5	25.3	22.7	25.6
75 and Over	24.8	38.2	32.8	42.4	13.1	29.3
Unknown	0.1	0	0	0	0.3	0

INFANT DEATH

Resident deaths in South Carolina to infants under one year of age numbered 685 in 1986 and occurred at a rate of 13.2 per 1,000 live births. The infant mortality rate decreased 7.0 percent from the previous years's rate of 14.2. As seen in Table 39, thirty-eight percent of all infant deaths occurred within the first 24 hours of life and 55.6 percent occurred within the first week after birth. Over one-half (53.6 percent) of the total infant deaths were nonwhite. There were 367 nonwhite and 318 white infant deaths . The nonwhite infant mortality rate showed a substantial decrease (16.4 percent) and the white rate decreased by 7.4 percent from last year's rate. Of the total resident infant deaths, 383 or (55.9 percent) were males and 302 or (44.1 percent) were females.

The leading causes of infant death in South Carolina in 1986 are shown by age at death, in Table 39. The first leading cause of infant death was Certain Conditions Originating in the Perinatal Period, followed by Congenital Anomalies as the second leading cause.

Table 39.
Leading Causes of Infant Death, by Age of Death
South Carolina, 1986
(Residence Data)

Cause of Death	Total	Under 1 Day	1-6 Days	7-27 Days	28-364 Days
Total Infant Deaths	685	262	119	75	229
Certain Conditions Originating in the Perinatal Period (760-779)	353	209	77	42	25
Congenital Anomalies (740-759)	141	50	39	20	32
Symptoms and Ill-Defined Conditions (780-799)	77	-	-	4	73
Disease of Heart (390-398, 402, 404-429)	23	-	1	-	22
Pneumonia and Influenza (480-486, 487)	17	1	-	2	14
Infectious and Parasitic Disease (001-139)	12	-	-	-	12
Other Disease of the Respiratory System (510-519)	12	-	-	1	11
Accidents (E800-E949)	10	-	-	1	9
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	-	1	4	1
Meningitis (320-322)	4	-	1	1	2
All Other Causes	30	2	-	-	28

NEONATAL DEATH

Deaths in the first 27 days of life (neonatal deaths) numbered 456, representing 66.6 percent of all infant deaths. The total neonatal mortality rate (8.8 per 1,000 live births) increased 12.0 percent from the 1985 rate (10.0). The white neonatal mortality rate increased 6.2 percent to a rate of 6.9 while the nonwhite rate decreased 23.5 percent to a rate of 11.7.

POSTNEONATAL DEATHS

Deaths to infants 28 through 364 days of age (postneonatal deaths) numbered 229 in 1986. The postneonatal mortality rate of 4.4 per 1,000 live births represents an increase of 4.8 percent from the 1985 rate of 4.2. As shown in Table 39, the leading causes of death for infants 28-364 days differ from the leading causes of death for infants under 28 days. The first leading cause of postneonatal mortality in 1986 was Symptoms and Ill-defined Conditions and the second leading cause was Congenital Anomalies.

MATERNAL DEATH

A total of 10 maternal deaths occurred to South Carolina residents during 1986 at a rate of 1.9 per 10,000 live births. The 1986 maternal mortality rate represents an increase of 216.7 percent from the previous year's rate of 0.6. This is the largest increase in maternal deaths since 1980. Of the 10 reported maternal deaths in 1986, 1 was white and 9 were nonwhite.

Table 40.
Maternal Deaths by Cause, Race, and Age:
South Carolina, 1986
(Residence Data)

Cause of Maternal Death	Race	All Ages	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over
All Maternal Deaths (630-676)	Total	10	-	2	4	2	2	-	-	-
	White	1	-	-	1	-	-	-	-	-
	Nonwhite	9	-	2	3	2	2	-	-	-
1. Pregnancy With Abortive outcome (630-639)	Total	1	-	-	1	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	1	-	-	-	-	-
2. Complications mainly related to pregnancy (640-648)	Total	5	-	2	2	-	1	-	-	-
	White	1	-	-	1	-	-	-	-	-
	Nonwhite	4	-	2	1	-	1	-	-	-
3. Normal delivery, & other indications for care in pregnancy, labor & delivery (650-659)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
4. Complications occurring mainly in the course of labor & delivery (660-669)	Total	2	-	-	-	2	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	2	-	-	-	-
5. Complications of the puerperium (670-676)	Total	2	-	-	1	-	1	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	1	-	1	-	-	-

Cause of deaths classified and coded according to the International Classification of Diseases, (ICD) 9th revision

FETAL DEATH

In 1986, there were 545 fetal deaths, representing a rate of 10.5 per 1,000 live births. The total number of white fetal deaths (235) decreased 9.3 percent, and the nonwhite number (310) decreased 5.8 percent from the previous year.

PERINATAL DEATH

In 1986, there were 1,001 deaths in the perinatal period, corresponding to a rate of 19.2 per 1,000 deliveries (live births plus fetal deaths). The total number of perinatal deaths decreased by 103 from 1985, and the rate decreased 9.0 percent. This year, both races experienced a reduction in perinatal deaths, the number of whites (451) decreased 2.8 percent and the nonwhites (550) decreased 14.1 percent.

VIOLENT DEATHS

There were 2,584 South Carolina residents who died from violent causes in 1986. Violent causes are defined as accidents, suicides, homicides, and "injury undetermined whether accidentally or purposely inflicted".

Table 41 shows the number of deaths with death rates for each type of violent death for the past five years.

Table 41.
Violent Deaths With Rates by Type:
South Carolina, 1982-1986
(Residence Data)

Type of Violence	1982		1983		1984		1985		1986	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Total	2,315	71.1	2,398	72.3	2,442	74.0	2,408	71.5	2,584	75.6
Accidents	1,548	47.5	1,728	52.1	1,721	52.1	1,668	49.5	1,856	54.3
Homicide	379	11.6	323	9.7	304	9.2	323	9.6	327	9.6
Suicide	366	11.2	334	10.1	390	11.8	391	11.6	385	11.3
Unable to Determine	22	0.7	13	0.4	27	0.8	26	0.8	16	0.5

Rate per 100,000 population

ACCIDENTAL DEATH

Accidental deaths to residents of South Carolina numbered 1,856 in 1986. This represents an 11.3 percent increase from the previous year. The death rate for motor vehicle accidents increased from 27.3 per 100,000 population in 1985 to 30.5 per 100,000 population in 1986, an increase of 11.7 percent.

Table 42.
Types of Accidental Deaths by Sex:
South Carolina, 1986
(Residence Data)

Sex	Total	Transport	Poison	Falls	Fire and Flames	Drowning	Firearms	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890-E899	E910	E922	E800-E949
Total	1,856	1,099	82	128	140	116	37	254
Male	1,329	809	64	68	99	93	33	163
Female	527	290	18	60	41	23	4	91

SUICIDE

The methods used most frequently for resident suicide deaths were firearms (73.8 percent) and poisoning (14.5 percent). Table 43 summarizes the methods most frequently used for each of the sex groups in 1986. Firearms were most frequently used to commit suicide in 1986 by both males (78.1 percent) and females (57.8 percent).

Table 43.
Methods of Suicidal Deaths by Sex:
South Carolina, 1986
(Residence Data)

	All Suicides (E950-E959)	Poisoning (E950-E952)	Hanging Strangulation & Suffocation (E953)	Drowning (E954)	Firearms (E955)	Cutting and Piercing (E956)	Jumping From High Places (E957)	All Other
Total	385	56	33	6	284	3	1	2
Male	302	33	29	2	236	1	1	-
Female	83	23	4	4	48	2	-	2

HOMICIDE

Deaths from homicide accounted for 12.7 percent of all violent deaths in 1986. The most frequently used method for committing homicide in 1986 was firearms. Sex distribution of methods for committing homicide is shown in Table 44.

Table 44.
Methods of Homicidal Deaths by Sex:
South Carolina, 1986
(Residence Data)

	All Homicides (E960-E978)	Fight Brawl Rape (E960)	Assault by by Poisoning (E962)	Assault by Hanging & Strangulation (E963)	Assault by Submersion (E964)	Assault by Firearms (E965)	Assault by Cutting & Piercing (E966)	All Other
Total	327	1	1	10	2	201	60	52
Male	250	-	-	2	2	164	47	35
Female	77	1	1	8	-	37	13	17

TEN LEADING CAUSES OF DEATH

The ten leading causes of death in South Carolina during 1986 are shown by rank, with the number of deaths from each cause and the corresponding percentage of total deaths, in Table 47. These ten causes accounted for 83.1 percent of all deaths in 1986; 71.0 percent of all deaths were attributed to the first four causes.

The first leading cause of death was diseases of the heart, which accounted for 9,895 deaths in 1986. The death rate for diseases of the heart was 289.5 per 100,000 population. Deaths attributed to this cause represented 35.2 percent of total deaths. Of all deaths from diseases of the heart, 64.9 percent were attributed to ischemic heart disease. The majority of deaths from diseases of the heart occurred to persons over the age of 44. However, deaths from diseases of the heart accounted for 34.0 percent of all deaths occurring to white males 35-54 years of age.

The second leading cause of death was malignant neoplasms, which was the cause of 5,778 resident deaths in 1986. The majority of deaths from malignant neoplasms occurred to persons in the age group 55-74. Table 45 shows the distribution of malignant neoplasms by site. Of all deaths attributed to malignant neoplasms, 30.0 percent were attributed to malignant neoplasms of the respiratory system and 23.5 percent to malignant neoplasms of the digestive system and peritoneum.

Table 45.
Distribution of Malignant Neoplasms by Site:
South Carolina, 1986
(Residence Data)

	ICD CODES	NUMBER	PERCENT
Malignant Neoplasms	140-208	5,778	100.0
Lip, Oral Cavity and Pharynx	140-149	140	2.4
Digestive Organs and Peritoneum	150-159	1,359	23.5
Respiratory System	160-165	1,730	29.9
Breast	174-175	477	8.3
Genital Organs	179-187	727	12.6
Cervix Uteri	(179-180)	(127)	(2.2)
Other Female Genital Organs	(181-184)	(186)	(3.2)
Prostate	(185)	(402)	(7.0)
Other Male Genital Organs	(186-187)	(12)	(0.2)
Urinary Organs	188-189	218	3.8
Leukemia	204-208	218	3.8
Other and Unspecified Sites	170-173, 190-199	615	10.6
Lymphatic & Hematopoietic Tissues	200-203	294	5.1

Cerebrovascular diseases, the third leading cause of death in 1986, accounted for 2,445 deaths or 8.7 percent of total deaths. Of the deaths attributed to cerebrovascular diseases, 80.9 percent occurred to persons 65 years of age and older. Fifty-nine percent of deaths from cerebrovascular diseases occurred to females, with 37.8 percent of all cerebrovascular disease deaths occurring to white females.

Table 46.
Deaths From Major Cardiovascular Diseases:
South Carolina, 1986
(Residence Data)

	Number of Deaths	Percent of Total Deaths
Major Cardiovascular Disease (390-448)	13,032	46.3
Disease of Heart (390-398, 402, 404-429)	9,895	35.2
Hypertension (401, 403)	183	0.6
Cerebrovascular Disease (430-438)	2,445	8.7
Atherosclerosis (440)	251	0.9
Other Diseases of Arteries, Arterioles, and Capillaries (441-448)	258	0.9

Figure 9 depicts the percentages by sex of the ten leading causes of death in South Carolina for 1986. Table 48 presents the five leading causes of death within each age group for 1986. While diseases of the heart is the leading cause of death for all ages combined, accidental death is the leading cause for all five-year age groups between the ages of one and 45 years.

Table 47.
Mortality From Ten Leading Causes of Death by Race: South Carolina, 1986
(Residence Data)

Cause of Death	TOTAL		WHITE		NONWHITE	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages.....	28,122	100.0	19,098	100.0	9,024	100.0
Ten Leading Causes, All Ages.....	23,373	83.1	16,162	84.6	7,211	79.9
Diseases of Heart (390-398,402, 404-429).....	9,895	35.2	7,050	36.9	2,845	31.5
Malignant Neoplasms (140-208).....	5,778	20.5	4,117	21.6	1,661	18.4
Cerebrovascular Diseases (430-438)....	2,445	8.7	1,474	7.7	971	10.8
Accidents (E800-E949).....	1,856	6.6	1,200	6.3	656	7.3
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496).....	877	3.1	733	3.8	144	1.6
Pneumonia & Influenza (480-486, 487)..	837	3.0	589	3.1	248	2.7
Diabetes Mellitus (250).....	545	1.9	278	1.5	267	3.0
Infectious & Parasitic Disease (001-139).....	402	1.4	220	1.2	182	2.0
Suicide (E950-E959).....	385	1.4	348	1.8	37	0.4
Certain Conditions Originating In The Perinatal Period (760-779).....	353	1.3	153	0.8	200	2.2
All Other Causes.....	4,749	16.9	2,936	15.4	1,813	20.1

Figure 9.
Percentage Distribution of The Ten Leading Causes of Death
and Deaths From All Causes by Sex, South Carolina, 1986



Table 48.
Mortality From Five Leading Causes of Death in Specified Age Groups by Race:
South Carolina, 1986 (Residence Data)

	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	685	100.0	318	100.0	367	100.0
Certain Conditions Originating in the Perinatal Period (760-779)	353	51.5	153	48.1	200	54.5
Congenital Anomalies (740-759)	141	20.6	82	25.8	59	16.1
Symptoms and Ill-defined Conditions (780-799)	77	11.2	35	11.0	42	11.4
Diseases of Heart (390-398, 402, 404-429)	23	3.4	8	2.5	15	4.1
Pneumonia and Influenza (480-486, 487)	17	2.5	11	3.5	6	1.6
All Other Causes	74	10.8	29	9.1	45	12.3
1 - 4 Years						
All Causes	145	100.0	70	100.0	75	100.0
Accidents (E800-E949)	62	42.8	29	41.4	33	44.0
Malignant Neoplasms (140-208)	13	9.0	10	14.3	3	4.0
Homicide and Legal Intervention (E960-E978)	11	7.6	2	2.9	9	12.0
Congenital Anomalies (740-759)	8	5.5	6	8.6	2	2.7
Diseases of Heart (390-398, 402, 404-429)	7	4.8	2	2.9	5	6.7
All Others Causes	44	30.3	21	30.0	23	30.7
5 - 14 Years						
All Causes	183	100.0	95	100.0	88	100.0
Accidents (E800-E949)	106	57.9	56	58.9	50	56.8
Malignant Neoplasms (140-208)	20	10.9	14	14.7	6	6.8
Congenital Anomalies (740-759)	8	4.4	6	6.3	2	2.3
Homicide and Legal Intervention (E960-E978)	6	3.3	2	2.1	4	4.5
Diseases of Heart (390-398, 402, 404-429)	4	2.2	1	1.1	3	3.4
All Other Causes	39	21.3	16	16.8	23	26.1
15 - 24 Years						
All Causes	685	100.0	461	100.0	224	100.0
Accidents (E800-E949)	414	60.4	300	65.1	114	50.9
Homicide and Legal Intervention (E960-E978)	77	11.2	43	9.3	34	15.2
Suicide (E950-E959)	59	8.6	52	11.3	7	3.1
Malignant Neoplasms (140-208)	22	3.2	14	3.0	8	3.6
Diseases of Heart (390-398, 402, 404-429)	20	2.9	7	1.5	13	5.8
All Other Causes	93	13.6	45	9.8	48	21.4
25 - 44 Years						
All Causes	2,108	100.0	1,113	100.0	995	100.0
Accidents (E800-E949)	598	28.4	369	33.2	229	23.0
Diseases of Heart (390-398, 402, 404-429)	307	14.6	157	14.1	150	15.1
Malignant Neoplasms (140-208)	303	14.4	187	16.8	116	11.7
Homicide and Legal Intervention (E960-E978)	154	7.3	49	4.4	105	10.6
Suicide (E950-E959)	150	7.1	130	11.7	20	2.0
All Other Causes	596	28.3	221	19.9	375	37.7
45 - 64 Years						
All Causes	6,435	100.0	4,116	100.0	2,319	100.0
Diseases of Heart (390-398, 402, 404-429)	2,212	34.4	1,451	35.3	761	32.8
Malignant Neoplasms (140-208)	1,894	29.4	1,305	31.7	589	25.4
Cerebrovascular Disease (430-438)	375	5.8	159	3.9	216	9.3
Accidents (E800-E949)	296	4.6	180	4.4	116	5.0
Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	224	3.5	177	4.3	47	2.0
All Other Causes	1,434	22.3	844	20.5	590	25.4
65 - 74 Years						
All Causes	7,133	100.0	4,825	100.0	2,308	100.0
Diseases of Heart (390-398, 402, 404-429)	2,764	38.7	1,888	39.1	876	38.0
Malignant Neoplasms (140-208)	1,888	26.5	1,361	28.2	527	22.8
Cerebrovascular Disease (430-438)	604	8.5	314	6.5	290	12.6
Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	313	4.4	256	5.3	57	2.5
Accidents (E800-E949)	161	2.3	114	2.4	47	2.0
All Other Causes	1,403	19.7	892	18.5	511	22.1
75 Years & Over						
All Causes	10,748	100.0	8,100	100.0	2,648	100.0
Diseases of Heart (390-398, 402, 404-429)	4,558	42.4	3,536	43.7	1,022	38.6
Malignant Neoplasms (140-208)	1,637	15.2	1,225	15.1	412	15.6
Cerebrovascular Disease (430-438)	1,374	12.8	969	12.0	405	15.3
Pneumonia and Influenza (480-486, 487)	516	4.8	403	5.0	113	4.3
Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	321	3.0	293	3.6	28	1.1
All Other Causes	2,342	21.8	1674	20.7	668	25.2

Table 49.
Deaths and Death Rates by Race: South Carolina and
Each County and Places of 2,500 or More Population, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina.....	28,122	8.2	19,098	8.2	9,024	8.3
Abbeville.....	210	8.7	143	8.8	67	8.5
Abbeville.....	64	---	40	---	24	---
Honea Path (Part)....	-	---	-	---	-	---
Balance of County....	146	---	103	---	43	---
Aiken.....	1,022	8.9	751	8.8	271	9.1
New Ellenton.....	27	---	17	---	10	---
Aiken.....	260	---	175	---	85	---
N. Augusta.....	166	---	134	---	32	---
Balance of County....	569	---	425	---	144	---
Allendale.....	115	10.2	39	10.1	76	10.3
Allendale.....	46	---	16	---	30	---
Balance of County....	69	---	23	---	46	---
Anderson.....	1,192	8.3	975	8.2	217	8.5
Belton.....	53	---	46	---	7	---
Honea Path (Part)....	34	---	27	---	7	---
Williamston.....	39	---	31	---	8	---
Clemson Vill (Part)..	-	---	-	---	-	---
Pendleton.....	24	---	16	---	8	---
Anderson.....	431	---	327	---	104	---
Balance of County....	611	---	528	---	83	---
Bamberg.....	191	10.3	102	13.6	89	8.1
Bamberg.....	66	---	46	---	20	---
Denmark.....	42	---	14	---	28	---
Balance of County....	83	---	42	---	41	---
Barnwell.....	215	10.3	119	10.6	96	9.9
Barnwell.....	71	---	44	---	27	---
Williston.....	33	---	18	---	15	---
Blackville.....	27	---	8	---	19	---
Balance of County....	84	---	49	---	35	---
Beaufort.....	468	5.3	274	4.7	194	6.5
Beaufort.....	124	---	80	---	44	---
Port Royal.....	14	---	9	---	5	---
Hilton Head.....	117	---	105	---	12	---
Balance of County....	213	---	80	---	133	---
Berkeley.....	606	4.9	383	4.3	223	6.6
Goose Creek.....	65	---	58	---	7	---
Hanahan.....	56	---	54	---	2	---
Moncks Corner.....	64	---	43	---	21	---
Balance of County....	421	---	228	---	193	---
Calhoun.....	109	8.9	49	8.1	60	9.5
Balance of County....	109	---	49	---	60	---
Charleston.....	2,226	7.5	1,325	7.2	901	8.0
Mt. Pleasant.....	191	---	158	---	33	---
Summerville (Part)...	2	---	1	---	1	---
Isle of Palms.....	20	---	20	---	-	---
Charleston.....	814	---	401	---	413	---
N. Charleston.....	335	---	250	---	85	---
Balance of County....	864	---	495	---	369	---

Table 49. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee	386	9.0	305	9.0	81	9.2
Gaffney	191	---	137	---	54	---
Balance of County	195	---	168	---	27	---
Chester	350	11.3	207	11.0	143	11.8
Chester	89	---	44	---	45	---
Great Falls	35	---	31	---	4	---
Balance of County	226	---	132	---	94	---
Chesterfield	370	9.4	251	9.6	119	9.0
Cheraw	95	---	52	---	43	---
Pageland	26	---	19	---	7	---
Balance of County	249	---	180	---	69	---
Clarendon	239	8.1	101	8.0	138	8.2
Manning	36	---	15	---	21	---
Balance of County	203	---	86	---	117	---
Colleton	326	9.4	177	9.3	149	9.4
Walterboro	115	---	68	---	47	---
Balance of County	211	---	109	---	102	---
Darlington	630	9.7	404	10.4	226	8.6
Darlington	126	---	72	---	54	---
Hartsville	97	---	55	---	42	---
Balance of County	407	---	277	---	130	---
Dillon	319	9.6	195	11.0	124	7.9
Dillon	91	---	54	---	37	---
Balance of County	228	---	141	---	87	---
Dorchester	462	5.9	324	5.6	138	6.9
Summerville (Part)	121	---	101	---	20	---
Balance of County	341	---	223	---	118	---
Edgefield	156	8.1	84	8.5	72	7.6
Edgefield	30	---	21	---	9	---
Johnston	25	---	11	---	14	---
Balance of County	101	---	52	---	49	---
Fairfield	261	12.3	132	14.6	129	10.6
Winnsboro	31	---	16	---	15	---
Balance of County	230	---	116	---	114	---
Florence	1,056	9.1	646	8.9	410	9.4
Lake City	94	---	39	---	55	---
Florence	359	---	175	---	184	---
Balance of County	603	---	432	---	171	---
Georgetown	399	8.2	211	7.8	188	8.7
Andrews (Part)	32	---	14	---	18	---
Georgetown	115	---	55	---	60	---
Balance of County	252	---	142	---	110	---
Greenville	2,441	7.9	2,007	8.0	434	7.5
Travelers Rest	27	---	23	---	4	---
Simpsonville	70	---	67	---	3	---
Fountain Inn (Part)	35	---	25	---	10	---
Mauldin	50	---	46	---	4	---
Greenville	703	---	460	---	243	---
Greer (Part)	152	---	138	---	14	---
Balance of County	1,404	---	1,248	---	156	---

Table 49. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood.....	569	9.3	411	9.8	158	8.2
Greenwood.....	285	---	196	---	89	---
Balance of County....	284	---	215	---	69	---
Hampton.....	202	10.4	92	10.3	110	10.6
Hampton.....	30	---	18	---	12	---
Balance of County....	172	---	74	---	98	---
Horry.....	975	7.3	794	7.7	181	6.1
Conway.....	135	---	90	---	45	---
Myrtle Beach.....	140	---	124	---	16	---
N. Myrtle Beach.....	54	---	50	---	4	---
Surfside Beach.....	27	---	27	---	-	---
Balance of County....	619	---	503	---	116	---
Jasper.....	156	9.8	63	9.0	93	10.4
Balance of County....	156	---	63	---	93	---
Kershaw.....	325	7.6	222	7.7	103	7.4
Camden.....	88	---	52	---	36	---
Balance of County....	237	---	170	---	67	---
Lancaster.....	483	8.6	368	8.7	115	8.3
Lancaster.....	127	---	88	---	39	---
Balance of County....	356	---	280	---	76	---
Laurens.....	570	10.5	408	10.7	162	10.3
Clinton.....	123	---	91	---	32	---
Fountain Inn (Part)..	9	---	2	---	7	---
Laurens.....	174	---	115	---	59	---
Balance of County....	264	---	200	---	64	---
Lee.....	158	8.2	62	8.5	96	8.1
Bishopville.....	48	---	27	---	21	---
Balance of County....	110	---	35	---	75	---
Lexington.....	1,028	6.4	885	6.2	143	8.3
Batesburg (Part).....	41	---	28	---	13	---
Cayce.....	67	---	52	---	15	---
Springdale.....	-	---	-	---	-	---
W. Columbia.....	149	---	136	---	13	---
Irmo (Part).....	6	---	5	---	1	---
Balance of County....	765	---	664	---	101	---
McCormick.....	76	9.9	27	9.2	49	10.3
Balance of County....	76	---	27	---	49	---
Marion.....	354	10.1	173	10.7	181	9.6
Marion.....	98	---	33	---	65	---
Mullins.....	74	---	41	---	33	---
Balance of County....	182	---	99	---	83	---
Marlboro.....	293	8.8	160	9.4	133	8.2
Bennettsville.....	125	---	51	---	74	---
McColl.....	37	---	33	---	4	---
Balance of County....	131	---	76	---	55	---
Newberry.....	365	11.3	243	10.9	122	12.2
Newberry.....	156	---	94	---	62	---
Balance of County....	209	---	149	---	60	---

Table 49 . (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee	488	9.2	436	9.2	52	9.3
Seneca	77	---	57	---	20	---
Walhalla	39	---	38	---	1	---
Westminster	29	---	27	---	2	---
Balance of County	343	---	314	---	29	---
Orangeburg	885	10.1	438	11.9	447	8.8
Orangeburg	208	---	113	---	95	---
Balance of County	677	---	325	---	352	---
Pickens	648	7.6	586	7.4	62	10.4
Liberty	29	---	25	---	4	---
Pickens	58	---	39	---	19	---
Clemson Vill (Part)	53	---	47	---	6	---
Easley	172	---	155	---	17	---
Balance of County	336	---	320	---	16	---
Richland	2,298	8.0	1,391	8.7	907	7.2
Forest Acres	3	---	3	---	-	---
Irmo (Part)	8	---	5	---	3	---
Columbia	1,233	---	779	---	454	---
Balance of County	1,054	---	604	---	450	---
Saluda	172	10.1	132	11.8	40	6.8
Batesburg (Part)	3	---	3	---	-	---
Saluda	29	---	24	---	5	---
Balance of County	140	---	105	---	35	---
Spartanburg	1,972	9.4	1,560	9.4	412	9.4
Woodruff	56	---	46	---	10	---
Spartanburg	572	---	378	---	194	---
Greer (Part)	31	---	18	---	13	---
Balance of County	1,313	---	1,118	---	195	---
Sumter	755	7.9	353	7.0	402	8.9
Sumter	356	---	185	---	171	---
Balance of County	399	---	168	---	231	---
Union	341	10.9	250	11.5	91	9.5
Union	149	---	107	---	42	---
Balance of County	192	---	143	---	49	---
Williamsburg	335	8.4	132	9.4	203	7.8
Andrews (Part)	2	---	2	---	-	---
Kingstree	84	---	44	---	40	---
Balance of County	249	---	86	---	163	---
York	925	7.8	708	7.7	217	8.2
Clover	45	---	37	---	8	---
Fort Mill	56	---	48	---	8	---
York	66	---	46	---	20	---
Rock Hill	365	---	234	---	131	---
Balance of County	393	---	343	---	50	---

Rate per 1,000 estimated population

Table 50.
Deaths and Death Rates by Race: South Carolina and
Each County and Places of 2,500 or More Population, 1986
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina.....	27,334	8.0	18,535	7.9	8,799	8.1
Abbeville.....	123	5.1	83	5.1	40	5.1
Abbeville.....	78	---	51	---	27	---
Honea Path (Part)....	-	---	-	---	-	---
Balance of County....	45	---	32	---	13	---
Aiken.....	637	5.5	444	5.2	193	6.5
New Ellenton.....	8	---	6	---	2	---
Aiken.....	387	---	256	---	131	---
N. Augusta.....	85	---	67	---	18	---
Balance of County....	157	---	115	---	42	---
Allendale.....	91	8.1	31	8.0	60	8.1
Allendale.....	12	---	4	---	8	---
Balance of County....	79	---	27	---	52	---
Anderson.....	1,170	8.1	962	8.1	208	8.2
Belton.....	15	---	15	---	-	---
Honea Path (Part)....	12	---	8	---	4	---
Williamston.....	12	---	10	---	2	---
Clemson Vill (Part)..	-	---	-	---	-	---
Pendleton.....	8	---	6	---	2	---
Anderson.....	938	---	767	---	171	---
Balance of County....	185	---	156	---	29	---
Bamberg.....	177	9.6	90	12.0	87	7.9
Bamberg.....	129	---	68	---	61	---
Denmark.....	13	---	6	---	7	---
Balance of County....	35	---	16	---	19	---
Barnwell.....	168	8.0	88	7.8	80	8.2
Barnwell.....	121	---	65	---	56	---
Williston.....	7	---	2	---	5	---
Blackville.....	5	---	2	---	3	---
Balance of County....	35	---	19	---	16	---
Beaufort.....	436	5.0	261	4.5	175	5.9
Beaufort.....	194	---	92	---	102	---
Port Royal.....	3	---	3	---	-	---
Hilton Head.....	150	---	122	---	28	---
Balance of County....	89	---	44	---	45	---
Berkeley.....	225	1.8	138	1.5	87	2.6
Goose Creek.....	12	---	11	---	1	---
Hanahan.....	10	---	10	---	-	---
Moncks Corner.....	35	---	26	---	9	---
Balance of County....	168	---	91	---	77	---
Calhoun.....	42	3.4	21	3.5	21	3.3
Balance of County....	42	---	21	---	21	---
Charleston.....	3,308	11.1	2,009	10.9	1,299	11.6
Mt. Pleasant.....	157	---	122	---	35	---
Summerville (Part)...	-	---	-	---	-	---
Isle of Palms.....	7	---	7	---	-	---
Charleston.....	2,017	---	1,109	---	908	---
N. Charleston.....	261	---	192	---	69	---
Balance of County....	866	---	579	---	287	---

Table 50. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee	290	6.8	234	6.9	56	6.3
Gaffney	51	---	48	---	3	---
Balance of County	239	---	186	---	53	---
Chester	241	7.8	140	7.5	101	8.3
Chester	13	---	8	---	5	---
Great Falls	9	---	9	---	-	---
Balance of County	219	---	123	---	96	---
Chesterfield	237	6.0	156	6.0	81	6.1
Cheraw	145	---	86	---	59	---
Pageland	8	---	7	---	1	---
Balance of County	84	---	63	---	21	---
Clarendon	203	6.9	79	6.2	124	7.4
Manning	108	---	37	---	71	---
Balance of County	95	---	42	---	53	---
Colleton	305	8.8	161	8.5	144	9.1
Walterboro	231	---	132	---	99	---
Balance of County	74	---	29	---	45	---
Darlington	494	7.6	319	8.2	175	6.7
Darlington	210	---	133	---	77	---
Hartsville	189	---	125	---	64	---
Balance of County	95	---	61	---	34	---
Dillon	238	7.1	142	8.0	96	6.1
Dillon	148	---	89	---	59	---
Balance of County	90	---	53	---	37	---
Dorchester	198	2.5	147	2.5	51	2.6
Summerville (Part)	64	---	54	---	10	---
Balance of County	134	---	93	---	41	---
Edgefield	111	5.7	62	6.3	49	5.2
Edgefield	62	---	38	---	24	---
Johnston	7	---	3	---	4	---
Balance of County	42	---	21	---	21	---
Fairfield	189	8.9	99	10.9	90	7.4
Winnsboro	7	---	2	---	5	---
Balance of County	182	---	97	---	85	---
Florence	1,360	11.7	808	11.1	552	12.7
Lake City	102	---	42	---	60	---
Florence	1,019	---	602	---	417	---
Balance of County	239	---	164	---	75	---
Georgetown	355	7.3	187	6.9	168	7.8
Andrews (Part)	7	---	4	---	3	---
Georgetown	260	---	140	---	120	---
Balance of County	88	---	43	---	45	---
Greenville	2,653	8.6	2,165	8.7	488	8.5
Travelers Rest	14	---	9	---	5	---
Simpsonville	120	---	109	---	11	---
Fountain Inn (Part)	13	---	6	---	7	---
Mauldin	14	---	14	---	-	---
Greenville	1,358	---	1,029	---	329	---
Greer (Part)	206	---	183	---	23	---
Balance of County	928	---	815	---	113	---

Table 50. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood.....	728	11.9	501	12.0	227	11.7
Greenwood.....	659	---	447	---	212	---
Balance of County....	69	---	54	---	15	---
Hampton.....	129	6.7	60	6.7	69	6.6
Hampton.....	7	---	6	---	1	---
Balance of County....	122	---	54	---	68	---
Horry.....	992	7.5	807	7.8	185	6.2
Conway.....	53	---	42	---	11	---
Myrtle Beach.....	332	---	293	---	39	---
N. Myrtle Beach.....	11	---	11	---	-	---
Surfside Beach.....	3	---	3	---	-	---
Balance of County....	593	---	458	---	135	---
Jasper.....	124	7.8	53	7.5	71	7.9
Balance of County....	124	---	53	---	71	---
Kershaw.....	242	5.7	153	5.3	89	6.4
Camden.....	183	---	111	---	72	---
Balance of County....	59	---	42	---	17	---
Lancaster.....	409	7.3	307	7.2	102	7.4
Lancaster.....	313	---	230	---	83	---
Balance of County....	96	---	77	---	19	---
Laurens.....	416	7.7	305	8.0	111	7.0
Clinton.....	125	---	96	---	29	---
Fountain Inn (Part)..	4	---	-	---	4	---
Laurens.....	185	---	130	---	55	---
Balance of County....	102	---	79	---	23	---
Lee.....	85	4.4	30	4.1	55	4.6
Bishopville.....	53	---	22	---	31	---
Balance of County....	32	---	8	---	24	---
Lexington.....	859	5.3	729	5.1	130	7.6
Batesburg (Part).....	10	---	4	---	6	---
Cayce.....	18	---	17	---	1	---
Springdale.....	-	---	-	---	-	---
W. Columbia.....	34	---	30	---	4	---
Irmo (Part).....	1	---	1	---	-	---
Balance of County....	796	---	677	---	119	---
McCormick.....	28	3.6	11	3.7	17	3.6
Balance of County....	28	---	11	---	17	---
Marion.....	350	10.0	182	11.3	168	8.9
Marion.....	172	---	80	---	92	---
Mullins.....	122	---	72	---	50	---
Balance of County....	56	---	30	---	26	---
Marlboro.....	232	7.0	123	7.2	109	6.8
Bennettsville.....	156	---	78	---	78	---
McColl.....	10	---	9	---	1	---
Balance of County....	66	---	36	---	30	---
Newberry.....	273	8.5	186	8.3	87	8.7
Newberry.....	198	---	132	---	66	---
Balance of County....	75	---	54	---	21	---

Table 50. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee	445	8.4	393	8.2	52	9.3
Seneca	18	---	13	---	5	---
Walhalla	5	---	5	---	-	---
Westminster	4	---	4	---	-	---
Balance of County	418	---	371	---	47	---
Orangeburg	824	9.4	406	11.0	418	8.2
Orangeburg	96	---	54	---	42	---
Balance of County	728	---	352	---	376	---
Pickens	498	5.8	454	5.7	44	7.4
Liberty	4	---	3	---	1	---
Pickens	103	---	91	---	12	---
Clemson Vill (Part)	22	---	18	---	4	---
Easley	252	---	232	---	20	---
Balance of County	117	---	110	---	7	---
Richland	3,380	11.8	2,141	13.3	1,239	9.8
Forest Acres	-	---	-	---	-	---
Irmo (Part)	1	---	1	---	-	---
Columbia	3,016	---	1,911	---	1,105	---
Balance of County	363	---	229	---	134	---
Saluda	91	5.3	72	6.5	19	3.2
Batesburg (Part)	-	---	-	---	-	---
Saluda	11	---	9	---	2	---
Balance of County	80	---	63	---	17	---
Spartanburg	2,025	9.7	1,599	9.6	426	9.8
Woodruff	51	---	40	---	11	---
Spartanburg	1,354	---	1,040	---	314	---
Greer (Part)	14	---	8	---	6	---
Balance of County	606	---	511	---	95	---
Sumter	700	7.3	331	6.6	369	8.2
Sumter	540	---	256	---	284	---
Balance of County	160	---	75	---	85	---
Union	256	8.2	192	8.8	64	6.7
Union	202	---	151	---	51	---
Balance of County	54	---	41	---	13	---
Williamsburg	211	5.3	82	5.8	129	5.0
Andrews (Part)	1	---	1	---	-	---
Kingstree	129	---	50	---	79	---
Balance of County	81	---	31	---	50	---
York	786	6.6	592	6.5	194	7.3
Clover	10	---	7	---	3	---
Fort Mill	15	---	12	---	3	---
York	114	---	90	---	24	---
Rock Hill	470	---	342	---	128	---
Balance of County	177	---	141	---	36	---

Rate per 1,000 estimated population

Table 51.
Deaths by Race and Sex: South Carolina and Each County, 1986
(Residence Data)

County of Residence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	28,122	15,089	13,033	19,098	10,276	8,822	9,024	4,813	4,211
Abbeville	210	126	84	143	87	56	67	39	28
Aiken	1,021	568	453	751	425	326	270	143	127
Allendale	115	50	65	39	19	20	76	31	45
Anderson	1,191	616	575	974	502	472	217	114	103
Bamberg	191	102	89	102	59	43	89	43	46
Barnwell	215	121	94	119	68	51	96	53	43
Beaufort	468	248	220	274	154	120	194	94	100
Berkeley	606	348	258	383	222	161	223	126	97
Calhoun	109	67	42	49	31	18	60	36	24
Charleston	2,226	1,171	1,055	1,325	700	625	901	471	430
Cherokee	386	202	184	305	157	148	81	45	36
Chester	350	188	162	207	110	97	143	78	65
Chesterfield	370	193	177	251	133	118	119	60	59
Clarendon	239	132	107	101	58	43	138	74	64
Colleton	326	179	147	177	93	84	149	86	63
Darlington	630	344	286	404	213	191	226	131	95
Dillon	319	166	153	195	94	101	124	72	52
Dorchester	462	235	227	324	155	169	138	80	58
Edgefield	155	84	71	84	46	38	71	38	33
Fairfield	261	123	138	132	66	66	129	57	72
Florence	1,058	563	495	647	351	296	411	212	199
Georgetown	399	222	177	211	124	87	188	98	90
Greenville	2,442	1,287	1,155	2,008	1,055	953	434	232	202
Greenwood	572	289	283	411	200	211	161	89	72
Hampton	202	123	79	92	57	35	110	66	44
Horry	974	544	430	793	453	340	181	91	90
Jasper	156	88	68	63	34	29	93	54	39
Kershaw	325	184	141	222	122	100	103	62	41
Lancaster	483	277	206	368	211	157	115	66	49
Laurens	570	297	273	408	216	192	162	81	81
Lee	158	82	76	62	36	26	96	46	50
Lexington	1,028	538	490	885	466	419	143	72	71
McCormick	75	50	25	27	15	12	48	35	13
Marion	354	196	158	173	98	75	181	98	83
Marlboro	293	154	139	160	83	77	133	71	62
Newberry	365	187	178	243	132	111	122	55	67
Oconee	488	262	226	436	241	195	52	21	31
Orangeburg	885	467	418	438	232	206	447	235	212
Pickens	648	369	279	586	335	251	62	34	28
Richland	2,298	1,201	1,097	1,391	714	677	907	487	420
Saluda	172	97	75	132	71	61	40	26	14
Spartanburg	1,972	1,073	899	1,560	854	706	412	219	193
Sumter	755	411	344	353	194	159	402	217	185
Union	341	182	159	250	124	126	91	58	33
Williamsburg	334	191	143	132	81	51	202	110	92
York	925	492	433	708	385	323	217	107	110

Table 52.
Deaths by Race and Sex: South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	27,334	14,611	12,723	18,535	9,926	8,609	8,799	4,685	4,114
Abbeville	123	70	53	83	49	34	40	21	19
Aiken	637	330	307	444	235	209	193	95	98
Allendale	91	36	55	31	13	18	60	23	37
Anderson	1,170	590	580	962	477	485	208	113	95
Bamberg	177	92	85	90	52	38	87	40	47
Barnwell	168	96	72	88	50	38	80	46	34
Beaufort	436	231	205	261	147	114	175	84	91
Berkeley	225	122	103	138	73	65	87	49	38
Calhoun	42	29	13	21	15	6	21	14	7
Charleston	3,308	1,840	1,468	2,009	1,122	887	1,299	718	581
Cherokee	290	140	150	234	113	121	56	27	29
Chester	241	129	112	140	74	66	101	55	46
Chesterfield	237	120	117	156	79	77	81	41	40
Clarendon	203	110	93	79	45	34	124	65	59
Colleton	305	159	146	161	81	80	144	78	66
Darlington	494	258	236	319	160	159	175	98	77
Dillon	238	131	107	142	78	64	96	53	43
Dorchester	198	99	99	147	69	78	51	30	21
Edgefield	111	57	54	62	34	28	49	23	26
Fairfield	189	92	97	99	50	49	90	42	48
Florence	1,360	725	635	808	436	372	552	289	263
Georgetown	355	186	169	187	104	83	168	82	86
Greenville	2,653	1,378	1,275	2,165	1,122	1,043	488	256	232
Greenwood	728	382	346	501	250	251	227	132	95
Hampton	129	80	49	60	38	22	69	42	27
Horry	992	564	428	807	474	333	185	90	95
Jasper	124	73	51	53	34	19	71	39	32
Kershaw	242	131	111	153	80	73	89	51	38
Lancaster	409	224	185	307	161	146	102	63	39
Laurens	416	204	212	305	150	155	111	54	57
Lee	85	38	47	30	15	15	55	23	32
Lexington	859	415	444	729	357	372	130	58	72
McCormick	28	22	6	11	9	2	17	13	4
Marion	350	178	172	182	89	93	168	89	79
Marlboro	232	118	114	123	60	63	109	58	51
Newberry	273	132	141	186	96	90	87	36	51
Oconee	445	230	215	393	213	180	52	17	35
Orangeburg	824	427	397	406	209	197	418	218	200
Pickens	498	276	222	454	254	200	44	22	22
Richland	3,380	1,942	1,438	2,141	1,221	920	1,239	721	518
Saluda	91	50	41	72	40	32	19	10	9
Spartanburg	2,025	1,107	918	1,599	881	718	426	226	200
Sumter	700	362	338	331	174	157	369	188	181
Union	256	123	133	192	85	107	64	38	26
Williamsburg	211	116	95	82	50	32	129	66	63
York	786	397	389	592	308	284	194	89	105

Table 53.
DEATH AND DEATH RATES[1] FROM SELECTED CAUSES BY RACE AND SEX: SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	SOUTH CAROLINA					RATES		
		White		Non-White				
	Total	Male	Female	Male	Female	Total	White	Non-White
All Causes	28,122	10,278	8,822	4,813	4,211	8.2	8.2	8.3
Infectious and Parasitic Dis. (001-139)	402	104	116	94	88	11.8	9.4	16.8
Enteritis and Other Intestinal Dis. (008-009)	7	—	2	4	1	0.2	0.1	0.5
Tuberculosis, All Forms (010-018)	38	5	2	21	8	1.0	0.3	2.7
Tetanus (037)	—	—	—	—	—	0	0	0
Septicemia (038)	227	55	82	42	48	6.6	5.9	8.3
Measles (055)	—	—	—	—	—	0	0	0
Syphilis and its Sequelae (090-097)	1	—	—	—	1	0	0	0.1
Remainder of (001-139)	131	44	30	27	30	3.8	3.2	5.3
Malignant Neoplasms (140-208)	5,778	2,297	1,820	951	710	169.1	176.4	153.3
Of Lip, Oral Cavity and Pharynx (140-149)	140	61	25	41	13	4.1	3.7	5.0
Of Digestive Organs and Peritoneum (150-159)	1,359	470	435	246	208	39.8	36.8	41.9
Of Respiratory System (160-165)	1,730	970	388	311	80	50.6	57.4	36.1
Of Breast (174-175)	477	4	353	1	119	14.0	15.3	11.1
Of Genital Organs (179-187)	727	235	191	179	122	21.3	18.2	27.8
Of Urinary Organs (188-189)	218	117	52	31	18	6.4	7.2	4.5
Leukemia (204-208)	218	91	80	21	26	6.4	7.3	4.3
Of Other and Unspecified Sites (170-173, 190-199)	615	247	208	75	85	18.0	18.5	14.8
Of Lymphatic and Hematopoietic Tissues (200-203)	294	102	107	46	39	8.6	9.0	7.8
Benign and Unspecified Neoplasms (210-239)	74	20	27	15	12	2.2	2.0	2.5
Diabetes Mellitus (250)	545	111	187	102	185	15.9	11.9	24.6
Meningitis (320-322)	17	6	3	3	5	0.5	0.4	0.7
Diseases of Heart (390-398, 402, 404-429)	9,895	3,751	3,299	1,386	1,459	289.5	302.0	262.6
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	59	11	34	6	8	1.7	1.9	1.3
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	373	60	102	82	129	10.9	6.9	19.5
Ischaemic Heart Disease (410-414)	6,418	2,752	2,181	744	741	187.6	211.3	137.1
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	719	199	249	120	151	21.0	19.2	25.0
All Other Forms of Heart Disease (415-423,425-427,429)	2,326	729	733	434	430	68.0	62.6	79.7
Hypertension (401,403)	183	35	48	41	59	5.4	3.6	9.2
Cerebrovascular Disease (430-438)	2,445	549	925	431	540	71.5	63.1	89.8
Arteriosclerosis (440)	251	68	114	26	43	7.3	7.8	6.4
Other Diseases of the Circulatory System (441-459)	324	153	77	46	48	9.5	9.8	8.7
Acute Bronchitis and Bronchiolitis (466)	3	2	1	—	—	0.1	0.1	0
Pneumonia (480-486)	803	278	281	134	110	23.5	23.9	22.5
Influenza (487)	34	8	22	2	2	1.0	1.3	0.4
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	877	480	253	110	34	25.7	31.4	13.3
Chronic and Unqualified Bronchitis (490, 491)	41	19	17	4	1	1.2	1.5	0.5
Emphysema (492)	139	87	32	19	1	4.1	5.1	1.8
Asthma (493)	52	9	14	12	17	1.5	1.0	2.8
Other Chru. Obstructive Pulm. Diseases (494-496)	645	365	190	75	15	18.9	23.8	8.3
Ulcer of Stomach and Duodeum (531-533)	77	30	26	12	9	2.2	2.4	1.9
Hernia and Intestinal Obstruction (550-553, 560)	78	20	27	17	14	2.3	2.0	2.9
Chronic Liver Disease and Cirrhosis (571)	311	141	87	51	32	9.1	9.8	7.7
Other Disease of the Respiratory System (510-519)	180	65	63	29	23	5.3	5.5	4.8
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	244	56	69	58	61	7.1	5.4	11.0
Infections of Kidney (590)	36	4	21	2	9	1.0	1.1	1.0
Congenital Anomalies (740-759)	211	68	67	45	31	6.2	5.8	7.0
Certain Conditions Originating in the Perinatal Period (760-779)	353	90	63	107	93	10.3	6.6	18.5
Symptoms and Ill-Defined Conditions (780-799)	252	63	51	84	54	7.4	4.9	12.7
All Other Diseases (001-799)	2,185	671	710	382	402	63.1	59.2	72.4
Accidents (E800-E949)	1,856	835	365	494	162	54.3	51.4	60.5
Motor Vehicle Traffic (E810-E819)	1,031	493	213	256	69	30.2	30.2	30.0
Motor Vehicle Non-Traffic (E820-E825)	12	5	1	5	1	0.4	0.3	0.6
Railway (E800-E807)	10	8	—	2	—	0.3	0.3	0.2
Poisoning by Drugs & Medicaments (E850-E858)	55	31	9	10	5	1.6	1.7	1.4
Falls (E880-E888)	128	53	53	15	7	3.7	4.5	2.0
Fire and Flames (E890-E899)	140	47	14	52	27	4.1	2.6	7.3
Drowning (E910)	116	40	13	53	10	3.4	2.3	5.8
Firearms (E922)	37	29	2	4	2	1.1	1.3	0.6
Residual (E800-E949)	327	129	60	97	41	9.6	8.1	12.7
Suicide (E950-E959)	385	272	76	30	7	11.3	14.9	3.4
Firearms (E955)	284	215	44	21	4	8.3	11.1	2.3
Hanging, Strangulation & Suffocation (E953)	33	26	4	3	—	1.0	1.3	0.3
Poisoning (E950-E952)	56	30	22	3	1	1.6	2.2	0.4
Residual (E950-E959)	12	1	6	3	2	0.4	0.3	0.5
Homicide and Legal Intervention (E960-E978)	327	92	39	158	38	9.6	5.6	18.1
Assault by Firearms (E965)	201	66	20	98	17	5.9	3.7	10.8
Assault by Cutting & Piercing (E966)	60	10	5	37	8	1.8	0.6	4.2
Residual (E960-E978)	66	16	14	23	13	1.9	1.3	3.3
Other External Causes (E980-E999)	16	7	5	3	1	0.5	0.5	0.4

1) Rate per 1,000 for all causes; rate per 100,000 population for individual cause category

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	ABBEVILLE					AIKEN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	210	87	56	39	28	1,022	425	326	144	127
Infectious and Parasitic Dis. (001-139)	3	—	3	—	—	15	6	3	4	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	4	2	—	2	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	1	—	—	8	3	3	1	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	2	—	—	3	1	—	1	1
Malignant Neoplasms (140-208)	57	25	15	12	5	217	92	70	30	25
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	—	2	—	3	1	—	2	—
Of Digestive Organs and Peritoneum (150-159)	13	5	2	4	2	54	23	16	6	9
Of Respiratory System (160-165)	16	11	2	3	—	66	38	12	12	4
Of Breast (174-175)	3	—	2	—	1	14	—	11	—	3
Of Genital Organs (179-187)	6	3	1	1	1	20	6	7	4	3
Of Urinary Organs (188-189)	3	3	—	—	—	10	7	—	3	—
Leukemia (204-208)	2	1	1	—	—	10	3	6	—	1
Of Other and Unspecified Sites (170-173, 190-199)	8	1	6	—	1	26	11	10	2	3
Of Lymphatic and Hematopoietic Tissues (200-203)	4	1	1	2	—	14	3	8	1	2
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	2	—	2	—	—
Diabetes Mellitus (250)	5	—	2	2	1	16	4	2	3	7
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	78	33	19	15	7	330	148	107	34	43
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	2	1	—	1	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	—	—	—	—	—	10	2	4	1	3
Ischaemic Heart Disease (410-414)	59	27	16	11	5	207	101	73	16	17
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	6	2	2	1	1	15	5	5	4	1
All Other Forms of Heart Disease (415-423,425-427,429)	9	4	1	3	1	96	37	25	12	22
Hypertension (401,403)	1	—	—	—	1	3	—	2	—	1
Cerebrovascular Disease (430-438)	20	5	5	4	6	98	31	31	17	19
Arteriosclerosis (440)	1	—	1	—	—	15	4	5	3	3
Other Diseases of the Circulatory System (441-459)	2	1	—	—	1	9	4	2	3	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	3	3	—	—	23	7	10	4	2
Influenza (487)	—	—	—	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	6	4	—	1	1	28	15	11	2	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	2	1	1	—	—
Emphysema (492)	1	1	—	—	—	5	3	2	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chru. Obstructive Plum. Diseases (494-496)	5	3	—	1	1	21	11	8	2	—
Ulcer of Stomach and Duodeum (531-533)	1	—	1	—	—	3	2	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	4	1	1	1	1
Chronic Liver Disease and Cirrhosis (571)	3	1	—	2	—	9	6	3	—	—
Other Disease of the Respiratory System (510-519)	3	2	—	—	1	8	4	3	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	1	—	—	1	8	1	3	1	3
Infections of Kidney (590)	—	—	—	—	—	3	—	3	—	—
Congenital Anomalies (740-759)	1	—	—	1	—	9	2	4	2	1
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	1	—	—	9	3	2	3	1
Symptoms and Ill-Defined Conditions (780-799)	1	1	—	—	—	5	1	2	1	1
All Other Diseases (001-799)	14	4	6	1	3	94	33	36	13	12
Accidents (E800-E949)	4	4	—	—	—	82	44	18	16	4
Motor Vehicle Traffic (E810-E819)	3	3	—	—	—	42	25	12	5	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	2	2	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	1	—	—	1
Falls (E880-E888)	1	1	—	—	—	9	3	4	1	1
Fire and Flames (E890-E899)	—	—	—	—	—	6	1	—	5	—
Drowning (E910)	—	—	—	—	—	5	2	—	3	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	—	—	—	—	—	15	9	2	2	2
Suicide (E950-E959)	1	1	—	—	—	20	18	1	1	—
Firearms (E955)	—	—	—	—	—	15	14	1	—	—
Hanging, Strangulation & Suffocation (E953)	1	1	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	3	2	—	1	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	4	2	—	1	1	9	1	3	5	—
Assault by Firearms (E965)	3	2	—	—	1	7	1	3	3	—
Assault by Cutting & Piercing (E966)	1	—	—	1	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	2	—	—	2	—
Other External Causes (E980-E999)	—	—	—	—	—	1	—	—	1	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	ALLENDALE					ANDERSON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	115	19	20	31	45	1,192	502	473	114	103
Infectious and Parasitic Dis. (001-139)	2	—	—	2	—	18	3	12	—	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	2	—	—	2	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	11	1	8	—	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	7	2	4	—	1
Malignant Neoplasms (140-208)	20	3	3	8	6	279	121	111	27	20
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	5	3	1	1	—
Of Digestive Organs and Peritoneum (150-159)	3	—	1	2	—	74	34	25	6	9
Of Respiratory System (160-165)	7	3	—	3	1	65	34	23	8	—
Of Breast (174-175)	1	—	1	—	—	22	—	19	—	3
Of Genital Organs (179-187)	4	—	—	2	2	39	15	14	5	5
Of Urinary Organs (188-189)	1	—	—	—	1	18	11	5	2	—
Leukemia (204-208)	—	—	—	—	—	11	3	6	2	—
Of Other and Unspecified Sites (170-173, 190-199)	2	—	—	—	2	29	16	9	3	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	1	1	—	16	5	9	—	2
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	3	—	3	—	—
Diabetes Mellitus (250)	1	1	—	—	—	22	4	7	4	7
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	47	9	9	5	24	386	172	168	20	26
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	2	1	1	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	2	—	—	1	1	10	2	5	2	1
Ischaemic Heart Disease (410-414)	25	6	6	2	11	275	128	119	14	16
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	4	2	—	—	2	21	7	13	—	1
All Other Forms of Heart Disease (415-423,425-427,429)	18	1	3	2	10	78	36	30	4	8
Hypertension (401,403)	1	—	—	—	1	17	8	3	3	3
Cerebrovascular Disease (430-438)	7	—	1	3	3	93	32	44	9	8
Arteriosclerosis (440)	—	—	—	—	—	10	2	2	3	3
Other Diseases of the Circulatory System (441-459)	1	1	—	—	—	18	12	4	2	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	1	—	—	—
Pneumonia (480-486)	3	—	2	1	—	52	19	24	5	4
Influenza (487)	—	—	—	—	—	2	1	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	3	1	1	—	1	43	28	11	3	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	2	2	—	—	—
Emphysema (492)	—	—	—	—	—	11	9	2	—	—
Asthma (493)	1	—	—	—	1	4	1	—	2	1
Other Chru. Obstructive Plum. Diseases (494-496)	2	1	1	—	—	26	16	9	1	—
Ulcer of Stomach and Duodeum (531-533)	1	—	1	—	—	5	2	2	—	1
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	5	1	3	—	1
Chronic Liver Disease and Cirrhosis (571)	3	—	1	1	1	11	5	3	2	1
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	11	1	4	3	3
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	1	—	11	2	4	3	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	6	1	4	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	—	—	3	14	2	3	1	8
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	20	6	8	5	1
All Other Diseases (001-799)	10	—	—	5	5	72	29	30	8	5
Accidents (E800-E949)	7	2	2	3	—	62	32	16	10	4
Motor Vehicle Traffic (E810-E819)	4	1	1	2	—	38	21	10	5	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	2	—	—	2	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	4	4	—	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	5	1	1	1	2
Drowning (E910)	—	—	—	—	—	4	3	1	—	—
Firearms (E922)	—	—	—	—	—	2	1	—	1	—
Residual (E800-E949)	3	1	1	1	—	7	2	4	1	—
Suicide (E950-E959)	1	1	—	—	—	14	9	5	—	—
Firearms (E955)	1	1	—	—	—	8	6	2	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	4	3	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	—	2	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	1	—	1	1	15	8	1	5	1
Assault by Firearms (E965)	2	1	—	—	1	9	5	1	2	1
Assault by Cutting & Piercing (E966)	1	—	—	1	—	5	2	—	3	—
Residual (E960-E978)	—	—	—	—	—	1	1	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	BAMBERG					BARNWELL				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	191	59	43	43	46	215	58	51	53	43
Infectious and Parasitic Dis. (001-139)	2	—	—	2	—	6	1	1	1	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	1	—	4	1	—	1	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	2	—	1	—	1
Malignant Neoplasms (140-208)	36	10	11	7	8	36	15	5	9	7
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	1	—	—	—
Of Digestive Organs and Peritoneum (150-159)	10	1	3	1	5	8	4	—	2	2
Of Respiratory System (160-165)	13	7	2	3	1	11	6	1	4	—
Of Breast (174-175)	4	—	2	—	2	2	1	—	—	1
Of Genital Organs (179-187)	4	1	1	2	—	4	—	—	2	2
Of Urinary Organs (188-189)	—	—	—	—	—	2	—	1	1	—
Leukemia (204-208)	—	—	—	—	—	3	—	2	—	1
Of Other and Unspecified Sites (170-173, 190-199)	3	1	1	1	—	5	3	1	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	2	—	—	—	—	—	—	—
Benign and Unspecified Neoplasms (210-239)	1	—	—	1	—	1	—	—	—	1
Diabetes Mellitus (250)	2	—	—	2	—	3	1	2	—	—
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	90	31	24	15	20	86	27	20	21	18
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	10	2	4	3	1	4	—	—	3	1
Ischaemic Heart Disease (410-414)	50	23	9	7	11	52	19	18	10	7
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	1	—	—	1	—	15	5	1	4	5
All Other Forms of Heart Disease (415-423,425-427,429)	29	6	11	4	8	15	3	3	4	5
Hypertension (401,403)	2	—	—	—	2	1	—	—	1	—
Cerebrovascular Disease (430-438)	21	4	5	4	8	22	5	8	4	5
Arteriosclerosis (440)	—	—	—	—	—	2	1	—	1	—
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	1	1	—	—	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	—	1	—	—
Pneumonia (480-486)	2	—	—	—	2	8	5	2	1	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	1	2	1	—	5	2	2	1	—
Chronic and Unqualified Bronchitis (490, 491)	1	—	1	—	—	1	—	—	1	—
Emphysema (492)	—	—	—	—	—	—	—	—	—	—
Asthma (493)	1	—	—	1	—	—	—	—	—	—
Other Chru. Obstructive Plum. Diseases (494-496)	2	1	1	—	—	4	2	2	—	—
Ulcer of Stomach and Duodeum (531-533)	1	1	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	—	—	1
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	2	—	1	1	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	2	—	1	1	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	2	1	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	2	1	—	—	1	3	—	—	2	1
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	—	1	2	—	—	—	2
All Other Diseases (001-799)	6	3	1	2	—	12	4	2	4	2
Accidents (E800-E949)	15	8	—	9	3	18	8	4	3	3
Motor Vehicle Traffic (E810-E819)	4	1	—	3	—	6	1	1	3	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	2	2	—	—	—	3	—	3	—	—
Fire and Flames (E890-E899)	9	—	—	6	3	1	1	—	—	—
Drowning (E910)	—	—	—	—	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	—	—	—	—	—	3	1	—	—	2
Suicide (E950-E959)	2	2	—	—	—	2	—	1	1	—
Firearms (E955)	1	1	—	—	—	2	—	1	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	1	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	2	—	—	1	2	—	1	1	—
Assault by Firearms (E965)	2	2	—	—	—	1	—	1	—	—
Assault by Cutting & Piercing (E966)	1	—	—	—	1	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	BEAUFORT					BERKELEY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	468	154	120	94	100	606	222	161	126	97
Infectious and Parasitic Dis. (001-139)	6	—	—	—	6	9	1	3	2	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	—	2	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	3	—	—	—	3	2	—	1	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	3	—	—	—	3	5	1	2	—	2
Malignant Neoplasms (140-208)	121	49	33	24	15	142	51	39	27	25
Of Lip, Oral Cavity and Pharynx (140-149)	4	2	1	1	—	3	1	1	—	1
Of Digestive Organs and Peritoneum (150-159)	21	9	6	4	2	33	6	9	11	7
Of Respiratory System (160-165)	44	25	9	6	4	47	23	13	7	4
Of Breast (174-175)	9	—	6	—	3	9	—	8	—	1
Of Genital Organs (179-187)	18	4	4	6	4	26	9	3	7	7
Of Urinary Organs (188-189)	3	1	—	1	1	5	3	1	1	—
Leukemia (204-208)	7	2	2	2	1	1	—	—	—	1
Of Other and Unspecified Sites (170-173, 190-199)	10	4	4	2	—	14	7	4	—	3
Of Lymphatic and Hematopoietic Tissues (200-203)	5	2	1	2	—	4	2	—	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	2	1	1	—	—
Diabetes Mellitus (250)	12	—	3	2	7	14	1	5	1	7
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	131	47	33	20	31	186	77	50	30	29
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	4	—	—	—	4	3	—	2	1	—
Ischaemic Heart Disease (410-414)	100	40	25	15	20	139	63	34	22	20
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	7	2	4	—	1	13	3	2	2	6
All Other Forms of Heart Disease (415-423,425-427,429)	20	5	4	5	6	30	11	11	5	3
Hypertension (401,403)	6	—	1	2	3	4	1	—	3	—
Cerebrovascular Disease (430-438)	43	10	13	6	14	33	8	8	8	9
Arteriosclerosis (440)	9	2	3	1	3	12	4	4	2	2
Other Diseases of the Circulatory System (441-459)	5	2	2	1	—	1	—	—	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	13	7	2	2	2	16	3	7	3	3
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	14	3	5	5	1	18	9	6	3	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	2	2	—	—	—
Emphysema (492)	1	—	—	—	1	3	2	1	—	—
Asthma (493)	2	—	—	2	—	1	—	1	—	—
Other Chru. Obstructive Pulm. Diseases (494-496)	10	2	5	3	—	12	5	4	3	—
Ulcer of Stomach and Duodeum (531-533)	—	—	—	—	—	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	—	2	—	—	1	—	—	1	—
Chronic Liver Disease and Cirrhosis (571)	9	4	2	1	2	8	4	2	1	1
Other Disease of the Respiratory System (510-519)	3	2	—	—	1	7	5	1	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	—	1	1	1	—	—	—	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	4	2	—	2	—	10	6	3	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	8	2	1	3	2	10	2	5	3	—
Symptoms and Ill-Defined Conditions (780-799)	4	—	3	—	1	8	3	1	4	—
All Other Diseases (001-799)	29	7	10	5	7	44	12	11	10	11
Accidents (E800-E949)	34	10	4	16	4	64	29	10	22	3
Motor Vehicle Traffic (E810-E819)	17	7	1	7	2	42	19	6	14	3
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	—	—	1	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	1	—	1	—
Falls (E880-E888)	2	—	2	—	—	4	2	2	—	—
Fire and Flames (E890-E899)	5	2	—	1	2	1	—	1	—	—
Drowning (E910)	5	1	—	4	—	3	1	—	2	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	5	—	1	4	—	10	5	1	4	—
Suicide (E950-E959)	11	7	2	2	—	9	4	3	2	—
Firearms (E955)	10	6	2	2	—	7	4	2	1	—
Hanging, Strangulation & Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	—	1	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	—	1	—
Homicide and Legal Intervention (E960-E978)	2	—	1	1	—	6	1	1	3	1
Assault by Firearms (E965)	1	—	—	1	—	3	1	—	2	—
Assault by Cutting & Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	1	—	1	—	—	2	—	1	—	1
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	CALHOUN					CHARLESTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	109	31	18	36	24	2,226	700	525	471	430
Infectious and Parasitic Dis. (001-139)	—	—	—	—	—	52	11	11	14	16
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	6	—	—	3	3
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	31	6	9	5	11
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	1	—	—	—	1
Remainder of (001-139)	—	—	—	—	—	14	5	2	6	1
Malignant Neoplasms (140-208)	28	6	2	12	6	449	157	128	94	70
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	11	3	2	5	1
Of Digestive Organs and Peritoneum (150-159)	4	1	1	2	—	107	40	24	25	18
Of Respiratory System (160-165)	8	3	—	4	1	148	71	33	35	9
Of Breast (174-175)	3	—	—	—	3	41	—	29	—	12
Of Genital Organs (179-187)	2	1	—	1	—	47	10	16	13	8
Of Urinary Organs (188-189)	2	1	—	1	—	17	5	7	4	1
Leukemia (204-208)	1	—	—	1	—	17	7	6	1	3
Of Other and Unspecified Sites (170-173, 190-199)	5	—	1	3	1	40	14	8	6	12
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	—	1	21	7	3	5	6
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	7	1	2	3	1
Diabetes Mellitus (250)	2	—	—	1	1	41	6	10	13	12
Meningitis (320-322)	—	—	—	—	—	1	1	—	—	—
Diseases of Heart (390-398, 402, 404-429)	41	13	9	9	10	750	245	241	122	142
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	1	—	1	—	—	5	1	3	—	1
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	2	1	—	—	1	25	3	8	6	8
Ischaemic Heart Disease (410-414)	30	11	5	8	6	520	198	159	77	86
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	1	—	—	—	1	46	13	13	3	17
All Other Forms of Heart Disease (415-423,425-427,429)	7	1	3	1	2	154	30	58	36	30
Hypertension (401,403)	1	—	—	1	—	13	3	—	3	7
Cerebrovascular Disease (430-438)	14	3	3	5	3	161	29	51	33	48
Arteriosclerosis (440)	—	—	—	—	—	14	5	8	—	1
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	27	12	9	3	3
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	—	—	—	—	—	70	25	19	10	16
Influenza (487)	—	—	—	—	—	4	—	4	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	1	—	1	—	—	79	30	27	17	5
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	3	1	2	—	—
Emphysema (492)	1	—	1	—	—	19	5	8	5	—
Asthma (493)	—	—	—	—	—	8	2	1	—	3
Other Chru. Obstructive Pulm. Diseases (494-496)	—	—	—	—	—	51	22	15	12	2
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	4	1	1	1	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	8	2	3	1	2
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	21	4	12	3	2
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	17	3	6	3	5
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	1	—	—	—	15	1	2	7	5
Infections of Kidney (590)	—	—	—	—	—	6	—	4	1	1
Congenital Anomalies (740-759)	1	—	1	—	—	24	7	4	7	6
Certain Conditions Originating in the Perinatal Period (760-779)	3	1	—	1	1	37	10	3	18	6
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	1	—	22	4	4	9	5
All Other Diseases (001-799)	10	4	—	3	3	185	45	46	48	48
Accidents (E800-E949)	6	2	2	2	—	139	64	18	40	17
Motor Vehicle Traffic (E810-E819)	—	—	—	—	—	70	40	9	15	6
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	10	2	1	5	2
Falls (E880-E888)	1	—	1	—	—	9	1	5	3	—
Fire and Flames (E890-E899)	—	—	—	—	—	11	5	1	3	2
Drowning (E910)	2	1	—	1	—	8	2	1	4	1
Firearms (E922)	1	1	—	—	—	1	—	—	1	—
Residual (E800-E949)	2	—	1	1	—	30	14	1	9	6
Suicide (E950-E959)	1	1	—	—	—	40	26	8	5	1
Firearms (E955)	—	—	—	—	—	28	21	3	3	1
Hanging, Strangulation & Suffocation (E953)	1	1	—	—	—	1	—	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	9	5	4	—	—
Residual (E950-E959)	—	—	—	—	—	2	—	—	2	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	39	7	4	18	10
Assault by Firearms (E965)	—	—	—	—	—	12	3	—	7	2
Assault by Cutting & Piercing (E966)	—	—	—	—	—	12	2	—	6	4
Residual (E960-E978)	1	—	—	1	—	15	2	4	5	4
Other External Causes (E980-E989)	—	—	—	—	—	1	1	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	CHEROKEE					CHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	386	157	148	45	36	350	110	97	78	65
Infectious and Parasitic Dis. (001-139)	3	—	2	1	—	7	1	1	2	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	—	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	2	—	1	1	—	3	1	—	—	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	1	—	—	3	—	1	2	—
Malignant Neoplasms (140-208)	85	34	30	11	10	66	27	20	9	10
Of Lip, Oral Cavity and Pharynx (140-149)	4	2	1	1	—	2	1	—	1	—
Of Digestive Organs and Peritoneum (150-159)	25	11	10	1	3	22	8	8	1	5
Of Respiratory System (160-165)	21	12	2	6	1	15	7	3	5	—
Of Breast (174-175)	9	—	6	—	3	5	—	3	—	2
Of Genital Organs (179-187)	13	5	5	2	1	6	2	2	1	1
Of Urinary Organs (188-189)	3	—	3	—	—	2	1	1	—	—
Leukemia (204-208)	3	2	1	—	—	—	—	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	4	2	1	—	1	7	5	1	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	3	—	1	1	1	7	3	2	1	1
Benign and Unspecified Neoplasms (210-239)	2	1	1	—	—	—	—	—	—	—
Diabetes Mellitus (250)	13	3	7	1	2	6	—	4	—	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	141	67	51	11	12	136	47	39	25	25
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	1	—	—	—	1
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	1	—	1	—	—	3	1	—	2	—
Ischaemic Heart Disease (410-414)	96	51	32	8	7	74	31	26	5	12
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	9	2	3	2	2	10	2	2	3	3
All Other Forms of Heart Disease (415-423,425-427,429)	33	14	15	1	3	48	13	11	15	9
Hypertension (401,403)	1	—	—	—	1	2	1	—	—	1
Cerebrovascular Disease (430-438)	24	8	7	5	4	31	3	10	10	8
Arteriosclerosis (440)	3	1	2	—	—	13	2	4	5	2
Other Diseases of the Circulatory System (441-459)	6	3	2	—	1	5	2	—	1	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	13	3	6	3	1	14	2	3	6	3
Influenza (487)	1	—	1	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	20	8	10	1	1	8	4	1	2	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	3	2	1	—	—	3	1	—	2	—
Asthma (493)	—	—	—	—	—	1	—	1	—	—
Other Chru. Obstructive Pulm. Diseases (494-496)	17	6	9	1	1	4	3	—	—	1
Ulcer of Stomach and Duodeum (531-533)	—	—	—	—	—	3	2	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	—	—	1
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	3	2	1	—	—
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	—	3	—	2	—	—	—	—	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	—	—	1	1	—	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	5	3	—	2	—	4	1	—	1	2
Symptoms and Ill-Defined Conditions (780-799)	2	1	—	1	—	3	—	—	2	1
All Other Diseases (001-799)	31	12	15	3	1	15	3	5	4	3
Accidents (E800-E949)	21	8	8	5	—	26	10	7	8	1
Motor Vehicle Traffic (E810-E819)	11	4	4	3	—	17	6	5	5	1
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	—	—	—	—	—
Falls (E880-E888)	3	—	2	1	—	—	—	—	—	—
Fire and Flames (E890-E899)	3	2	1	—	—	—	—	—	—	—
Drowning (E910)	1	—	—	1	—	1	—	—	1	—
Firearms (E922)	1	—	1	—	—	—	—	—	—	—
Residual (E800-E949)	—	—	—	—	—	8	4	2	2	—
Suicide (E950-E959)	4	2	2	—	—	2	2	—	—	—
Firearms (E955)	4	2	2	—	—	2	2	—	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	2	—	1	—	3	1	—	2	—
Assault by Firearms (E965)	2	2	—	—	—	3	1	—	2	—
Assault by Cutting & Piercing (E966)	1	—	—	1	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	CHESTERFIELD					CLARENDON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	370	133	118	60	59	239	58	43	74	64
Infectious and Parasitic Dis. (001-139)	2	1	—	1	—	5	3	—	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	2	1	—	1	—	2	1	—	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	2	1	—	1	—
Malignant Neoplasms (140-208)	77	34	21	6	16	45	16	7	15	7
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	2	—	—	1	1
Of Digestive Organs and Peritoneum (150-159)	20	6	6	2	6	9	3	1	3	2
Of Respiratory System (160-165)	16	13	2	1	—	15	8	1	6	—
Of Breast (174-175)	8	—	5	—	3	3	—	3	—	—
Of Genital Organs (179-187)	11	5	2	2	2	10	3	1	4	2
Of Urinary Organs (188-189)	3	2	—	—	1	—	—	—	—	—
Leukemia (204-208)	4	2	1	—	1	2	1	—	—	1
Of Other and Unspecified Sites (170-173, 190-199)	9	4	3	1	1	3	1	1	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	6	2	2	—	2	1	—	—	—	1
Benign and Unspecified Neoplasms (210-239)	1	1	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	4	—	2	2	—	6	1	—	3	2
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	120	38	55	11	16	100	21	29	28	22
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	2	—	1	—	1	—	—	—	—	—
Ischaemic Heart Disease (410-414)	82	27	36	7	12	58	15	18	12	13
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	6	1	3	1	1	7	1	2	2	2
All Other Forms of Heart Disease (415-423,425-427,429)	30	10	15	3	2	34	5	8	14	7
Hypertension (401,403)	6	1	2	1	2	—	—	—	—	—
Cerebrovascular Disease (430-438)	33	12	13	5	3	25	2	2	10	11
Arteriosclerosis (440)	4	1	2	—	1	1	—	—	—	1
Other Diseases of the Circulatory System (441-458)	4	2	—	1	1	2	1	—	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	2	1	2	1	2	—	—	—	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	12	6	4	1	1	5	3	1	—	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	2	1	1	—	—	1	1	—	—	—
Asthma (493)	1	—	—	—	1	1	—	—	—	1
Other Chru. Obstructive Plum. Diseases (494-496)	9	5	3	1	—	3	2	1	—	—
Ulcer of Stomach and Duodeum (531-533)	1	—	—	1	—	1	—	—	—	1
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	1	—	—	—	1
Chronic Liver Disease and Cirrhosis (571)	5	2	1	—	2	1	—	—	1	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	1	1	—	—	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	6	2	1	3	—	2	—	—	1	1
Certain Conditions Originating in the Perinatal Period (760-779)	2	—	—	2	—	3	—	—	2	1
Symptoms and Ill-Defined Conditions (780-799)	24	10	2	8	4	3	—	1	1	1
All Other Diseases (001-799)	24	7	5	4	8	17	3	2	6	6
Accidents (E800-E949)	31	12	7	9	3	16	7	—	4	5
Motor Vehicle Traffic (E810-E819)	16	6	3	6	1	14	7	—	3	4
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	1	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	2	—	2	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	2	2	—	—	—	—	—	—	—	—
Drowning (E910)	1	—	—	1	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	9	3	2	2	2	2	—	—	1	1
Suicide (E950-E959)	1	1	—	—	—	1	—	1	—	—
Firearms (E955)	1	1	—	—	—	—	—	—	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	—	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	1	2	—	1	—	—	1	—
Assault by Firearms (E965)	4	1	1	2	—	1	—	—	1	—
Assault by Cutting & Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	—	—	—	1

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	COLLETON					DARLINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	326	93	84	86	63	630	213	191	131	95
Infectious and Parasitic Dis. (001-139)	3	—	1	2	—	12	4	2	3	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	1	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	2	1	—	—	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	6	1	2	2	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	1	1	—	3	2	—	—	1
Malignant Neoplasms (140-208)	66	28	18	17	3	116	44	36	24	12
Of Lip, Oral Cavity and Pharynx (140-149)	3	1	—	2	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	15	4	2	6	3	28	8	9	8	3
Of Respiratory System (160-165)	26	15	6	5	—	36	21	8	6	1
Of Breast (174-175)	1	—	1	—	—	4	—	4	—	—
Of Genital Organs (179-187)	6	2	2	2	—	18	4	5	7	2
Of Urinary Organs (188-189)	3	3	—	—	—	3	2	1	—	—
Leukemia (204-208)	2	—	2	—	—	5	2	3	—	—
Of Other and Unspecified Sites (170-173, 190-199)	8	2	5	1	—	12	4	2	3	3
Of Lymphatic and Hematopoietic Tissues (200-203)	2	1	—	1	—	9	3	3	—	3
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	4	—	3	1	—
Diabetes Mellitus (250)	16	1	3	3	9	9	2	4	—	3
Meningitis (320-322)	1	1	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	111	30	28	25	28	218	74	78	37	29
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	2	—	2	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	2	—	—	—	2	17	5	5	4	3
Ischaemic Heart Disease (410-414)	91	25	21	22	23	119	45	46	17	11
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	2	—	—	1	1	13	3	7	—	3
All Other Forms of Heart Disease (415-423,425-427,429)	16	5	7	2	2	67	21	18	16	12
Hypertension (401,403)	2	—	2	—	—	5	2	2	—	1
Cerebrovascular Disease (430-438)	41	11	9	12	9	53	9	22	7	15
Arteriosclerosis (440)	1	—	1	—	—	3	1	—	2	—
Other Diseases of the Circulatory System (441-459)	3	—	1	1	1	9	4	—	4	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	—	—	4	—	18	7	3	3	5
Influenza (487)	1	—	1	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	10	4	3	3	—	16	7	7	1	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	2	—	—	2	—	—	—	—	—	—
Asthma (493)	—	—	—	—	—	1	—	—	—	1
Other Chru. Obstructive Plum. Diseases (494-496)	8	4	3	1	—	14	6	7	1	—
Ulcer of Stomach and Duodeum (531-533)	—	—	—	—	—	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	2	—	1	—	1	10	5	3	—	2
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	2	—	1	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	—	—	2	9	3	2	2	2
Infections of Kidney (590)	—	—	—	—	—	1	1	—	—	—
Congenital Anomalies (740-759)	4	—	1	—	3	5	1	—	3	1
Certain Conditions Originating in the Perinatal Period (760-779)	2	1	—	1	—	9	3	2	4	—
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	10	4	—	4	2
All Other Diseases (001-799)	28	8	8	6	6	58	21	9	14	14
Accidents (E800-E949)	23	7	6	9	1	48	20	13	13	2
Motor Vehicle Traffic (E810-E819)	14	3	4	7	—	27	16	5	6	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	1	—	1	—	—	4	1	2	—	1
Fire and Flames (E890-E899)	2	—	1	1	—	1	—	1	—	—
Drowning (E910)	1	—	—	1	—	2	—	1	1	—
Firearms (E922)	2	2	—	—	—	1	1	—	—	—
Residual (E800-E949)	3	2	—	—	1	12	1	4	6	1
Suicide (E950-E959)	—	—	—	—	—	5	1	2	2	—
Firearms (E955)	—	—	—	—	—	4	1	2	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	—	—	1	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	—	3	—	8	—	—	7	1
Assault by Firearms (E965)	3	1	—	2	—	7	—	—	6	1
Assault by Cutting & Piercing (E966)	1	—	—	1	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	DILLON					DORCHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	319	84	101	72	52	482	155	169	80	58
Infectious and Parasitic Dis. (001-139)	4	—	2	1	1	7	4	2	1	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	3	—	2	—	1	2	1	—	1	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	1	—	5	3	2	—	—
Malignant Neoplasms (140-208)	59	20	19	14	6	86	39	30	12	5
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	1	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	13	4	5	2	2	24	9	9	3	3
Of Respiratory System (160-165)	19	8	3	6	2	29	20	4	4	1
Of Breast (174-175)	—	—	—	—	—	8	—	8	—	—
Of Genital Organs (179-187)	3	1	1	1	—	8	3	3	2	—
Of Urinary Organs (188-189)	2	2	—	—	—	2	2	—	—	—
Leukemia (204-208)	7	—	6	1	—	1	1	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	9	3	1	3	2	11	4	5	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	4	1	2	1	—	3	—	1	2	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	—	—	1
Diabetes Mellitus (250)	10	4	3	2	1	17	6	7	1	3
Meningitis (320-322)	1	1	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	108	33	36	20	19	173	55	64	33	21
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	2	1	1	—	—	2	—	1	1	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	5	1	—	2	2	6	3	2	—	1
Ischaemic Heart Disease (410-414)	50	21	14	5	10	110	40	44	19	7
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	12	1	8	—	3	11	2	3	4	2
All Other Forms of Heart Disease (415-423,425-427,429)	39	9	13	13	4	44	10	14	9	11
Hypertension (401,403)	6	1	2	1	2	4	—	2	—	2
Cerebrovascular Disease (430-438)	36	6	17	6	7	31	5	10	4	12
Arteriosclerosis (440)	1	—	—	—	1	8	1	4	1	2
Other Diseases of the Circulatory System (441-459)	7	3	1	1	2	6	1	4	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	9	5	1	2	—	7	1	3	2	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	7	3	2	1	1	14	6	6	2	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	2	—	2	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chru. Obstructive Plum. Diseases (494-496)	7	3	2	1	1	12	6	4	2	—
Ulcer of Stomach and Duodeum (531-533)	1	—	1	—	—	2	—	2	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	1	1	—	—
Chronic Liver Disease and Cirrhosis (571)	4	2	—	1	1	1	1	—	—	—
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	3	—	2	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	13	1	5	2	5	5	1	2	1	1
Infections of Kidney (590)	1	—	1	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	6	1	4	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	6	3	2	—	1
Symptoms and Ill-Defined Conditions (780-799)	5	—	—	3	2	—	—	—	—	—
All Other Diseases (001-798)	21	5	8	6	2	36	9	13	9	5
Accidents (E800-E949)	18	5	3	8	2	35	14	9	9	3
Motor Vehicle Traffic (E810-E819)	9	3	1	5	—	20	8	6	6	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	1	—	—
Falls (E880-E888)	3	—	2	1	—	1	—	1	—	—
Fire and Flames (E890-E899)	3	1	—	1	1	3	1	1	—	1
Drowning (E910)	1	—	—	—	1	2	1	—	1	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	1	—	1	—	4	3	—	—	1
Suicide (E950-E959)	1	1	—	—	—	9	7	1	1	—
Firearms (E955)	—	—	—	—	—	4	3	—	1	—
Hanging, Strangulation & Suffocation (E953)	1	1	—	—	—	2	2	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	3	2	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	5	3	—	2	—	3	—	1	2	—
Assault by Firearms (E965)	4	3	—	1	—	3	—	1	2	—
Assault by Cutting & Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	1	—	—	1	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	EDGEFIELD					FAIRFIELD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	156	46	38	39	33	261	66	66	57	72
Infectious and Parasitic Dis. (001-139)	1	–	–	1	–	7	–	2	2	3
Enteritis and Other Intestinal Dis. (008-009)	1	–	–	1	–	–	–	–	–	–
Tuberculosis, All Forms (010-018)	–	–	–	–	–	–	–	–	–	–
Tetanus (037)	–	–	–	–	–	–	–	–	–	–
Septicemia (038)	–	–	–	–	–	7	–	2	2	3
Measles (055)	–	–	–	–	–	–	–	–	–	–
Syphilis and its Sequelae (090-097)	–	–	–	–	–	–	–	–	–	–
Remainder of (001-139)	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms (140-208)	34	8	11	13	2	51	16	12	10	13
Of Lip, Oral Cavity and Pharynx (140-149)	2	–	–	2	–	1	–	–	1	–
Of Digestive Organs and Peritoneum (150-159)	8	1	4	3	–	12	5	5	1	1
Of Respiratory System (160-165)	10	4	1	4	1	15	5	3	5	2
Of Breast (174-175)	–	–	–	–	–	5	–	1	–	4
Of Genital Organs (179-187)	1	–	–	1	–	7	3	–	1	3
Of Urinary Organs (188-189)	1	–	1	–	–	1	–	–	1	–
Leukemia (204-208)	4	2	1	1	–	2	–	1	–	1
Of Other and Unspecified Sites (170-173, 190-199)	4	–	2	1	1	5	3	1	–	1
Of Lymphatic and Hematopoietic Tissues (200-203)	4	1	2	1	–	3	–	1	1	1
Benign and Unspecified Neoplasms (210-239)	–	–	–	–	–	2	–	1	1	–
Diabetes Mellitus (250)	1	–	1	–	–	1	–	–	–	1
Meningitis (320-322)	–	–	–	–	–	–	–	–	–	–
Diseases of Heart (390-398, 402, 404-429)	61	20	17	8	16	100	24	28	20	28
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	–	–	–	–	–	1	–	1	–	–
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	3	–	–	1	2	6	–	2	–	4
Ischaemic Heart Disease (410-414)	39	16	11	5	7	44	13	15	8	8
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	1	–	–	–	1	3	1	1	–	1
All Other Forms of Heart Disease (415-423,425-427,429)	18	4	6	2	6	46	10	9	12	15
Hypertension (401,403)	–	–	–	–	–	3	1	–	–	2
Cerebrovascular Disease (430-438)	13	1	2	3	7	24	3	9	2	10
Arteriosclerosis (440)	–	–	–	–	–	–	–	–	–	–
Other Diseases of the Circulatory System (441-459)	2	–	1	–	1	4	3	1	–	–
Acute Bronchitis and Bronchiolitis (466)	–	–	–	–	–	–	–	–	–	–
Pneumonia (480-486)	2	–	1	–	1	8	3	2	1	2
Influenza (487)	–	–	–	–	–	–	–	–	–	–
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	7	4	–	3	–	8	5	1	2	–
Chronic and Unqualified Bronchitis (490, 491)	–	–	–	–	–	–	–	–	–	–
Emphysema (492)	–	–	–	–	–	2	2	–	–	–
Asthma (493)	1	–	–	1	–	–	–	–	–	–
Other Chru. Obstructive Pulm. Diseases (494-496)	6	4	–	2	–	6	3	1	2	–
Ulcer of Stomach and Duodeum (531-533)	1	–	–	1	–	–	–	–	–	–
Hernia and Intestinal Obstruction (550-553, 560)	1	1	–	–	–	1	1	–	–	–
Chronic Liver Disease and Cirrhosis (571)	2	1	1	–	–	4	2	1	–	1
Other Disease of the Respiratory System (510-519)	–	–	–	–	–	1	–	–	–	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	–	1	1	1	1	–	–	–	1
Infections of Kidney (590)	–	–	–	–	–	–	–	–	–	–
Congenital Anomalies (740-759)	2	1	–	1	–	1	–	–	–	1
Certain Conditions Originating in the Perinatal Period (760-779)	1	1	–	–	–	4	–	1	1	2
Symptoms and Ill-Defined Conditions (780-799)	1	–	–	–	1	1	–	–	–	1
All Other Diseases (001-799)	10	–	3	4	3	13	3	4	3	3
Accidents (E800-E949)	10	7	–	2	1	21	5	2	11	3
Motor Vehicle Traffic (E810-E819)	9	6	–	2	1	14	2	2	8	2
Motor Vehicle Non-Traffic (E820-E825)	–	–	–	–	–	–	–	–	–	–
Railway (E800-E807)	–	–	–	–	–	–	–	–	–	–
Poisoning by Drugs & Medicaments (E850-E858)	–	–	–	–	–	–	–	–	–	–
Falls (E880-E888)	–	–	–	–	–	2	2	–	–	–
Fire and Flames (E890-E899)	–	–	–	–	–	2	–	–	1	1
Drowning (E910)	–	–	–	–	–	2	–	–	2	–
Firearms (E922)	–	–	–	–	–	–	–	–	–	–
Residual (E800-E949)	1	1	–	–	–	1	1	–	–	–
Suicide (E950-E959)	3	2	–	1	–	1	–	1	–	–
Firearms (E955)	3	2	–	1	–	1	–	1	–	–
Hanging, Strangulation & Suffocation (E953)	–	–	–	–	–	–	–	–	–	–
Poisoning (E950-E952)	–	–	–	–	–	–	–	–	–	–
Residual (E950-E959)	–	–	–	–	–	–	–	–	–	–
Homicide and Legal Intervention (E960-E978)	1	–	–	1	–	5	–	1	4	–
Assault by Firearms (E965)	–	–	–	–	–	2	–	–	2	–
Assault by Cutting & Piercing (E966)	–	–	–	–	–	2	–	1	1	–
Residual (E960-E978)	1	–	–	1	–	1	–	–	1	–
Other External Causes (E980-E999)	–	–	–	–	–	–	–	–	–	–

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	FLORENCE					GEORGETOWN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	1,056	350	296	212	196	399	124	87	98	90
Infectious and Parasitic Dis. (001-139)	12	4	2	3	3	8	3	1	4	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	5	1	2	1	1	6	2	1	3	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	7	3	—	2	2	2	1	—	1	—
Malignant Neoplasms (140-208)	193	75	49	32	37	87	26	26	24	11
Of Lip, Oral Cavity and Pharynx (140-149)	4	3	—	—	1	2	1	—	1	—
Of Digestive Organs and Peritoneum (150-159)	41	15	8	8	10	28	8	6	10	4
Of Respiratory System (160-165)	55	29	11	14	1	29	14	6	6	3
Of Breast (174-175)	19	—	12	—	7	6	—	4	—	2
Of Genital Organs (179-187)	34	10	7	8	9	6	1	1	3	1
Of Urinary Organs (188-189)	7	4	—	—	3	2	—	1	1	—
Leukemia (204-208)	9	6	1	1	1	3	—	2	1	—
Of Other and Unspecified Sites (170-173, 190-199)	13	5	6	—	2	10	2	5	2	1
Of Lymphatic and Hematopoietic Tissues (200-203)	11	3	4	1	3	1	—	1	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	20	3	4	7	6	13	1	1	3	8
Meningitis (320-322)	1	—	—	—	1	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	432	146	132	78	76	125	49	20	26	30
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	2	—	2	—	—	1	1	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	20	1	2	4	13	7	—	1	2	4
Ischaemic Heart Disease (410-414)	220	93	81	25	21	70	35	15	8	12
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	25	6	6	5	8	8	—	1	4	3
All Other Forms of Heart Disease (415-423,425-427,429)	165	46	41	44	34	39	13	3	12	11
Hypertension (401,403)	6	—	3	1	2	2	1	1	—	—
Cerebrovascular Disease (430-438)	101	11	29	34	27	42	5	15	9	13
Arteriosclerosis (440)	6	2	2	—	2	2	1	—	—	1
Other Diseases of the Circulatory System (441-459)	10	6	1	1	2	4	—	—	2	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	25	8	11	3	3	10	1	—	5	4
Influenza (487)	2	1	1	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	26	16	7	2	1	8	4	—	3	1
Chronic and Unqualified Bronchitis (490, 491)	5	1	3	—	1	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	2	2	—	—	—
Asthma (493)	—	—	—	—	—	2	—	—	1	1
Other Chru. Obstructive Pulm. Diseases (494-496)	21	15	4	2	—	4	2	—	2	—
Ulcer of Stomach and Duodeum (531-533)	1	—	1	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	4	—	1	2	1	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	16	7	5	2	2	3	1	1	1	—
Other Disease of the Respiratory System (510-519)	4	—	2	2	—	1	—	—	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	9	1	2	2	4	4	1	—	2	1
Infections of Kidney (590)	—	—	—	—	—	2	—	1	—	1
Congenital Anomalies (740-759)	11	3	4	2	2	6	—	3	1	2
Certain Conditions Originating in the Perinatal Period (760-779)	12	3	2	4	3	5	1	2	—	2
Symptoms and Ill-Defined Conditions (780-799)	4	3	—	—	1	3	3	—	—	—
All Other Diseases (001-799)	74	20	20	16	18	28	8	8	5	7
Accidents (E800-E949)	66	30	14	16	6	36	14	4	12	6
Motor Vehicle Traffic (E810-E819)	42	20	8	9	5	22	9	4	7	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	2	1	—	—	1	—	—	—	—	—
Falls (E880-E888)	2	1	1	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	1	1	—	—	—	5	1	—	1	3
Drowning (E910)	5	2	—	3	—	4	2	—	1	1
Firearms (E922)	—	—	—	—	—	2	2	—	—	—
Residual (E800-E949)	13	5	5	3	—	3	—	—	3	—
Suicide (E950-E959)	13	9	3	—	1	5	3	2	—	—
Firearms (E955)	11	9	2	—	—	5	3	2	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	2	—	1	—	1	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	8	2	1	5	—	4	2	1	1	—
Assault by Firearms (E965)	5	2	1	2	—	4	2	1	1	—
Assault by Cutting & Piercing (E966)	2	—	—	2	—	—	—	—	—	—
Residual (E960-E978)	1	—	—	1	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	—	1	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	GREENVILLE					GREENWOOD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	2,441	1,055	952	232	202	589	200	211	86	72
Infectious and Parasitic Dis. (001-139)	44	15	16	8	5	3	2	1	—	—
Enteritis and Other Intestinal Dis. (008-009)	2	—	1	1	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	3	—	1	2	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	29	9	12	4	4	2	1	1	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	10	6	2	1	1	1	1	—	—	—
Malignant Neoplasms (140-208)	540	248	207	43	44	110	42	44	12	12
Of Lip, Oral Cavity and Pharynx (140-149)	17	10	4	2	1	5	2	1	1	1
Of Digestive Organs and Peritoneum (150-159)	110	40	40	10	11	22	6	8	5	3
Of Respiratory System (160-165)	155	104	33	11	7	28	14	9	5	—
Of Breast (174-175)	70	—	59	—	11	11	—	7	—	4
Of Genital Organs (179-187)	67	28	22	11	6	14	4	8	1	1
Of Urinary Organs (188-189)	22	13	7	2	—	4	3	1	—	—
Leukemia (204-208)	14	8	4	1	1	3	1	—	—	2
Of Other and Unspecified Sites (170-173, 190-199)	53	24	20	3	6	16	8	8	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	32	10	18	3	1	7	4	2	—	1
Benign and Unspecified Neoplasms (210-239)	6	3	—	1	2	2	—	1	—	1
Diabetes Mellitus (250)	51	16	13	8	14	6	1	2	2	1
Meningitis (320-322)	1	1	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	825	374	331	65	55	196	70	84	19	23
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	11	—	8	2	1	1	—	1	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	26	8	10	2	6	12	2	2	2	6
Ischaemic Heart Disease (410-414)	539	273	202	37	27	132	55	57	9	11
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-426)	59	17	29	7	6	13	4	4	4	1
All Other Forms of Heart Disease (415-423,425-427,429)	190	76	82	17	15	38	9	20	4	5
Hypertension (401,403)	11	1	7	—	3	4	2	—	1	1
Cerebrovascular Disease (430-438)	193	49	108	15	21	61	20	23	10	8
Arteriosclerosis (440)	32	9	22	—	1	5	1	3	1	—
Other Diseases of the Circulatory System (441-459)	26	13	11	2	2	8	4	3	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	72	35	27	8	2	16	3	9	4	—
Influenza (487)	3	1	2	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	95	52	29	8	6	18	11	5	2	—
Chronic and Unqualified Bronchitis (490, 491)	2	—	—	2	—	—	—	—	—	—
Emphysema (492)	12	9	3	—	—	1	1	—	—	—
Asthma (493)	7	1	1	—	5	2	—	1	1	—
Other Chru. Obstructive Plum. Diseases (494-496)	74	42	25	6	1	15	10	4	1	—
Ulcer of Stomach and Duodeum (531-533)	10	6	2	1	1	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	5	2	2	—	1	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	27	10	12	4	1	5	3	—	2	—
Other Disease of the Respiratory System (510-519)	19	6	11	1	1	6	3	2	—	1
Nephritis, Nephrotic Syndrome and Naphrosis (580-589)	13	3	6	2	—	3	1	—	1	1
Infections of Kidney (590)	5	—	3	—	2	—	—	—	—	—
Congenital Anomalies (740-759)	11	6	2	2	1	6	1	5	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	32	10	7	7	8	4	—	1	1	2
Symptoms and Ill-Defined Conditions (780-799)	13	4	6	1	2	6	1	—	4	1
All Other Diseases (001-799)	191	69	80	24	18	62	18	18	12	14
Accidents (E800-E949)	148	85	37	18	8	33	14	4	12	3
Motor Vehicle Traffic (E810-E819)	78	46	24	5	3	20	12	1	7	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	2	2	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	8	6	—	2	—	2	1	1	—	—
Falls (E880-E888)	14	5	6	2	1	1	—	1	—	—
Fire and Flames (E890-E899)	13	7	2	3	1	1	—	—	—	1
Drowning (E910)	11	7	2	2	—	—	—	—	—	—
Firearms (E922)	2	2	—	—	—	—	—	—	—	—
Residual (E800-E949)	20	10	3	4	3	9	1	1	5	2
Suicide (E950-E959)	38	31	5	2	—	5	2	2	—	1
Firearms (E955)	32	28	3	1	—	4	2	1	—	1
Hanging, Strangulation & Suffocation (E953)	2	2	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	3	1	1	1	—	1	—	1	—	—
Residual (E950-E959)	1	—	1	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	27	7	4	12	4	6	—	2	3	1
Assault by Firearms (E965)	17	4	2	9	2	3	—	1	1	1
Assault by Cutting & Piercing (E966)	3	1	1	1	—	3	—	1	2	—
Residual (E960-E978)	7	2	1	2	2	—	—	—	—	—
Other External Causes (E980-E999)	1	1	—	—	—	1	1	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	HAMPTON					HORRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	202	57	35	66	44	975	454	340	91	90
Infectious and Parasitic Dis. (001-139)	3	—	—	1	2	16	8	2	5	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	2	—	—	1	1	3	1	—	2	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	5	3	1	1	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	8	4	1	2	1
Malignant Neoplasms (140-208)	39	7	3	19	10	180	86	73	10	11
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	6	2	3	1	—
Of Digestive Organs and Peritoneum (150-159)	10	—	2	6	2	42	19	16	2	5
Of Respiratory System (160-165)	9	2	—	6	1	57	39	14	4	—
Of Breast (174-175)	2	—	1	—	1	16	—	15	—	1
Of Genital Organs (179-187)	11	3	—	6	2	20	10	5	1	4
Of Urinary Organs (188-189)	1	—	—	—	1	4	4	—	—	—
Leukemia (204-208)	1	—	—	—	1	3	—	3	—	—
Of Other and Unspecified Sites (170-173, 190-199)	2	1	—	1	—	21	8	13	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	—	—	2	11	6	4	1	—
Benign and Unspecified Neoplasms (210-239)	1	—	—	—	1	3	3	—	—	—
Diabetes Mellitus (250)	3	1	—	1	1	17	3	8	1	5
Meningitis (320-322)	—	—	—	—	—	2	—	—	1	1
Diseases of Heart (390-398, 402, 404-429)	88	27	16	28	17	362	176	129	20	37
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	3	1	1	1	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	2	—	1	1	—	8	1	4	2	1
Ischaemic Heart Disease (410-414)	66	21	15	20	10	235	129	78	11	18
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-426)	6	—	—	3	3	31	8	16	1	6
All Other Forms of Heart Disease (415-423,425-427,429)	14	6	—	4	4	84	37	30	5	12
Hypertension (401,403)	1	—	—	—	1	2	1	—	1	—
Cerebrovascular Disease (430-438)	13	3	3	4	3	74	23	38	6	7
Arteriosclerosis (440)	3	2	1	—	—	9	4	4	—	1
Other Diseases of the Circulatory System (441-459)	3	—	1	—	2	16	12	2	1	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	3	1	1	1	—	14	2	10	2	—
Influenza (487)	—	—	—	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	5	5	—	—	—	23	14	6	3	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	1	1	—	—	—	2	—	—	2	—
Asthma (493)	—	—	—	—	—	1	1	—	—	—
Other Chru. Obstructive Plum. Diseases (494-496)	4	4	—	—	—	19	12	6	1	—
Ulcer of Stomach and Duodeum (531-533)	—	—	—	—	—	4	4	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	19	13	3	3	—
Other Disease of the Respiratory System (510-519)	1	—	—	—	1	8	2	4	—	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	6	2	3	1	—
Infections of Kidney (590)	—	—	—	—	—	3	—	2	1	—
Congenital Anomalies (740-759)	4	1	1	1	1	5	3	2	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	1	—	—	9	4	2	1	2
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	—	1	10	4	2	1	3
All Other Diseases (001-799)	15	1	6	6	2	69	26	26	5	12
Accidents (E800-E949)	14	7	1	4	2	88	45	17	22	4
Motor Vehicle Traffic (E810-E819)	8	3	1	3	1	48	23	11	11	3
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	1	1	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	4	3	1	—	—
Falls (E880-E888)	—	—	—	—	—	5	4	1	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	4	2	1	1	—
Drowning (E910)	1	—	—	1	—	8	3	1	4	—
Firearms (E922)	1	1	—	—	—	2	2	—	—	—
Residual (E800-E949)	2	1	—	—	1	16	7	2	6	1
Suicide (E950-E959)	1	—	1	—	—	16	14	2	—	—
Firearms (E955)	1	—	1	—	—	13	12	1	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	1	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	1	—	1	—	19	5	4	7	3
Assault by Firearms (E965)	1	1	—	—	—	8	1	1	5	1
Assault by Cutting & Piercing (E966)	—	—	—	—	—	5	1	1	2	1
Residual (E960-E978)	1	—	—	1	—	6	3	2	—	1
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	JASPER					KERSHAW				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	156	34	29	54	39	325	122	100	62	41
Infectious and Parasitic Dis. (001-139)	1	—	1	—	—	3	—	1	2	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	1	—	—	1	—	—	1	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	2	—	1	1	—
Malignant Neoplasms (140-208)	31	7	5	14	5	79	25	32	14	8
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	—	—	1	—
Of Digestive Organs and Peritoneum (150-159)	9	2	1	4	2	15	3	7	2	3
Of Respiratory System (160-165)	5	3	2	—	—	27	14	8	5	—
Of Breast (174-175)	2	—	1	—	1	4	—	3	—	1
Of Genital Organs (179-187)	8	—	1	6	1	9	3	2	2	2
Of Urinary Organs (188-189)	—	—	—	—	—	3	1	1	1	—
Leukemia (204-208)	1	1	—	—	—	4	—	2	1	1
Of Other and Unspecified Sites (170-173, 190-199)	5	1	—	3	1	15	4	8	2	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	1	—	1	—	1	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	—	1	—
Diabetes Mellitus (250)	2	—	1	1	—	8	2	3	1	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	51	12	8	13	18	111	47	30	19	15
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	3	—	—	1	2	7	—	2	2	3
Ischaemic Heart Disease (410-414)	27	7	4	6	10	70	33	20	11	6
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	10	2	2	4	2	9	2	3	1	2
All Other Forms of Heart Disease (415-423,425-427,429)	11	3	2	2	4	26	12	5	5	4
Hypertension (401,403)	—	—	—	—	—	3	1	1	—	1
Cerebrovascular Disease (430-438)	21	1	6	4	10	23	5	13	3	2
Arteriosclerosis (440)	1	—	—	1	—	5	1	3	—	1
Other Diseases of the Circulatory System (441-459)	3	2	1	—	—	2	—	—	—	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	1	—	—	—
Pneumonia (480-486)	2	1	—	1	—	7	3	1	1	2
Influenza (487)	—	—	—	—	—	1	—	—	—	1
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	6	3	1	1	1	12	8	1	3	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	5	4	—	1	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chru. Obstructive Pulm. Diseases (494-496)	5	2	1	1	1	6	3	1	2	—
Ulcer of Stomach and Duodeum (531-533)	1	—	—	1	—	2	1	—	—	1
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	3	—	2	1	—	5	4	—	—	1
Other Disease of the Respiratory System (510-519)	1	—	—	—	1	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	—	2	—	2	1	—	1	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	3	2	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	—	—	—	—	—	2	2	—	—	—
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	2	—	1	—	1	—	—
All Other Diseases (001-799)	7	1	1	2	3	25	4	11	6	4
Accidents (E800-E949)	15	4	2	8	1	24	13	3	7	1
Motor Vehicle Traffic (E810-E819)	9	3	1	4	1	18	10	2	5	1
Motor Vehicle Non-Traffic (E820-E825)	1	—	1	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	2	—	—	2	—	1	—	—	1	—
Fire and Flames (E890-E899)	2	1	—	1	—	—	—	—	—	—
Drowning (E910)	—	—	—	—	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	1	—	—	1	—	5	3	1	1	—
Suicide (E950-E959)	3	1	1	1	—	2	1	—	1	—
Firearms (E955)	3	1	1	1	—	2	1	—	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	2	—	1	—	1	—	—	1	—
Assault by Firearms (E965)	3	2	—	1	—	—	—	—	—	—
Assault by Cutting & Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	—	—	1	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	LANCASTER					LAURENS				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	483	211	157	66	49	570	216	192	81	81
Infectious and Parasitic Dis. (001-139)	4	1	1	1	1	5	1	2	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	1	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	3	1	1	—	1	2	1	—	1	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	1	—	2	—	1	—	1
Malignant Neoplasms (140-208)	93	31	35	10	17	121	51	33	20	17
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	—	—	1	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	19	3	10	2	4	31	9	11	6	5
Of Respiratory System (160-165)	29	17	8	2	2	43	24	6	9	3
Of Breast (174-175)	6	2	3	—	1	6	—	3	—	3
Of Genital Organs (179-187)	12	1	5	4	2	11	6	1	3	1
Of Urinary Organs (188-189)	2	1	1	—	—	6	3	2	—	1
Leukemia (204-208)	3	1	1	—	1	9	5	3	—	1
Of Other and Unspecified Sites (170-173, 190-199)	17	4	5	2	6	12	3	5	1	3
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	2	—	—	4	1	2	1	—
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	1	—	1	—	—
Diabetes Mellitus (250)	9	3	5	1	—	12	3	5	3	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	204	86	70	29	17	222	88	81	22	31
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	1	—	—	—	1	—	—	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	4	—	1	1	2	11	1	2	3	5
Ischaemic Heart Disease (410-414)	129	60	49	10	10	151	69	51	12	19
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	15	10	1	4	—	14	6	5	—	3
All Other Forms of Heart Disease (415-423,425-427,429)	55	18	19	14	4	46	12	23	7	4
Hypertension (401,403)	1	1	—	—	—	1	—	—	1	—
Cerebrovascular Disease (430-438)	30	12	8	7	3	59	18	24	7	10
Arteriosclerosis (440)	—	—	—	—	—	6	—	5	—	1
Other Diseases of the Circulatory System (441-459)	3	2	—	—	1	7	—	3	3	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	20	7	10	3	—	14	4	7	1	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	20	19	1	—	—	17	11	6	—	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	1	—	1	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chru. Obstructive Pulm. Diseases (494-496)	19	18	1	—	—	16	11	5	—	—
Ulcer of Stomach and Duodeum (531-533)	1	—	—	—	1	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	3	2	—	—	1
Other Disease of the Respiratory System (510-519)	3	2	—	1	—	5	2	2	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	—	1	1	1	6	—	2	—	4
Infections of Kidney (590)	1	—	—	—	1	2	1	1	—	—
Congenital Anomalies (740-759)	4	2	1	1	—	4	2	2	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	5	2	1	1	1	6	2	1	1	1
Symptoms and Ill-Defined Conditions (780-799)	3	2	—	1	—	7	2	2	2	1
All Other Diseases (001-799)	33	16	13	1	3	35	12	9	8	6
Accidents (E800-E949)	30	14	5	9	2	24	11	4	7	2
Motor Vehicle Traffic (E810-E819)	18	10	3	4	1	7	5	1	1	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	2	1	—	1	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	2	1	—	1	—
Fire and Flames (E890-E899)	2	1	—	1	—	3	—	—	2	1
Drowning (E910)	2	—	—	2	—	—	—	—	—	—
Firearms (E922)	1	1	—	—	—	1	1	—	—	—
Residual (E900-E949)	5	1	2	1	1	11	4	3	3	1
Suicide (E950-E959)	13	8	4	—	1	7	4	2	—	1
Firearms (E955)	11	6	4	—	1	4	3	1	—	—
Hanging, Strangulation & Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	1	—	—	—	3	1	1	—	1
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	1	—	—	6	1	—	5	—
Assault by Firearms (E965)	1	—	1	—	—	3	—	—	3	—
Assault by Cutting & Piercing (E966)	—	—	—	—	—	2	1	—	1	—
Residual (E960-E978)	—	—	—	—	—	1	—	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	LEE					LEXINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	158	36	26	46	50	1,028	466	419	72	71
Infectious and Parasitic Dis. (001-139)	—	—	—	—	—	13	4	7	—	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	10	3	7	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	3	1	—	—	2
Malignant Neoplasms (140-208)	33	12	6	9	6	232	113	94	15	10
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	3	2	—	1	—
Of Digestive Organs and Peritoneum (150-159)	10	6	2	1	1	54	25	22	6	1
Of Respiratory System (160-165)	10	4	2	3	1	89	45	17	5	2
Of Breast (174-175)	2	—	1	1	—	34	1	29	—	4
Of Genital Organs (179-187)	5	—	—	3	2	25	10	11	1	3
Of Urinary Organs (188-189)	1	1	—	—	—	3	2	1	—	—
Leukemia (204-208)	1	1	—	—	—	5	3	2	—	—
Of Other and Unspecified Sites (170-173, 190-199)	4	—	1	1	2	25	17	7	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	14	8	5	1	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	4	1	—	—	3	27	13	8	1	5
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	63	12	14	14	23	343	149	149	15	30
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	3	1	2	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	5	—	—	1	4	7	—	3	—	4
Ischaemic Heart Disease (410-414)	41	8	8	12	13	258	118	114	10	18
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	6	1	3	1	1	26	10	12	2	2
All Other Forms of Heart Disease (415-423,425-427,429)	11	3	3	—	5	49	22	18	3	6
Hypertension (401,403)	2	—	—	—	2	3	1	1	—	1
Cerebrovascular Disease (430-438)	14	2	2	7	3	81	25	42	10	4
Arteriosclerosis (440)	—	—	—	—	—	5	1	2	1	1
Other Diseases of the Circulatory System (441-459)	2	1	—	—	1	12	9	1	2	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	5	1	—	1	3	31	12	15	1	3
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	6	2	1	3	—	39	26	12	1	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	—	1	—	—
Emphysema (492)	3	1	—	2	—	5	3	1	1	—
Asthma (493)	—	—	—	—	—	1	—	1	—	—
Other Chru. Obstructive Plum. Diseases (494-496)	3	1	1	1	—	32	23	9	—	—
Ulcer of Stomach and Duodeum (531-533)	—	—	—	—	—	5	3	2	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	—	2	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	11	5	6	—	—
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	8	3	4	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	9	5	3	—	1
Infections of Kidney (590)	—	—	—	—	—	2	1	—	—	1
Congenital Anomalies (740-759)	1	—	1	—	—	5	2	3	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	—	3	—	19	6	7	5	1
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	1	—	7	1	2	1	3
All Other Diseases (001-799)	8	1	1	2	4	79	37	31	6	5
Accidents (E800-E949)	11	3	1	4	3	66	33	20	9	4
Motor Vehicle Traffic (E810-E819)	5	3	—	1	1	40	15	17	7	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	1	—	—
Falls (E880-E888)	1	—	1	—	—	7	6	1	—	—
Fire and Flames (E890-E899)	3	—	—	1	2	5	3	—	1	1
Drowning (E910)	—	—	—	—	—	1	—	1	—	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	2	—	—	2	—	10	7	—	1	2
Suicide (E950-E959)	1	1	—	—	—	17	11	5	1	—
Firearms (E955)	1	1	—	—	—	12	8	3	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	4	2	2	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	1	1	8	5	—	3	—
Assault by Firearms (E965)	2	—	—	1	1	6	4	—	2	—
Assault by Cutting & Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	2	1	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	4	1	3	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	McCORMICK					MARION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	76	15	12	36	13	354	98	75	98	83
Infectious and Parasitic Dis. (001-139)	1	—	—	1	—	2	—	—	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	1	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	2	—	—	1	1
Malignant Neoplasms (140-208)	18	6	5	5	2	65	18	14	20	13
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	4	2	1	1	—
Of Digestive Organs and Peritoneum (150-159)	1	—	1	—	—	13	2	3	5	3
Of Respiratory System (160-165)	9	3	1	4	1	19	6	4	8	1
Of Breast (174-175)	2	—	2	—	—	3	—	2	—	1
Of Genital Organs (179-187)	2	1	—	—	1	8	—	2	2	4
Of Urinary Organs (188-189)	—	—	—	—	—	5	2	1	2	—
Leukemia (204-208)	—	—	—	—	—	2	—	—	—	2
Of Other and Unspecified Sites (170-173, 190-199)	3	1	1	1	—	6	3	1	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	5	3	—	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	—	—	1
Diabetes Mellitus (250)	1	—	—	—	1	10	3	—	3	4
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	31	7	4	13	7	124	41	31	25	27
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	1	—	—	—	1	3	1	—	2	—
Ischaemic Heart Disease (410-414)	12	4	3	2	3	90	32	26	13	19
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	13	2	1	8	2	10	1	3	2	4
All Other Forms of Heart Disease (415-423,425-427,429)	5	1	—	3	1	21	7	2	8	4
Hypertension (401,403)	—	—	—	—	—	6	—	2	1	3
Cerebrovascular Disease (430-438)	3	—	1	1	1	38	5	9	10	14
Arteriosclerosis (440)	—	—	—	—	—	—	—	—	—	—
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	4	1	—	2	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	—	—	—	—	—	11	3	2	3	3
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	1	1	—	—	—	7	6	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	1	1	—	—	—	1	1	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chru. Obstructive Pium. Diseases (494-496)	—	—	—	—	—	6	5	1	—	—
Ulcer of Stomach and Duodeum (531-533)	—	—	—	—	—	1	—	—	—	1
Hernia and Intestinal Obstruction (550-553, 560)	2	—	—	2	—	2	1	—	1	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	6	2	1	2	1
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	2	1	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	5	1	—	2	2
Infections of Kidney (590)	1	—	—	—	1	1	—	1	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	3	1	1	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	6	—	1	3	2
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	2	—	11	1	3	6	1
All Other Diseases (001-799)	3	1	—	1	1	20	2	5	6	7
Accidents (E800-E949)	10	—	1	9	—	21	5	4	10	2
Motor Vehicle Traffic (E810-E819)	5	—	—	5	—	12	4	1	6	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	2	—	1	1	—	3	1	2	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	2	—	—	2	—
Drowning (E910)	1	—	—	1	—	1	—	—	1	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	—	—	2	—	3	—	1	1	1
Suicide (E950-E959)	1	—	—	1	—	5	5	—	—	—
Firearms (E955)	1	—	—	1	—	4	4	—	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	—	—	—	—	—	3	2	—	1	—
Assault by Firearms (E965)	—	—	—	—	—	2	2	—	—	—
Assault by Cutting & Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	MARLBORO					NEWBERRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	293	83	77	71	62	385	132	111	55	87
Infectious and Parasitic Dis. (001-139)	6	—	2	2	2	3	1	1	—	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	6	—	2	2	2	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	3	1	1	—	1
Malignant Neoplasms (140-208)	54	12	15	13	14	76	32	25	7	12
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	—	1	—	1	1	—	—	—
Of Digestive Organs and Peritoneum (150-159)	12	1	4	1	6	15	6	6	1	2
Of Respiratory System (160-165)	14	7	2	3	2	16	11	3	1	1
Of Breast (174-175)	6	—	6	—	2	5	—	5	—	—
Of Genital Organs (179-187)	6	—	2	3	3	11	5	—	4	2
Of Urinary Organs (188-189)	3	1	—	2	—	3	—	1	—	2
Leukemia (204-208)	3	2	—	1	—	5	3	2	—	—
Of Other and Unspecified Sites (170-173, 190-199)	3	—	1	1	1	14	5	6	1	2
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	1	—	6	1	2	—	3
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	2	1	—	1	—
Diabetes Mellitus (250)	5	1	1	2	1	4	1	1	1	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	98	35	22	19	22	151	60	41	22	28
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	—	—	—	—	—	5	—	2	1	2
Ischaemic Heart Disease (410-414)	72	28	17	13	14	94	28	17	4	5
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	2	—	—	1	1	67	25	12	10	20
All Other Forms of Heart Disease (415-423,425-427,429)	24	7	5	5	7	25	7	10	7	1
Hypertension (401,403)	2	—	2	—	—	—	—	—	—	—
Cerebrovascular Disease (430-438)	36	5	17	5	9	30	3	9	9	9
Arteriosclerosis (440)	2	—	—	—	2	3	—	3	—	—
Other Diseases of the Circulatory System (441-459)	5	2	1	1	1	6	1	1	2	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	1	3	2	—	3	—	2	—	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	6	4	1	1	—	12	8	1	3	—
Chronic and Unqualified Bronchitis (490, 491)	1	—	—	1	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	1	—	—	1	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chru. Obstructive Pium. Diseases (494-496)	5	4	1	—	—	10	7	1	2	—
Ulcer of Stomach and Duodeum (531-533)	1	—	—	—	1	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	—	1	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	6	2	1	2	1	2	1	—	1	—
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	2	1	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	1	1	2	—	7	—	3	1	3
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	2	—	1	1	—	1	—	—	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	—	1	3	—	1	1	—
Symptoms and Ill-Defined Conditions (780-799)	4	—	—	3	1	2	1	1	—	—
All Other Diseases (001-799)	21	3	6	7	5	26	6	12	3	5
Accidents (E800-E949)	20	11	1	8	—	22	12	8	1	1
Motor Vehicle Traffic (E810-E819)	7	3	—	4	—	7	4	2	1	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	—	—	1	—	1	1	—	—	—
Falls (E880-E888)	—	—	—	—	—	1	1	—	—	—
Fire and Flames (E890-E899)	5	4	—	1	—	4	2	1	—	1
Drowning (E910)	4	2	1	1	—	2	1	1	—	—
Firearms (E922)	2	2	—	—	—	2	1	1	—	—
Residual (E900-E949)	1	—	—	1	—	5	2	3	—	—
Suicide (E950-E959)	7	6	1	—	—	4	4	—	—	—
Firearms (E955)	7	6	1	—	—	3	3	—	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	—	1	2	1	5	—	—	2	3
Assault by Firearms (E965)	3	—	1	1	1	1	—	—	—	1
Assault by Cutting & Piercing (E966)	1	—	—	1	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	3	—	—	1	2
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	OCONEE					ORANGEBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	488	241	195	21	31	885	232	208	235	212
Infectious and Parasitic Dis. (001-139)	8	3	4	—	1	9	3	—	2	4
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	—	1
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	7	3	4	—	—	6	1	—	2	3
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	2	2	—	—	—
Malignant Neoplasms (140-208)	100	53	38	4	5	152	39	30	46	37
Of Lip, Oral Cavity and Pharynx (140-149)	3	1	1	—	1	6	3	—	2	1
Of Digestive Organs and Peritoneum (150-159)	28	12	13	1	2	46	8	8	14	16
Of Respiratory System (160-165)	25	19	6	—	—	44	15	10	16	3
Of Breast (174-175)	4	—	3	—	1	7	—	2	—	5
Of Genital Organs (179-187)	12	7	2	2	1	15	3	3	7	2
Of Urinary Organs (188-189)	3	1	1	1	—	3	2	—	—	1
Leukemia (204-208)	6	4	2	—	—	4	2	—	1	1
Of Other and Unspecified Sites (170-173, 190-199)	12	5	7	—	—	20	5	4	4	7
Of Lymphatic and Hematopoietic Tissues (200-203)	7	4	3	—	—	7	1	3	2	1
Benign and Unspecified Neoplasms (210-239)	5	2	3	—	—	4	—	—	1	3
Diabetes Mellitus (250)	4	1	2	—	1	9	—	4	1	4
Meningitis (320-322)	1	—	1	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	175	86	73	7	9	300	83	89	60	68
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	1	—	1	—	—	—	—	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	10	4	4	—	2	12	1	—	4	7
Ischaemic Heart Disease (410-414)	101	53	39	4	5	197	66	73	29	29
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	6	2	4	—	—	24	3	6	8	7
All Other Forms of Heart Disease (415-423,425-427,429)	57	27	25	3	2	67	13	10	19	25
Hypertension (401,403)	1	—	1	—	—	14	—	2	8	4
Cerebrovascular Disease (430-438)	50	17	26	4	3	106	18	30	26	32
Arteriosclerosis (440)	5	—	3	—	2	7	3	2	—	2
Other Diseases of the Circulatory System (441-459)	4	2	2	—	—	7	4	3	—	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	10	7	1	—	2	27	10	9	4	4
Influenza (487)	5	2	3	—	—	1	1	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	10	7	2	1	—	26	16	4	4	2
Chronic and Unqualified Bronchitis (490, 491)	2	1	1	—	—	1	1	—	—	—
Emphysema (492)	2	2	—	—	—	4	2	—	2	—
Asthma (493)	—	—	—	—	—	1	—	—	—	1
Other Chru. Obstructive Pium. Diseases (494-496)	6	4	1	1	—	20	13	4	2	1
Ulcer of Stomach and Duodeum (531-533)	2	1	1	—	—	5	2	—	3	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	3	1	1	1	—
Chronic Liver Disease and Cirrhosis (571)	7	5	1	—	1	8	—	1	3	2
Other Disease of the Respiratory System (510-519)	3	3	—	—	—	6	4	—	2	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	7	6	1	—	—	10	2	2	1	5
Infections of Kidney (590)	1	—	1	—	—	1	—	—	—	1
Congenital Anomalies (740-759)	2	1	—	—	1	3	1	1	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	4	—	2	—	2	12	1	3	3	5
Symptoms and Ill-Defined Conditions (780-799)	1	—	1	—	—	19	4	1	8	6
All Other Diseases (001-799)	38	14	16	4	4	75	17	13	23	22
Accidents (E800-E949)	29	19	10	—	—	68	18	11	29	10
Motor Vehicle Traffic (E810-E819)	19	10	9	—	—	36	8	9	14	5
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	2	—	—	—
Falls (E880-E888)	3	2	1	—	—	4	3	—	1	—
Fire and Flames (E890-E899)	1	1	—	—	—	4	—	—	3	1
Drowning (E910)	1	1	—	—	—	7	1	—	5	1
Firearms (E922)	1	1	—	—	—	1	1	—	—	—
Residual (E800-E949)	4	4	—	—	—	14	3	2	6	3
Suicide (E950-E959)	10	8	2	—	—	4	4	—	—	—
Firearms (E955)	7	6	1	—	—	4	4	—	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	3	2	1	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	5	4	—	1	—	11	1	—	9	1
Assault by Firearms (E965)	3	3	—	—	—	8	1	—	6	1
Assault by Cutting & Piercing (E966)	—	—	—	—	—	3	—	—	3	—
Residual (E960-E978)	2	1	—	1	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	PICKENS					RICHLAND				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	648	335	251	34	28	2,298	714	677	487	420
Infectious and Parasitic Dis. (001-139)	8	3	5	—	—	35	7	7	12	9
Enteritis and Other Intestinal Dis. (008-009)	1	—	1	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	3	—	—	2	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	5	1	4	—	—	18	3	5	5	5
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	2	—	—	—	14	4	2	5	3
Malignant Neoplasms (140-208)	115	67	43	5	—	484	159	136	95	71
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	1	—	—	13	4	1	4	4
Of Digestive Organs and Peritoneum (150-159)	25	13	12	1	—	109	26	40	23	20
Of Respiratory System (160-165)	45	34	10	1	—	135	70	31	28	6
Of Breast (174-175)	7	—	7	—	—	32	—	22	—	10
Of Genital Organs (179-187)	12	4	6	2	—	51	13	14	13	11
Of Urinary Organs (188-189)	6	6	—	—	—	18	6	5	4	3
Leukemia (204-208)	1	—	1	—	—	24	10	6	5	3
Of Other and Unspecified Sites (170-173, 190-199)	8	4	4	—	—	56	21	15	10	10
Of Lymphatic and Hematopoietic Tissues (200-203)	8	5	2	1	—	26	9	5	8	4
Benign and Unspecified Neoplasms (210-239)	1	—	—	—	1	5	2	2	1	—
Diabetes Mellitus (250)	3	1	1	1	—	53	6	15	13	19
Meningitis (320-322)	—	—	—	—	—	1	—	1	—	—
Diseases of Heart (390-398, 402, 404-429)	231	116	95	14	6	704	225	225	129	125
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	1	—	1	—	—	6	2	2	—	2
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	7	2	3	1	1	32	7	11	4	10
Ischaemic Heart Disease (410-414)	187	90	67	6	4	451	187	152	77	55
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	16	5	9	2	1	50	13	19	7	11
All Other Forms of Heart Disease (415-423,425-427,429)	40	19	16	5	—	165	36	41	41	47
Hypertension (401,403)	1	1	—	—	—	18	1	5	5	7
Cerebrovascular Disease (430-438)	58	23	35	—	10	177	32	86	32	47
Arteriosclerosis (440)	5	2	3	—	—	12	4	3	2	3
Other Diseases of the Circulatory System (441-459)	9	7	1	—	1	29	12	6	6	5
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	23	10	8	4	1	115	32	38	24	21
Influenza (487)	2	—	2	—	—	4	1	—	2	1
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	19	12	7	—	—	78	33	25	17	3
Chronic and Unqualified Bronchitis (490, 491)	1	—	1	—	—	3	—	3	—	—
Emphysema (492)	4	3	1	—	—	8	6	2	—	—
Asthma (493)	1	—	1	—	—	7	—	3	4	—
Other Chru. Obstructive Plum. Diseases (494-496)	13	9	4	—	—	60	27	17	13	3
Ulcer of Stomach and Duodeum (531-533)	1	1	—	—	—	10	1	5	3	1
Hernia and Intestinal Obstruction (550-553, 560)	3	1	2	—	—	8	2	4	1	1
Chronic Liver Disease and Cirrhosis (571)	11	8	3	—	—	37	18	6	9	4
Other Disease of the Respiratory System (510-519)	3	2	1	—	—	19	6	10	3	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	1	2	1	1	26	7	5	10	4
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	6	5	1	—	—	12	1	3	6	2
Certain Conditions Originating in the Perinatal Period (760-779)	9	5	2	2	—	35	6	1	16	12
Symptoms and Ill-Defined Conditions (780-799)	3	1	—	—	2	23	2	5	9	8
All Other Diseases (001-799)	65	32	25	4	4	225	71	69	34	52
Accidents (E800-E949)	43	28	12	1	2	138	58	24	37	21
Motor Vehicle Traffic (E810-E819)	24	16	5	1	2	71	34	10	15	12
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	2	1	—	1	—
Railway (E800-E807)	—	—	—	—	—	1	—	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	5	4	—	—	1
Falls (E880-E888)	4	2	2	—	—	6	1	3	1	1
Fire and Flames (E890-E899)	4	2	2	—	—	8	3	—	5	—
Drowning (E910)	2	2	—	—	—	15	4	3	4	4
Firearms (E922)	1	1	—	—	—	2	—	—	1	1
Residual (E800-E949)	5	5	3	—	—	28	9	8	9	2
Suicide (E950-E959)	10	8	2	—	—	32	18	11	2	1
Firearms (E955)	5	5	—	—	—	10	5	4	—	1
Hanging, Strangulation & Suffocation (E953)	2	1	1	—	—	8	6	1	1	—
Poisoning (E950-E952)	3	2	1	—	—	12	7	4	1	—
Residual (E950-E959)	—	—	—	—	—	2	—	2	—	—
Homicide and Legal Intervention (E960-E978)	4	1	1	2	—	37	11	3	20	3
Assault by Firearms (E965)	2	—	—	2	—	26	8	1	15	2
Assault by Cutting & Piercing (E966)	1	1	—	—	—	3	—	—	2	1
Residual (E960-E978)	1	—	1	—	—	8	3	2	3	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	SALUDA					SPARTANBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	172	71	61	26	14	1,972	854	706	219	193
Infectious and Parasitic Dis. (001-139)	1	—	—	1	—	18	8	6	2	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	11	5	3	2	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	7	3	3	—	1
Malignant Neoplasms (140-208)	34	14	13	5	2	423	201	138	49	35
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	12	8	1	3	—
Of Digestive Organs and Peritoneum (150-159)	5	3	2	—	—	96	38	33	14	11
Of Respiratory System (160-165)	12	6	2	3	1	134	67	24	16	7
Of Breast (174-175)	2	—	2	—	—	46	—	36	—	10
Of Genital Organs (179-187)	5	2	2	1	—	53	25	13	11	4
Of Urinary Organs (188-189)	1	1	—	—	—	20	9	6	1	2
Leukemia (204-208)	—	—	—	—	—	13	7	5	—	1
Of Other and Unspecified Sites (170-173, 190-199)	5	—	3	1	1	37	22	12	3	—
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	2	—	—	12	5	6	1	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	6	4	2	—	—
Diabetes Mellitus (250)	1	—	—	—	1	28	8	14	4	2
Meningitis (320-322)	—	—	—	—	—	3	2	1	—	—
Diseases of Heart (390-398, 402, 404-429)	53	30	15	6	2	772	327	293	74	78
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	5	1	3	—	1
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	1	—	1	—	—	34	7	10	6	11
Ischaemic Heart Disease (410-414)	42	26	9	5	2	523	243	192	49	39
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	3	—	3	—	—	45	13	24	3	5
All Other Forms of Heart Disease (415-423,425-427,429)	7	4	2	1	—	165	63	64	16	22
Hypertension (401,403)	1	—	1	—	—	15	4	5	4	2
Cerebrovascular Disease (430-438)	24	6	11	3	4	151	44	56	19	32
Arteriosclerosis (440)	10	2	6	1	1	14	7	6	—	1
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	17	9	4	1	3
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	2	1	1	—	—	67	35	19	8	5
Influenza (487)	—	—	—	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	2	2	—	—	71	41	24	5	1
Chronic and Unqualified Bronchitis (490, 491)	1	—	1	—	—	3	1	2	—	—
Emphysema (492)	1	1	—	—	—	21	16	4	1	—
Asthma (493)	—	—	—	—	—	3	1	2	—	—
Other Chru. Obstructive Pulm. Diseases (494-496)	2	1	1	—	—	44	23	16	4	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	5	—	2	2	1
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	22	11	6	3	2
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	15	7	6	—	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	16	5	5	2	4
Infections of Kidney (590)	1	—	1	—	—	3	1	2	—	—
Congenital Anomalies (740-759)	1	—	1	—	—	13	5	8	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	2	—	1	—	1	18	5	4	6	3
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	8	2	4	1	1
All Other Diseases (001-799)	14	4	6	3	1	136	44	63	16	13
Accidents (E800-E949)	18	7	3	6	2	100	54	28	14	4
Motor Vehicle Traffic (E810-E819)	7	3	1	3	—	59	36	16	6	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	—	1	—	—	8	5	3	—	—
Falls (E880-E888)	3	—	1	—	2	8	5	3	—	—
Fire and Flames (E890-E899)	2	1	—	1	—	4	1	—	2	1
Drowning (E910)	2	1	—	1	—	3	1	1	1	—
Firearms (E922)	1	1	—	—	—	2	2	—	—	—
Residual (E800-E949)	2	1	—	1	—	15	3	5	5	2
Suicide (E950-E959)	4	4	—	—	—	24	19	4	1	—
Firearms (E955)	3	3	—	—	—	19	17	1	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	1	1	—	—	—	2	1	1	—	—
Residual (E950-E959)	—	—	—	—	—	2	—	2	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	25	11	4	8	2
Assault by Firearms (E965)	1	—	—	1	—	18	8	1	8	1
Assault by Cutting & Piercing (E966)	—	—	—	—	—	2	1	1	—	—
Residual (E960-E978)	—	—	—	—	—	5	2	2	—	1
Other External Causes (E980-E999)	—	—	—	—	—	1	—	1	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	SUMTER					UNION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	755	194	159	217	185	341	124	126	58	33
Infectious and Parasitic Dis. (001-139)	6	1	1	1	3	7	1	3	2	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	2	1	—	1	—	4	1	1	1	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	4	—	1	—	3	2	—	2	—	—
Malignant Neoplasms (140-208)	145	46	31	39	29	66	26	21	16	5
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	1	—	—	3	—	1	2	—
Of Digestive Organs and Peritoneum (150-159)	37	8	8	14	7	18	5	6	5	2
Of Respiratory System (160-165)	42	20	7	12	3	21	13	4	2	2
Of Breast (174-175)	9	—	4	—	5	5	—	5	—	—
Of Genital Organs (179-187)	22	5	4	5	8	10	2	2	5	1
Of Urinary Organs (188-189)	6	4	—	2	—	1	1	—	—	—
Leukemia (204-208)	7	3	3	—	1	3	2	—	1	—
Of Other and Unspecified Sites (170-173, 190-199)	16	5	3	4	4	4	2	2	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	5	1	1	2	1	3	1	1	1	—
Benign and Unspecified Neoplasms (210-239)	3	—	—	3	—	—	—	—	—	—
Diabetes Mellitus (250)	13	3	2	3	5	7	1	4	1	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	257	68	53	71	65	133	50	54	18	11
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	1	—	—	—	1	—	—	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	12	2	1	6	3	11	1	6	3	1
Ischaemic Heart Disease (410-414)	158	53	36	35	34	104	43	40	12	9
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	18	3	5	6	4	1	1	—	—	—
All Other Forms of Heart Disease (415-423,425-427,429)	68	10	11	24	23	17	5	8	3	1
Hypertension (401,403)	5	2	—	1	2	1	—	1	—	—
Cerebrovascular Disease (430-438)	73	6	27	17	23	40	9	20	7	4
Arteriosclerosis (440)	3	—	2	—	1	1	—	1	—	—
Other Diseases of the Circulatory System (441-459)	15	4	5	3	3	4	4	—	—	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	12	3	3	1	5	8	3	3	1	1
Influenza (487)	—	—	—	—	—	1	1	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	11	6	4	—	1	8	7	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	3	2	1	—	—	3	3	—	—	—
Asthma (493)	3	2	1	—	—	—	—	—	—	—
Other Chru. Obstructive Pulm. Diseases (494-496)	5	2	2	—	1	5	4	1	—	—
Ulcer of Stomach and Duodeum (531-533)	2	1	—	1	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	5	2	—	3	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	10	2	2	4	2	—	—	—	—	—
Other Disease of the Respiratory System (510-519)	4	—	—	4	—	3	2	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	1	—	4	—	8	2	5	—	1
Infections of Kidney (590)	2	—	1	—	1	—	—	—	—	—
Congenital Anomalies (740-759)	10	4	2	1	3	1	1	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	19	3	2	4	10	6	2	1	1	2
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	2	—	2	1	—	1	—
All Other Diseases (001-799)	64	16	14	14	20	19	4	9	1	5
Accidents (E800-E949)	68	19	8	31	10	13	4	2	5	2
Motor Vehicle Traffic (E810-E819)	36	9	6	19	2	9	3	2	4	—
Motor Vehicle Non-Traffic (E820-E825)	1	—	—	—	1	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	5	2	2	—	1	—	—	—	—	—
Fire and Flames (E890-E899)	9	1	—	6	2	—	—	—	—	—
Drowning (E910)	2	—	—	2	—	2	1	—	1	—
Firearms (E922)	2	—	—	1	1	—	—	—	—	—
Residual (E800-E949)	13	7	—	3	3	2	—	—	—	2
Suicide (E950-E959)	10	6	1	3	—	8	5	1	2	—
Firearms (E955)	7	4	1	2	—	8	5	1	2	—
Hanging, Strangulation & Suffocation (E953)	2	1	—	1	—	—	—	—	—	—
Poisoning (E950-E952)	1	1	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	11	1	1	7	2	3	1	—	2	—
Assault by Firearms (E965)	8	1	1	4	—	2	—	—	2	—
Assault by Cutting & Piercing (E966)	3	—	—	2	1	1	1	—	—	—
Residual (E960-E978)	2	—	—	1	1	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 53-A.
DEATH FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1986
(Residence Date)

CAUSE OF DEATH	WILLIAMSBURG					YORK				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	335	81	51	110	93	925	385	323	107	110
Infectious and Parasitic Dis. (001-139)	10	1	3	3	3	12	3	5	2	2
Enteritis and Other Intestinal Dis. (008-009)	1	—	—	1	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	—	1	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	6	1	3	2	—	9	2	5	—	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	—	—	2	2	1	—	1	—
Malignant Neoplasms (140-208)	60	24	6	22	8	198	84	74	22	18
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	1	—	4	1	2	1	—
Of Digestive Organs and Peritoneum (150-159)	10	5	—	3	2	49	16	20	9	4
Of Respiratory System (160-165)	22	9	2	11	—	50	27	19	3	1
Of Breast (174-175)	4	—	1	—	3	14	—	9	—	5
Of Genital Organs (179-187)	13	3	2	5	3	30	12	9	4	5
Of Urinary Organs (188-189)	3	1	1	1	—	10	8	1	—	1
Leukemia (204-208)	2	2	—	—	—	10	4	5	1	—
Of Other and Unspecified Sites (170-173, 190-199)	4	3	—	1	—	20	11	5	3	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	1	—	—	—	11	5	4	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	3	1	2	—	—
Diabetes Mellitus (250)	8	—	1	—	7	26	5	10	4	7
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	129	32	22	38	37	326	144	113	33	36
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	2	—	1	1	—	1	1	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	10	1	1	6	2	8	1	1	2	4
Ischaemic Heart Disease (410-414)	80	18	11	14	17	226	104	80	20	22
Chr. Dis. of Endocardium & Other Myocard. Insuff. (424-428)	19	5	2	7	5	21	8	11	2	—
All Other Forms of Heart Disease (415-423,425-427,429)	38	8	7	10	13	70	30	21	9	10
Hypertension (401,403)	1	—	—	—	1	4	1	—	3	—
Cerebrovascular Disease (430-438)	37	5	5	14	13	77	15	32	11	19
Arteriosclerosis (440)	1	—	1	—	—	17	5	6	2	4
Other Diseases of the Circulatory System (441-459)	1	—	—	—	1	13	6	4	1	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	—	3	3	—	19	3	9	4	3
Influenza (487)	—	—	—	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	7	3	—	2	2	34	20	11	2	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	3	2	1	—	—
Emphysema (492)	—	—	—	—	—	2	2	—	—	—
Asthma (493)	1	—	—	—	1	3	1	1	—	1
Other Chru. Obstructive Pulm. Diseases (494-496)	6	3	—	2	1	26	15	9	2	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	3	2	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	—	—	—	2	3	3	—	—	—
Chronic Liver Disease and Cirrhosis (571)	1	—	1	—	—	9	4	4	1	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	5	1	2	2	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	7	3	1	3	—	3	1	2	—	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	—	1	2	—	9	3	2	2	2
Certain Conditions Originating in the Perinatal Period (760-779)	7	3	—	1	3	6	1	1	1	3
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	4	1	2	1	—
All Other Diseases (001-799)	34	4	6	11	13	70	28	29	6	7
Accidents (E800-E949)	15	3	1	8	3	60	37	11	8	4
Motor Vehicle Traffic (E810-E819)	7	2	—	3	2	37	23	9	4	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	—	—	1	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	1	—	—	—	2	2	—	—	—
Fire and Flames (E890-E899)	1	—	—	—	1	3	—	1	2	—
Drowning (E910)	1	—	—	1	—	3	1	—	—	2
Firearms (E922)	—	—	—	—	—	3	3	—	—	—
Residual (E900-E949)	5	—	1	4	—	11	8	1	1	1
Suicide (E950-E959)	3	3	—	—	—	14	12	—	1	1
Firearms (E955)	3	3	—	—	—	13	12	—	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	—	—	1
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	9	5	2	1	1
Assault by Firearms (E965)	—	—	—	—	—	7	4	2	1	—
Assault by Cutting & Piercing (E966)	1	—	—	1	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	2	1	—	—	1
Other External Causes (E980-E999)	1	—	—	1	—	—	—	—	—	—

Table 54 .
South Carolina Deaths by Cause, Age, Race, and Sex, 1986
(Residence Data)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
ALL CAUSES	Total	28,122	685	145	84	99	281	404	903	1,205	2,038	4,397	7,133	10,748	-
	WM	10,276	182	44	27	29	138	197	335	437	830	1,855	2,902	3,300	-
	WF	8,822	136	26	15	24	60	66	146	195	417	1,014	1,923	4,800	-
	NWM	4,813	201	42	19	30	58	95	284	375	508	821	1,257	1,123	-
	NWF	4,211	166	33	23	16	25	46	138	198	283	707	1,051	1,525	-
INFECTIOUS & PARASITIC DISEASES (001-139)	Total	402	12	6	1	1	5	5	17	27	29	66	81	152	-
	WM	104	-	1	-	-	4	-	6	5	10	20	20	38	-
	WF	116	3	2	-	-	1	1	1	4	4	11	26	63	-
	NWM	94	6	-	1	1	-	2	5	8	10	18	21	22	-
	NWF	88	3	3	-	-	-	2	5	10	5	17	14	29	-
1. Enteritis & other intestinal diseases (008-009)	Total	7	4	-	-	-	-	-	-	-	1	-	2	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	2	-	-	-	-	-	-	-	-	-	-	2	-	-
	NWM	4	4	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	1	-	-	-	-	-	-	-	-	1	-	-	-	-
2. Tuberculosis, all forms (010-018)	Total	36	-	-	1	-	-	-	2	5	2	6	7	13	-
	WM	5	-	-	-	-	-	-	-	-	-	-	-	5	-
	WF	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	NWM	21	-	-	1	-	-	-	2	3	2	5	4	4	-
	NWF	8	-	-	-	-	-	-	-	2	-	1	3	2	-
3. Tetanus (037)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Septicemia (038)	Total	227	4	-	-	-	1	-	2	6	17	33	52	112	-
	WM	55	-	-	-	-	1	-	1	1	6	8	13	25	-
	WF	82	1	-	-	-	-	-	1	2	3	6	17	52	-
	NWM	42	2	-	-	-	-	-	-	-	6	6	13	15	-
	NWF	48	1	-	-	-	-	-	-	3	2	13	9	20	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Measles	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(055)	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	1	-	-	-	-	-	-	-	-	-	-	-	1	-
6. Syphilis &	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
its sequelae	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(090-097)	NWM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Total	131	4	6	-	1	4	5	13	16	9	27	20	26	-
7. Remainder of	WM	44	-	1	-	-	3	-	5	4	4	12	7	8	-
(001-139)	WF	30	2	2	-	-	1	1	-	2	1	5	7	9	-
	NWM	27	-	-	-	1	-	2	3	5	2	7	4	3	-
	NWF	30	2	3	-	-	-	2	5	5	2	3	2	6	-
	Total	5,778	1	13	10	10	4	18	75	228	555	1,339	1,888	1,637	-
MALIGNANT	WM	2,297	-	6	2	5	2	9	26	65	191	550	807	634	-
NEOPLASMS	WF	1,820	1	4	4	3	1	2	24	72	178	386	554	591	-
(140-208)	NWM	951	-	1	1	1	-	3	6	47	111	226	326	229	-
	NWF	710	-	2	3	1	1	4	19	44	75	177	201	183	-
	Total	140	-	-	-	-	-	-	-	11	26	32	40	31	-
1. Of lip, oral	WM	61	-	-	-	-	-	-	-	1	8	11	26	15	-
cavity &	WF	25	-	-	-	-	-	-	-	-	2	6	5	12	-
pharynx	NWM	41	-	-	-	-	-	-	-	9	13	12	7	-	-
(140149)	NWF	13	-	-	-	-	-	-	-	1	3	3	2	4	-
	Total	1,359	-	-	-	-	-	5	5	45	109	295	451	449	-
2. Of digestive	WM	470	-	-	-	-	-	2	2	16	39	134	149	128	-
organs &	WF	435	-	-	-	-	-	1	1	10	27	67	130	199	-
peritoneum	NWM	246	-	-	-	-	-	1	1	14	27	58	94	51	-
(150-159)	NWF	208	-	-	-	-	-	1	1	5	16	36	78	71	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
3. Of respiratory system (160-165)	Total	1,730	-	-	-	-	-	-	8	35	179	507	619	382	-
	WM	970	-	-	-	-	-	-	4	14	92	273	358	229	-
	WF	369	-	-	-	-	-	-	3	8	31	113	130	84	-
	NWM	311	-	-	-	-	-	-	1	10	45	97	105	53	-
	NWF	80	-	-	-	-	-	-	-	3	11	24	26	16	-
4. Of breast (174-175)	Total	477	-	-	-	-	-	1	13	49	77	125	98	114	-
	WM	4	-	-	-	-	-	-	-	-	-	2	2	-	-
	WF	353	-	-	-	-	-	1	5	31	56	88	81	91	-
	NWM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	NWF	119	-	-	-	-	-	-	8	18	21	35	15	22	-
Of genital organs (179-187)	Total	727	-	-	-	-	-	-	10	19	37	135	259	267	-
	WM	235	-	-	-	-	-	-	3	2	3	20	81	126	-
	WF	191	-	-	-	-	-	-	4	8	22	53	63	41	-
	NWM	179	-	-	-	-	-	-	1	1	2	22	77	76	-
	NWF	122	-	-	-	-	-	-	2	8	10	40	38	24	-
6. Of urinary organs (188-189)	Total	218	-	-	-	-	-	1	2	3	19	42	72	79	-
	WM	117	-	-	-	-	-	-	-	2	10	23	45	37	-
	WF	52	-	-	-	-	-	-	-	-	5	12	12	23	-
	NWM	31	-	-	-	-	-	1	1	1	4	3	10	11	-
	NWF	18	-	-	-	-	-	-	1	-	-	4	5	8	-
7. Leukemia (204-208)	Total	218	-	7	3	2	3	4	6	13	21	25	60	74	-
	WM	91	-	2	-	2	2	3	3	4	8	14	32	21	-
	WF	80	-	3	1	-	1	-	2	5	8	4	18	38	-
	NWM	21	-	1	1	-	-	1	-	1	1	3	5	8	-
	NWF	26	-	1	1	-	-	-	1	3	4	4	5	7	-
8. Of other & unspecified sites (170-173, 190-199)	Total	615	1	6	6	7	1	6	24	38	60	128	188	150	-
	WM	247	-	4	1	3	-	4	11	20	22	54	75	53	-
	WF	208	1	1	3	2	-	-	8	7	20	31	77	58	-
	NWM	75	-	-	-	1	-	-	1	7	11	22	15	18	-
	NWF	85	-	1	2	1	1	2	4	4	7	21	21	21	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
9. Of lymphatic & hematopoietic tissues (200-203)	Total	294	-	-	1	1	-	1	7	15	27	50	101	91	-
	WM	102	-	-	1	-	-	-	3	6	9	19	39	25	-
	WF	107	-	-	-	1	-	-	1	3	7	12	38	45	-
	NWM	46	-	-	-	-	-	-	1	4	8	9	13	11	-
	NWF	39	-	-	-	-	-	1	2	2	3	10	11	10	-
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	Total	74	2	-	-	1	-	2	3	4	4	10	20	28	-
	WM	20	1	-	-	-	-	-	1	2	-	3	8	5	-
	WF	27	-	-	-	-	-	1	-	2	2	3	4	15	-
	NWM	15	1	-	-	1	-	-	1	-	1	2	5	4	-
	NWF	12	-	-	-	-	-	1	1	-	1	2	3	4	-
DIABETES MELLITUS (250)	Total	545	-	-	-	1	2	-	12	18	40	130	157	185	-
	WM	111	-	-	-	-	1	-	5	7	9	25	29	35	-
	WF	167	-	-	-	-	-	-	4	3	11	27	50	72	-
	NWM	102	-	-	-	-	1	-	2	5	8	28	32	26	-
	NWF	165	-	-	-	1	-	-	1	3	12	50	46	52	-
MENINGITIS (320-322)	Total	17	4	4	-	-	-	-	-	-	3	3	2	1	-
	WM	6	2	-	-	-	-	-	-	-	1	1	1	1	-
	WF	3	-	-	-	-	-	-	-	-	-	2	1	-	-
	NWM	3	1	1	-	-	-	-	-	-	1	-	-	-	-
	NWF	5	1	3	-	-	-	-	-	-	1	-	-	-	-
DISEASES OF THE HEART (390-398,402, 404-429)	Total	9,895	23	7	1	3	4	16	71	236	642	1,570	2,764	4,558	-
	WM	3,751	3	2	-	-	-	2	16	104	327	747	1,206	1,344	-
	WF	3,299	5	-	-	1	1	4	11	26	84	293	682	2192	-
	NWM	1,386	7	3	1	-	3	4	26	72	154	276	447	393	-
	NW	1,459	8	2	-	2	-	6	18	34	77	254	429	629	-
1. Rheumatic fever & chr. rheumatic heart dis. (390-398)	Total	59	-	-	-	-	1	1	3	1	4	13	15	21	-
	WM	11	-	-	-	-	-	-	-	-	1	2	4	4	-
	WF	34	-	-	-	-	-	-	1	-	2	9	8	14	-
	NWM	6	-	-	-	-	1	-	2	1	-	1	1	-	-
	NWF	8	-	-	-	-	-	1	-	-	1	1	2	3	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
2. Hypertensive heart & hypertensive heart renal (402-404)	Total	373	-	-	-	-	-	1	2	12	16	48	97	197	-
	WM	60	-	-	-	-	-	-	-	1	1	5	23	30	-
	WF	102	-	-	-	-	-	-	-	-	-	5	14	83	-
	NWM	82	-	-	-	-	-	1	-	10	10	14	25	22	-
	NWF	129	-	-	-	-	-	-	2	1	5	24	35	62	-
3. Ischemic heart disease (410-414)	Total	6,418	-	-	-	-	1	3	27	143	436	1,081	1,877	2,850	-
	WM	2,752	-	-	-	-	-	1	9	80	252	573	906	931	-
	WF	2,181	-	-	-	-	-	2	5	18	63	200	487	1,406	-
	NWM	744	-	-	-	-	1	-	9	32	85	163	251	203	-
	NWF	741	-	-	-	-	-	-	4	13	36	145	233	310	-
4. Chronic dis. of endocardium & other myocard. insuff. (424-248)	Total	719	2	-	-	-	1	2	4	14	27	78	160	431	-
	WM	199	-	-	-	-	-	-	-	5	13	19	55	107	-
	WF	249	-	-	-	-	-	-	-	1	2	15	29	202	-
	NWM	120	1	-	-	-	1	-	3	4	6	30	29	46	-
	NWF	151	1	-	-	-	-	2	1	4	6	14	47	76	-
5. All other forms of heart dis. (415-423, 425-427, 429)	Total	2,326	21	7	1	3	1	9	35	66	159	350	615	1,059	-
	WM	729	3	2	-	-	-	1	7	18	60	148	218	272	-
	WF	733	5	-	-	1	1	2	5	7	17	64	144	487	-
	NWM	434	6	3	1	-	-	3	12	25	53	68	141	122	-
	NWF	430	7	2	-	2	-	3	11	16	29	70	112	178	-
HYPERTENSION (401,403)	Total	183	-	-	-	-	-	-	3	6	19	27	51	77	-
	WM	35	-	-	-	-	-	-	-	1	3	4	14	13	-
	WF	48	-	-	-	-	-		-	1	2	6	8	31	-
	NWM	41	-	-	-	-	-	-	3	3	6	8	11	10	-
	NWF	59	-	-	-	-	-	-	-	1	8	9	18	23	-
CEREBROVASCULAR DISEASES (430-438)	Total	2,445	-	1	-	-	-	5	15	71	125	250	604	1,374	-
	WM	549	-	-	-	-	-	2	2	13	24	63	153	292	-
	WF	925	-	-	-	-	-	2	3	10	23	49	161	677	-
	NWM	431	-	-	-	-	-	-	5	23	38	74	149	142	-
	NWF	540	-	1	-	-	-	1	5	25	40	64	141	263	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
ARTERIOSCLEROSIS (440)	Total	251	-	-	-	-	-	-	-	1	2	12	50	186	-
	WM	68	-	-	-	-	-	-	-	1	1	7	15	44	-
	WF	114	-	-	-	-	-	-	-	-	-	3	14	97	-
	NWM	26	-	-	-	-	-	-	-	-	-	1	10	15	-
	NWF	43	-	-	-	-	-	-	-	-	1	1	11	30	-
OTHER DISEASES OF THE CIRCULATORY SYSTEM (441-459)	Total	324	-	-	-	-	-	1	6	9	27	54	97	130	-
	WM	153	-	-	-	-	-	-	-	4	15	27	57	50	-
	WF	77		-	-	-	-	-	2	-	1	2	22	50	-
	NWM	46	-	-	-	-	-	-	2	3	8	12	8	13	-
	NWF	48	-	-	-	-	-	1	2	2	3	13	10	17	-
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	Total	3	-	-	-	-	-	-	-	-	1	-	2	-	-
	WM	2	-	-	-	-	-	-	-	-	1	-	1	-	-
	WF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	NWM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA (480-486)	Total	803	17	3	1	-	4	2	13	23	22	69	159	490	-
	WM	278	5	-	-	-	2	-	1	1	6	25	62	176	-
	WF	281	6	-	-	-	-	-	2	2	4	19	44	204	-
	NWM	134	4	1	-	-	-	1	5	14	8	12	29	60	-
	NWF	110	2	2	1	-	2	1	5	6	4	13	24	50	-
INFLUENZA (487)	Total	34	-	-	-	-	-	-	-	-	1	-	7	26	-
	WM	8	-	-	-	-	-	-	-	-	-	-	2	6	-
	WF	22	-	-	-	-	-	-	-	-	-	-	5	17	-
	NWM	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	NWF	2		-	-	-	-	-	-	-	1	-	-	1	-
CHRONIC OBSTRUCT. PULMONARY DIS. & ALLIED CONDITIONS (490-496)	Total	877	-	2	1	1	2	1	3	9	32	192	313	321	-
	WM	480	-	1	-	-	-	-	-	1	12	95	179	192	-
	WF	253	-	-	-	-	-	1	-	4	13	57	77	101	-
	NWM	110	-	1	1	-	1	-	-	2	6	29	48	22	-
	NWF	34	-	-	-	1	1	-	3	2	1	11	9	6	-

TABLE 54 (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
1. Chronic & unqualified bronchitis (490-491)	Total	41	-	2	-	-	-	-	-	2	1	7	12	17	-
	WM	19	-	1	-	-	-	-	-	1	-	2	8	7	-
	WF	17	-	-	-	-	-	-	-	1	1	4	3	8	-
	NWM	4	-	1	-	-	-	-	-	-	-	-	1	2	-
	NWF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
2. Emphysema (492)	Total	139		-	-	-	-	-	-	1	7	30	51	50	-
	WM	87	-	-	-	-	-	-	-	-	3	14	37	33	-
	WF	32	-	-	-	-	-	-	-	-	3	11	7	11	-
	NWM	19	-	-	-	-	-	-	-	1	1	4	7	6	-
	NWF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
3. Asthma (493)	Total	52	-	-	1	1	2	1	3	5	3	10	19	7	-
	WM	9	-	-	-	-	-	-	-	-	-	2	7	-	-
	WF	14	-	-	-	-	-	1	-	2	1	1	4	5	-
	NWM	12	-	-	1	-	1	-	-	1	2	4	3	-	-
	NWF	17	-	-	-	1	1	-	3	2	-	3	5	2	-
4. Other chronic obstructive pulmonary dis. (494-496)	Total	645	-	-	-	-	-	-	-	1	21	145	231	247	-
	WM	365	-	-	-	-	-	-	-	-	9	77	127	152	-
	WF	190	-	-	-	-	-	-	-	1	8	41	63	77	-
	NWM	75	-	-	-	-	-	-	-	-	3	21	37	14	-
	NWF	15	-	-	-	-	-	-	-	-	1	6	4	4	-
ULCER OF STOMACH & DUODENUM (531-533)	Total	77	-	-	-	-	-	-	-	2	6	14	18	37	-
	WM	30	-	-	-	-	-	-	-	2	3	8	6	11	-
	WF	26	-	-	-	-	-	-	-	-	-	2	5	19	-
	NWM	12	-	-	-	-	-	-	-	-	3	3	2	4	-
	NWF	9	-	-	-	-	-	-	-	-	-	1	5	3	-
HERNIA & INTESTINAL OBSTRUCTION (550-553,560)	Total	78	2	-	-	-	-	-	1	3	2	8	18	44	-
	WM	20	-	-	-	-	-	-	-	-	-	1	4	15	-
	WF	27	-	-	-	-	-	-	-	-	-	1	9	17	-
	NWM	17	2	-	-	-	-	-	-	2	1	2	4	6	-
	NWF	14	-	-	-	-	-	-	1	1	1	4	1	6	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
CHRONIC LIVER	Total	311	1	-	-	-	-	1	19	43	63	86	65	33	-
DISEASE &	WM	141	-	-	-	-	-	-	3	13	33	50	28	14	-
CIRRHOSIS	WF	87	-	-	-	-	-	-	5	3	15	26	23	15	-
(571)	NWM	51	-	-	-	-	-	-	3	18	12	6	10	2	-
	NWF	32	1	-	-	-	-	1	8	9	3	4	4	2	-
OTHER DISEASES	Total	180	12	1	-	-	-	2	1	4	16	31	46	67	-
OF RESPIRATORY	WM	65	4	-	-	-	-	-	1	-	6	15	18	21	-
SYSTEM	WF	63	-	-	-	-	-	2	-	-	5	7	15	34	-
(510-519)	NWM	29	4	-	-	-	-	-	-	2	4	4	7	8	-
	NWF	23	4	1	-	-	-	-	-	2	1	5	6	4	-
NEPHRITIS, NEPH-	Total	244	6	2	1	-	-	1	-	7	7	33	72	115	-
ROTIC SYNDROME,	WM	56	1	1	-	-	-	-	-	1	2	7	17	27	-
& NEPHROSIS	WF	69	1	-	-	-	-	-	-	2	2	4	18	42	-
(580-589)	NWM	58	2	-	1	-	-	1	-	1	1	13	16	23	-
	NWF	61	2	1	-	-	-	-	-	3	2	9	21	23	-
	Total	36	-	-	1	-	-	-	-	-	3	5	10	17	-
INFECTIONS OF	WM	4	-	-	-	-	-	-	-	-	-	1	2	1	-
KIDNEY	WF	21	-	-	-	-	-	-	-	-	1	1	5	14	-
(590)	NWM	2	-	-	-	-	-	-	-	-	-	1	1	-	-
	NWF	9	-	-	1	-	-	-	-	-	2	2	2	2	-
	Total	211	141	8	4	4	7	6	8	3	3	9	11	7	-
CONGENITAL	WM	68	42	6	1	1	1	1	4	-	1	5	2	4	-
ANOMALIES	WF	67	40	-	1	3	4	1	2	1	1	3	8	3	-
(740-759)	NWM	45	33	1	1	-	1	2	2	2	1	1	1	-	-
	NWF	31	26	1	1	-	1	2	-	-	-	-	-	-	-
CERTAIN CONDITIONS	Total	353	353	-	-	-	-	-	-	-	-	-	-	-	-
ORIGINATING IN THE	WM	90	90	-	-	-	-	-	-	-	-	-	-	-	-
PERINATAL PERIOD	WF	63	63	-	-	-	-	-	-	-	-	-	-	-	-
(760-779)	NWM	107	107	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	93	93	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
SYMPTOMS &	Total	252	77	4	1	-	1	4	13	20	14	25	29	64	-
ILL-DEFINED	WM	63	22	2	1	-	-	3	4	3	4	8	7	9	-
CONDITIONS	WF	51	13	1	-	-	-	-	-	3	3	2	6	23	-
(780-799)	NWM	84	23	1	-	-	1	1	5	8	5	13	10	17	-
	NWF	54	19	-	-	-	-	-	4	6	2	2	6	15	-
	Total	2,165	22	21	19	8	18	21	92	132	175	243	454	960	-
ALL OTHER	WM	671	7	6	5	-	6	4	24	32	57	91	160	279	-
DISEASES	WF	710	3	7	5	3	3	3	8	16	30	60	131	441	-
(001-799)	NWM	382	7	3	4	2	1	7	29	54	61	43	83	88	-
	NWF	402	5	5	5	3	8	7	31	30	27	49	80	152	-
	Total	1,856	10	62	41	65	186	228	362	236	139	157	161	209	-
ACCIDENTS	WM	835	5	18	17	21	97	124	165	123	68	61	67	69	-
(E800-E949)	WF	365	1	11	5	13	42	37	51	30	16	35	47	77	-
	NWM	494	3	24	9	24	40	53	121	72	44	42	29	33	-
	NWF	162	1	9	10	7	7	14	25	11	11	19	18	30	-
	Total	1,031	2	22	21	33	135	179	232	134	70	78	73	52	-
1. Motor vehicle	WM	493	1	5	9	13	72	93	101	72	39	30	32	26	-
traffic	WF	213	1	4	3	9	37	32	39	17	12	21	22	16	-
(E810-E819)	NWM	256	-	10	3	8	21	43	77	39	15	18	13	9	-
	NWF	69	-	3	6	3	5	11	15	6	4	9	6	1	-
	Total	12	-	2	1	-	1	-	4	-	1	1	2	-	-
2. Motor vehicle	WM	5	-	-	1	-	1	-	1	-	1	-	1	-	-
non-traffic	WF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
(E820-E825)	NWM	5	-	2	-	-	-	-	2	-	-	1	-	-	-
	NWF	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Total	10	-	-	-	-	1	1	3	1	4	-	-	-	-
3. Railway	WM	8	-	-	-	-	1	1	2	1	3	-	-	-	-
(E800-E807)	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWM	2	-	-	-	-	-	-	1	-	1	-	-	-	-
	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 54 . (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
4. Poisoning by drugs & medicaments (E850-E858)	Total	55	-	-	-	-	1	3	25	12	2	7	2	3	-
	WM	31	-	-	-	-	-	1	18	8	1	2	1	-	-
	WF	9	-	-	-	-	1	2	1	-	1	2	1	1	-
	NWM	10	-	-	-	-	-	-	5	3	-	2	-	-	-
	NWF	5	-	-	-	-	-	-	1	1	-	1	-	2	-
5. Falls (E880-E888)	Total	128	-	3	1	-	1	6	6	10	7	6	18	70	-
	WM	53	-	2	1	-	1	6	3	5	4	3	8	20	-
	WF	53	-	-	-	-	-	-	1	1	-	2	9	40	-
	NWM	15	-	1	-	-	-	-	2	4	2	1	-	5	-
	NWF	7	-	-	-	-	-	-	-	-	1	-	1	5	-
6. Fire & Flames (E890-E899)	Total	140	1	16	4	7	8	7	15	17	13	21	17	14	-
	WM	47	-	4	-	1	3	4	6	8	6	6	7	2	-
	WF	14	-	2	-	1	2	1	-	2	-	3	2	1	-
	NWM	52	-	6	2	4	2	1	8	6	5	9	6	3	-
	NWF	27	1	4	2	1	1	1	1	1	2	3	2	8	-
7. Drowning (E910)	Total	116	1	10	10	16	20	15	18	8	7	5	4	2	-
	WM	40	1	5	3	2	5	8	6	5	2	2	-	1	-
	WF	13	-	2	1	1	1	1	2	1	-	2	2	-	-
	NWM	53	-	2	4	11	13	6	8	2	4	-	2	1	-
	NWF	10	-	1	2	2	1	-	2	-	1	1	-	-	-
8. Firearms (E922)	Total	37	-	-	2	4	6	4	7	9	-	2	1	2	-
	WM	29	-	-	2	3	5	3	3	8	-	2	1	2	-
	WF	2	-	-	-	1	-	-	-	1	-	-	-	-	-
	NWM	4	-	-	-	-	1	1	2	-	-	-	-	-	-
	NWF	2	-	-	-	-	-	-	2	-	-	-	-	-	-
9. Residual (E800-E949)	Total	327	6	9	2	5	13	13	52	45	35	37	44	66	-
	WM	129	3	2	1	2	9	8	25	16	12	16	17	18	-
	WF	60	-	3	1	1	1	1	8	8	3	5	10	19	-
	NWM	97	3	3	-	1	3	2	16	18	17	11	8	15	-
	NWF	41	-	1	-	1	-	2	3	3	3	5	9	14	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
	Total	385	-	-	-	2	18	41	88	62	69	41	45	19	-
SUICIDE	WM	272	-	-	-	1	16	29	56	44	47	28	34	17	-
(E950-E959)	WF	76	-	-	-	1	1	6	19	11	17	12	7	2	-
	NWM	30	-	-	-	-	1	5	10	4	5	1	4	-	-
	NWF	7	-	-	-	-	-	1	3	3	-	-	-	-	-
	Total	284	-	-	-	1	16	34	64	37	44	33	37	18	-
1. Firearms	WM	215	-	-	-	1	14	24	42	31	31	26	30	16	-
(E955)	WF	44	-	-	-	-	1	4	14	3	10	7	3	2	-
	NWM	21	-	-	-	-	1	5	7	1	3	-	4	-	-
	NWF	4	-	-	-	-	-	1	1	2	-	-	-	-	-
	Total	33	-	-	-	-	2	2	11	7	6	-	4	1	-
2. Hanging,	WM	26	-	-	-	-	2	2	7	6	5	-	3	1	-
strangulation,	WF	4	-	-	-	-	-	-	2	1	-	-	1	-	-
& suffocation	NWM	3	-	-	-	-	-	-	2	-	1	-	-	-	-
(E953)	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Total	56	-	-	-	1	-	5	11	15	18	4	2	-	-
3. Poisoning	WM	30	-	-	-	-	-	3	7	7	11	1	1	-	-
(E950-E952)	WF	22	-	-	-	1	-	2	2	6	7	3	1	-	-
	NWM	3	-	-	-	-	-	-	1	2	-	-	-	-	-
	NWF	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Total	12	-	-	-	-	-	-	2	3	1	4	2	-	-
4. Residual	WM	1	-	-	-	-	-	-	-	-	-	1	-	-	-
(E950-E959)	WF	6	-	-	-	-	-	-	1	1	-	2	2	-	-
	NWM	3	-	-	-	-	-	-	-	1	1	1	-	-	-
	NWF	2	-	-	-	-	-	-	1	1	-	-	-	-	-
	Total	327	2	11	3	3	29	48	95	59	38	23	8	8	-
HOMICIDE & LEGAL	WM	92	-	1	1	1	8	23	18	15	8	13	3	1	-
INTERVENTION	WF	39	-	1	-	-	7	5	12	4	5	3	-	2	-
(E960-E978)	NWM	158	1	6	-	1	9	15	58	35	20	6	3	4	-
	NWF	38	1	3	2	1	5	5	7	5	5	1	2	1	-

TABLE 54. (continued)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
	Total	201	-	-	1	2	20	32	65	40	21	12	6	2	-
1. Assault by	WM	66	-	-	1	1	5	19	12	12	6	8	2	-	-
firearms	WF	20	-	-	-	-	4	2	9	-	4	1	-	-	-
(E965)	NWM	98	-	-	-	1	8	10	39	23	9	3	3	2	-
	NWF	17	-	-	-	-	3	1	5	5	2	-	1	-	-
	Total	60	-	-	-	-	3	9	21	12	9	4	-	2	-
2. Assault by	WM	10	-	-	-	-	-	3	3	2	1	-	-	1	-
cutting &	WF	5	-	-	-	-	-	1	-	1	-	2	-	1	-
piercing	NWM	37	-	-	-	-	1	4	16	9	6	1	-	-	-
(E966)	NWF	8	-	-	-	-	2	1	2	-	2	1	-	-	-
	Total	66	2	11	2	1	6	7	9	7	8	7	2	4	-
3. Residual	WM	16	-	1	-	-	3	1	3	1	1	5	1	-	-
(E960-E978)	WF	14	-	1	-	-	3	2	3	3	1	-	-	1	-
	NWM	23	1	6	-	-	-	1	3	3	5	2	-	2	-
	NWF	13	1	3	2	1	-	3	-	-	1	-	1	1	-
	Total	16	-	-	-	-	2	2	6	1	1	-	1	3	-
OTHER	WM	7	-	-	-	-	1	-	3	-	1	-	-	2	-
EXTERNAL	WF	5	-	-	-	-	-	1	2	1	-	-	-	1	-
CAUSES	NWM	3	-	-	-	-	1	1	-	-	-	-	1	-	-
(E980-E999)	NWF	1	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 55.
Deaths by Certifier*
South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	TOTAL			
	Total	Coroner	Physician	Medical Examiner
SOUTH CAROLINA	27,334	4,367	22,123	844
Abbeville	123	40	83	-
Aiken	637	155	482	-
Allendale	91	15	76	-
Anderson	1,170	161	1,007	2
Bamberg	177	56	121	-
Barnwell	168	59	109	-
Beaufort	436	84	352	-
Berkeley	225	179	46	-
Calhoun	42	30	12	-
Charleston	3,308	32	2,906	370
Cherokee	290	11	279	-
Chester	241	62	179	-
Chesterfield	237	68	169	-
Clarendon	203	81	122	-
Colleton	305	81	224	-
Darlington	494	102	392	-
Dillon	238	96	142	-
Dorchester	198	115	83	-
Edgefield	111	27	84	-
Fairfield	189	72	117	-
Florence	1,360	211	1,149	-
Georgetown	355	74	281	-
Greenville	2,653	24	2,160	469
Greenwood	728	59	668	1
Hampton	129	19	110	-
Horry	992	254	738	-
Jasper	124	58	66	-
Kershaw	242	67	175	-
Lancaster	409	100	309	-
Laurens	416	120	296	-
Lee	85	22	63	-
Lexington	859	258	601	-
McCormick	28	26	2	-
Marion	350	86	264	-
Marlboro	232	32	200	-
Newberry	273	108	165	-
Oconee	445	31	414	-
Orangeburg	824	262	562	-
Pickens	498	100	398	-
Richland	3,380	314	3,066	-
Saluda	91	11	80	-
Spartanburg	2,025	140	1,884	1
Sumter	700	185	515	-
Union	256	37	219	-
Williamsburg	211	73	138	-
York	786	170	615	1

* Person certifying the original death certificate

Table 55-A
Deaths by Certifier* by Race
South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	Total	WHITE			Total	NONWHITE		
		Coroner	Physician	Medical Examiner		Coroner	Physician	Medical Examiner
SOUTH CAROLINA	18,535	2,491	15,514	530	8,799	1,876	6,609	314
Abbeville	83	26	57	-	40	14	26	-
Aiken	444	102	342	-	193	53	140	-
Allendale	31	3	28	-	60	12	48	-
Anderson	962	125	835	2	208	36	172	-
Bamberg	90	22	68	-	87	34	53	-
Barnwell	88	26	62	-	80	33	47	-
Beaufort	261	43	218	-	175	41	134	-
Berkeley	138	101	37	-	87	78	9	-
Calhoun	21	12	9	-	21	18	3	-
Charleston	2,009	21	1,801	187	1,299	11	1,105	183
Cherokee	234	11	223	-	56	-	56	-
Chester	140	35	105	-	101	27	74	-
Chesterfield	156	44	112	-	81	24	57	-
Clarendon	79	38	41	-	124	43	81	-
Colleton	161	35	126	-	144	46	98	-
Darlington	319	59	260	-	175	43	132	-
Dillon	142	44	98	-	96	52	44	-
Dorchester	147	73	74	-	51	42	9	-
Edgefield	62	11	51	-	49	16	33	-
Fairfield	99	26	73	-	90	46	44	-
Florence	808	109	699	-	552	102	450	-
Georgetown	187	34	153	-	168	40	128	-
Greenville	2,165	15	1,812	338	488	9	348	131
Greenwood	501	30	470	1	227	29	198	-
Hampton	60	10	50	-	69	9	60	-
Horry	807	173	634	-	185	81	104	-
Jasper	53	28	25	-	71	30	41	-
Kershaw	153	41	112	-	89	26	63	-
Lancaster	307	71	236	-	102	29	73	-
Laurens	305	75	230	-	111	45	66	-
Lee	30	4	26	-	55	18	37	-
Lexington	729	215	514	-	130	43	87	-
McCormick	11	9	2	-	17	17	-	-
Marion	182	34	148	-	168	52	116	-
Marlboro	123	18	105	-	109	14	95	-
Newberry	186	67	119	-	87	41	46	-
Oconee	393	26	367	-	52	5	47	-
Orangeburg	406	92	314	-	418	170	248	-
Pickens	454	87	367	-	44	13	31	-
Richland	2,141	166	1,975	-	1,239	148	1,091	-
Saluda	72	5	67	-	19	6	13	-
Spartanburg	1,599	105	1,493	1	426	35	391	-
Sumter	331	67	264	-	369	118	251	-
Union	192	21	171	-	64	16	48	-
Williamsburg	82	16	66	-	129	57	72	-
York	592	116	475	1	194	54	140	-

* Person certifying the original death certificate

Table 56.
Death by Burial Disposition:
South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence*	Total	Total			
		Burial	Cremation	Removal	Other
South Carolina	27,334	25,601	1,105	356	272
Abbeville	123	123	-	-	-
Aiken	637	593	33	2	9
Allendale	91	90	1	-	-
Anderson	1,170	1,130	28	3	9
Bamberg	177	170	6	1	-
Barnwell	168	160	7	1	-
Beaufort	436	347	80	3	6
Berkeley	225	191	13	20	1
Calhoun	42	41	1	-	-
Charleston	3,308	2,836	208	210	54
Cherokee	290	284	6	-	-
Chester	241	239	1	-	1
Chesterfield	237	231	3	2	1
Clarendon	203	197	3	3	-
Colleton	305	295	6	2	2
Darlington	494	482	8	1	3
Dillon	238	235	2	1	-
Dorchester	198	181	13	3	1
Edgefield	111	108	2	-	1
Fairfield	189	185	4	-	-
Florence	1,360	1,320	28	11	1
Georgetown	355	330	18	4	3
Greenville	2,653	2,510	109	3	31
Greenwood	728	716	9	-	3
Hampton	129	127	2	-	-
Horry	992	865	113	2	12
Jasper	124	116	6	1	1
Kershaw	242	231	9	-	2
Lancaster	409	398	7	2	2
Laurens	416	402	13	-	1
Lee	85	84	1	-	-
Lexington	859	790	43	17	9
McCormick	28	26	2	-	-
Marion	350	344	4	-	2
Marlboro	232	228	1	1	2
Newberry	273	268	2	3	-
Oconee	445	423	18	-	4
Orangeburg	824	797	20	4	3
Pickens	498	475	17	1	5
Richland	3,380	3,105	151	51	73
Saluda	91	91	-	-	-
Spartanburg	2,025	1,942	61	3	19
Sumter	700	674	19	-	7
Union	256	253	3	-	-
Williamsburg	211	211	-	-	-
York	786	757	24	1	4

* by county where death occurred

Table 56-A.
Death by Burial Disposition by Race:
South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence*	Total	White				Total	Nonwhite			
		Burial	Cre-mation	Re-moval	Other		Burial	Cre-mation	Re-moval	Other
South Carolina	18,535	16,999	1,025	339	172	8,799	8,602	80	17	100
Abbeville	83	83	-	-	-	40	40	-	-	-
Aiken	444	403	33	1	7	193	190	-	1	2
Allendale	31	30	1	-	-	60	60	-	-	-
Anderson	962	923	28	3	8	208	207	-	-	1
Bamberg	90	84	5	1	-	87	86	1	-	-
Barnwell	88	80	7	1	-	80	80	-	-	-
Beaufort	261	174	79	3	5	175	173	1	-	1
Berkeley	138	107	12	18	1	87	84	1	2	-
Calhoun	21	20	1	-	-	21	21	-	-	-
Charleston	2009	1588	189	202	30	1299	1248	19	8	24
Cherokee	234	228	6	-	-	56	56	-	-	-
Chester	140	138	1	-	1	101	101	-	-	-
Chesterfield	156	150	3	2	1	81	81	-	-	-
Clarendon	79	75	1	3	-	124	122	2	-	-
Colleton	161	151	6	2	2	144	144	-	-	-
Darlington	319	308	7	1	3	175	174	1	-	-
Dillon	142	140	1	1	-	96	95	1	-	-
Dorchester	147	130	13	3	1	51	51	-	-	-
Edgefield	62	60	1	-	1	49	48	1	-	-
Fairfield	99	95	4	-	-	90	90	-	-	-
Florence	808	773	23	11	1	552	547	5	-	-
Georgetown	187	166	15	4	2	168	164	3	-	1
Greenville	2,165	2,036	105	3	21	488	474	4	-	10
Greenwood	501	491	7	-	3	227	225	2	-	-
Hampton	60	58	2	-	-	69	69	-	-	-
Horry	807	682	111	2	12	185	183	2	-	-
Jasper	53	45	6	1	1	71	71	-	-	-
Kershaw	153	142	9	-	2	89	89	-	-	-
Lancaster	307	296	7	2	2	102	102	-	-	-
Laurens	305	291	13	-	1	111	111	-	-	-
Lee	30	29	1	-	-	55	55	-	-	-
Lexington	729	663	42	16	8	130	127	1	1	1
McCormick	11	9	2	-	-	17	17	-	-	-
Marion	182	177	4	-	1	168	167	-	-	1
Marlboro	123	120	1	1	1	109	108	-	-	1
Newberry	186	183	2	1	-	87	85	-	2	-
Oconee	393	373	18	-	2	52	50	-	-	2
Orangeburg	406	381	18	4	3	418	416	2	-	-
Pickens	454	433	16	1	4	44	42	1	-	1
Richland	2,141	1,933	126	49	33	1,239	1,172	25	2	40
Saluda	72	72	-	-	-	19	19	-	-	-
Spartanburg	1,599	1,527	57	2	13	426	415	4	1	6
Sumter	331	312	18	-	1	369	362	1	-	-
Union	192	190	2	-	-	64	63	1	-	-
Williamsburg	82	82	-	-	-	129	129	-	-	-
York	592	568	22	1	1	194	189	2	-	3

* by county where death occurred

Table 57 .

Major Causes of Accidental Death: South Carolina and Each County, 1986

(Residence Data)

County of Residence	Total	Cause of Accidental Death						
		Transportation	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,856	1,099	82	128	140	37	116	254
Abbeville	4	3	-	1	-	-	-	-
Aiken	82	49	4	9	6	1	5	8
Allendale	7	6	-	..	-	-	-	1
Anderson	62	40	-	4	5	2	4	7
Bamberg	15	4	-	2	9	-	-	-
Barnwell	14	6	-	3	1	1	-	3
Beaufort	34	21	-	2	5	-	5	1
Berkeley	64	47	2	4	1	-	3	7
Calhoun	6	1	-	1	-	1	2	1
Charleston	139	75	13	9	11	1	8	22
Cherokee	21	12	1	3	3	1	1	-
Chester	26	19	1	-	-	-	1	5
Chesterfield	31	18	-	2	2	-	1	8
Clarendon	16	14	-	-	-	-	-	2
Colleton	23	14	-	1	2	2	1	3
Darlington	48	27	4	4	1	1	2	9
Dillon	18	9	1	3	3	-	1	1
Dorchester	35	26	1	1	3	-	2	2
Edgefield	10	9	-	-	-	-	-	1
Fairfield	21	14	-	2	2	-	2	1
Florence	66	43	2	2	1	-	5	13
Georgetown	36	22	-	-	5	2	4	3
Greenville	148	81	11	14	13	2	11	16
Greenwood	33	20	3	1	1	-	-	8
Hampton	14	9	2	-	-	1	1	1
Horry	88	53	4	5	4	2	8	12
Jasper	15	10	-	2	2	-	-	1
Kershaw	24	18	1	1	-	-	-	4
Lancaster	30	19	2	-	2	1	2	4
Laurens	24	7	3	2	3	1	-	8
Lee	11	5	-	1	3	-	-	2
Lexington	66	44	1	7	5	1	1	7
McCormick	10	5	-	2	-	-	1	2
Marion	21	12	-	3	2	-	1	3
Marlboro	20	7	1	-	5	2	4	1
Newberry	22	8	1	1	4	2	2	4
Oconee	29	19	-	3	1	1	1	4
Orangeburg	68	39	5	4	4	1	7	8
Pickens	43	25	-	4	4	1	2	7
Richland	138	75	8	6	8	2	15	24
Saluda	18	7	1	3	2	1	2	2
Spartanburg	100	60	8	8	4	2	3	15
Sumter	68	41	-	5	9	2	2	9
Union	13	9	-	-	-	-	2	2
Williamsburg	15	8	-	1	1	-	1	4
York	60	39	2	2	3	3	3	8

Table 58.
Major Causes of Accidental Death: South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	Total	Cause of Accidental Death						
		Transportation	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,875	1,132	86	123	139	35	109	251
Abbeville	6	4	-	1	-	-	-	1
Aiken	41	18	4	5	6	1	3	4
Allendale	3	2	-	-	-	-	-	1
Anderson	61	40	1	4	4	2	5	5
Bamberg	16	3	-	2	9	-	2	-
Barnwell	11	4	-	1	1	1	-	4
Beaufort	33	23	-	2	4	-	4	-
Berkeley	44	32	2	3	-	-	2	5
Calhoun	9	6	-	-	-	-	1	2
Charleston	191	100	16	15	17	1	11	31
Cherokee	20	11	2	2	2	1	1	1
Chester	18	12	-	-	-	-	2	4
Chesterfield	24	12	-	1	2	-	1	8
Clarendon	31	26	-	1	-	-	2	2
Colleton	26	17	-	1	2	2	1	3
Darlington	39	26	3	1	1	1	1	6
Dillon	31	18	1	3	8	-	1	-
Dorchester	23	18	1	-	2	-	1	1
Edgefield	11	10	-	-	-	-	-	1
Fairfield	22	15	-	3	1	-	3	-
Florence	88	53	4	8	1	-	5	17
Georgetown	37	18	-	1	5	2	7	4
Greenville	163	99	10	15	12	3	5	19
Greenwood	29	14	1	2	1	-	2	9
Hampton	10	5	2	-	-	1	1	1
Horry	99	60	5	7	4	2	11	10
Jasper	20	17	-	-	2	-	-	1
Kershaw	26	21	-	-	-	-	-	5
Lancaster	26	15	2	2	2	1	2	2
Laurens	26	11	5	1	3	1	-	5
Lee	11	6	-	-	4	-	-	1
Lexington	67	49	2	2	5	-	1	8
McCormick	6	5	-	-	-	-	1	-
Marion	14	12	-	-	-	-	1	1
Marlboro	18	8	1	-	4	2	2	1
Newberry	23	10	1	-	4	2	2	4
Oconee	28	16	-	3	1	-	5	3
Orangeburg	65	42	5	4	5	-	4	5
Pickens	29	14	-	2	3	1	2	7
Richland	170	95	5	16	8	5	9	31
Saluda	15	7	1	2	1	1	1	2
Spartanburg	114	72	8	9	3	2	2	18
Sumter	52	31	-	3	8	1	2	6
Union	8	6	-	-	-	-	-	2
Williamsburg	15	12	-	-	1	-	-	2
York	56	36	3	1	3	2	3	8

Table 59.
Deaths From Suicide by Method:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total (E950-E959)	Firearms (E955)	Hanging, Strangulation & Suffocation (E953)	Poisoning (E950-E952)	Residual (E950-E959)
SOUTH CAROLINA	385	284	33	56	12
Abbeville	1	-	1	-	-
Aiken	20	15	1	3	1
Allendale	1	1	-	-	-
Anderson	14	8	4	2	-
Bamberg	2	1	-	1	-
Barnwell	2	2	-	-	-
Beaufort	11	10	1	-	-
Berkeley	9	7	-	1	1
Calhoun	1	-	1	-	-
Charleston	40	28	1	9	2
Cherokee	4	4	-	-	-
Chester	2	2	-	-	-
Chesterfield	1	1	-	-	-
Clarendon	1	-	-	1	-
Colleton	-	-	-	-	-
Darlington	5	4	1	-	-
Dillon	1	-	1	-	-
Dorchester	9	4	2	3	-
Edgefield	3	3	-	-	-
Fairfield	1	1	-	-	-
Florence	13	11	-	-	2
Georgetown	5	5	-	-	-
Greenville	38	32	2	3	1
Greenwood	5	4	-	1	-
Hampton	1	1	-	-	-
Horry	16	13	1	2	-
Jasper	3	3	-	-	-
Kershaw	2	2	-	-	-
Lancaster	13	11	1	1	-
Laurens	7	4	-	3	-
Lee	1	1	-	-	-
Lexington	17	12	1	4	-
McCormick	1	1	-	-	-
Marion	5	4	1	-	-
Marlboro	7	7	-	-	-
Newberry	4	3	1	-	-
Oconee	10	7	-	3	-
Orangeburg	4	4	-	-	-
Pickens	10	5	2	3	-
Richland	32	10	8	12	2
Saluda	4	3	-	1	-
Spartanburg	24	19	1	2	2
Sumter	10	7	2	1	-
Union	8	8	-	-	-
Williamsburg	3	3	-	-	-
York	14	13	-	-	1

Table 60.
Deaths From Homicide by Method:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total (E960-E978)	Firearms (E965)	Assault by Cutting and Piercing (E966)	Residual (E960-E978)
SOUTH CAROLINA	327	201	60	66
Abbeville	4	3	1	-
Aiken	9	7	-	2
Allendale	3	2	1	-
Anderson	15	9	5	1
Bamberg	3	2	1	-
Barnwell	2	1	1	-
Beaufort	2	1	-	1
Berkeley	6	3	1	2
Calhoun	1	-	-	1
Charleston	39	12	12	15
Cherokee	3	2	1	-
Chester	3	3	-	-
Chesterfield	4	4	-	-
Clarendon	1	1	-	-
Colleton	4	3	1	-
Darlington	8	7	1	-
Dillon	5	4	-	1
Dorchester	3	3	-	-
Edgefield	1	-	-	1
Fairfield	5	2	2	1
Florence	8	5	2	1
Georgetown	4	4	-	-
Greenville	27	17	3	7
Greenwood	6	3	3	-
Hampton	2	1	-	1
Horry	19	8	5	6
Jasper	3	3	-	-
Kershaw	1	-	1	-
Lancaster	1	1	-	-
Laurens	6	3	2	1
Lee	2	2	-	-
Lexington	8	6	-	2
McCormick	-	-	-	-
Marion	3	2	1	-
Marlboro	4	3	1	-
Newberry	5	1	1	3
Oconee	5	3	-	2
Orangeburg	11	8	3	-
Pickens	4	2	1	1
Richland	37	26	3	8
Saluda	1	1	-	-
Spartanburg	25	18	2	5
Sumter	11	6	3	2
Union	3	2	1	-
Williamsburg	1	-	1	-
York	9	7	-	2

Table 61.
Infant Mortality and Infant Mortality Rates by Race:
South Carolina and Each County and Places of 2,500 or More Population, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina.....	685	13.2	318	10.2	367	17.9
Abbeville.....	3	9.9	1	5.4	2	16.8
Abbeville.....	1	11.1	-	0	1	18.5
Honea Path (Part)....	-	0	-	0	-	0
Balance of County....	2	9.4	1	6.8	1	15.4
Aiken.....	22	12.6	13	11.0	9	15.8
New Ellenton.....	1	35.7	1	43.5	-	0
Aiken.....	4	13.4	1	6.8	3	19.7
N. Augusta.....	3	11.6	3	16.8	-	0
Balance of County....	14	12.0	8	9.6	6	18.0
Allendale.....	3	15.8	-	0	3	19.7
Allendale.....	2	23.5	-	0	2	27.8
Balance of County....	1	9.5	-	0	1	12.5
Anderson.....	27	15.2	14	10.5	13	29.2
Belton.....	2	31.2	1	23.3	1	47.6
Honea Path (Part)....	1	22.7	1	33.3	-	0
Williamston.....	1	33.3	1	45.5	-	0
Clemson Vill (Part)..	-	0	-	0	-	0
Pendleton.....	-	0	-	0	-	0
Anderson.....	11	27.7	4	19.6	7	36.3
Balance of County....	12	10.1	7	7.0	5	26.9
Bamberg.....	2	7.9	1	13.5	1	5.6
Bamberg.....	1	16.7	1	45.5	-	0
Denmark.....	1	16.7	-	0	1	19.2
Balance of County....	-	0	-	0	-	0
Barnwell.....	5	16.6	-	0	5	35.2
Barnwell.....	2	29.4	-	0	2	52.6
Williston.....	-	0	-	0	-	0
Blackville.....	1	22.2	-	0	1	30.3
Balance of County....	2	13.8	-	0	2	38.5
Beaufort.....	12	7.7	6	6.2	6	10.0
Beaufort.....	2	8.1	1	6.0	1	12.3
Port Royal.....	-	0	-	0	-	0
Hilton Head.....	-	0	-	0	-	0
Balance of County....	10	10.3	5	9.5	5	11.2
Berkeley.....	25	11.1	19	11.7	6	9.4
Goose Creek.....	8	16.5	8	20.6	-	0
Hanahan.....	1	5.3	1	6.4	-	0
Moncks Corner.....	1	9.0	-	0	1	21.3
Balance of County....	15	10.1	10	9.9	5	10.8
Calhoun.....	3	17.5	1	14.3	2	19.8
Balance of County....	3	17.5	1	14.3	2	19.8
Charleston.....	74	13.9	25	8.5	49	20.4
Mt. Pleasant.....	2	4.8	1	3.0	1	11.4
Summerville (Part)...	-	0	-	0	-	0
Isle of Palms.....	-	0	-	0	-	0
Charleston.....	25	12.8	6	7.0	19	17.5
N. Charleston.....	20	16.4	8	11.0	12	24.2
Balance of County....	27	15.7	10	10.1	17	23.2

Table 61. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee	10	18.0	5	13.0	5	29.2
Gaffney	6	25.1	1	8.4	5	41.7
Balance of County	4	12.6	4	15.0	-	0
Chester	7	14.5	2	9.4	5	18.4
Chester	3	22.7	1	25.6	2	21.5
Great Falls	-	0	-	0	-	0
Balance of County	4	12.9	1	6.7	3	18.9
Chesterfield	11	19.9	5	16.1	6	24.8
Cheraw	1	10.1	-	0	1	18.9
Pageland	-	0	-	0	-	0
Balance of County	10	24.2	5	24.4	5	29.8
Clarendon	5	11.1	-	0	5	24.8
Manning	-	0	-	0	-	0
Balance of County	5	13.7	-	0	5	20.4
Colleton	6	10.6	2	8.0	4	12.6
Walterboro	-	0	-	0	-	0
Balance of County	6	14.4	2	11.3	4	16.7
Darlington	19	22.4	8	18.1	11	27.0
Darlington	4	27.2	-	0	4	50.0
Hartsville	3	20.7	2	29.4	1	13.0
Balance of County	12	21.5	6	19.5	6	24.0
Dillon	5	9.6	-	0	5	16.7
Dillon	1	7.2	-	0	1	12.0
Balance of County	4	10.4	-	0	4	18.5
Dorchester	11	7.8	8	7.9	3	7.5
Summerville (Part)	6	11.2	5	12.4	1	7.5
Balance of County	5	5.7	3	4.9	2	7.5
Edgefield	4	14.2	2	16.4	2	12.6
Edgefield	-	0	-	0	-	0
Johnston	-	0	-	0	-	0
Balance of County	4	20.0	2	20.6	2	19.4
Fairfield	6	18.1	1	10.0	5	21.6
Winnsboro	-	0	-	0	-	0
Balance of County	6	26.0	1	13.5	5	31.8
Florence	29	16.3	10	11.5	19	20.8
Lake City	4	34.5	1	31.2	3	35.7
Florence	10	20.1	1	4.8	9	31.2
Balance of County	15	12.8	8	12.8	7	12.9
Georgetown	12	16.6	7	25.1	5	11.3
Andrews (Part)	1	17.2	1	50.0	-	0
Georgetown	1	6.0	1	16.9	-	0
Balance of County	10	20.2	5	25.0	5	16.9
Greenville	47	10.7	28	8.5	19	16.8
Travelers Rest	-	0	-	0	-	0
Simpsonville	2	20.8	2	25.6	-	0
Fountain Inn (Part)	2	60.6	2	87.0	-	0
Mauldin	2	44.4	1	32.3	1	71.4
Greenville	19	22.7	8	18.8	11	26.8
Greer (Part)	-	0	-	0	-	0
Balance of County	22	6.7	15	5.7	7	10.6

Table 61. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood.....	15	18.5	7	14.2	8	25.2
Greenwood.....	6	18.1	-	0	6	33.9
Balance of County....	9	18.8	7	20.7	2	14.2
Hampton.....	6	16.7	2	17.7	4	16.3
Hampton.....	1	24.4	1	50.0	-	0
Balance of County....	5	15.7	1	10.8	4	17.8
Horry.....	25	11.8	17	11.3	8	12.9
Conway.....	-	0	-	0	-	0
Myrtle Beach.....	1	1.9	1	2.4	-	0
N. Myrtle Beach.....	2	21.3	1	12.7	1	66.7
Surfside Beach.....	-	0	-	0	-	0
Balance of County....	22	17.6	15	17.3	7	18.2
Jasper.....	-	0	-	0	-	0
Balance of County....	-	0	-	0	-	0
Kershaw.....	4	7.4	2	5.8	2	10.3
Camden.....	-	0	-	0	-	0
Balance of County....	4	9.2	2	6.6	2	15.2
Lancaster.....	10	13.1	8	16.2	2	7.5
Lancaster.....	1	5.4	1	13.5	-	0
Balance of County....	9	15.6	7	16.6	2	12.8
Laurens.....	11	15.0	8	17.3	3	11.1
Clinton.....	2	17.5	2	35.1	-	0
Fountain Inn (Part)..	1	125.0	-	0	1	333.3
Laurens.....	2	15.2	1	18.5	1	12.8
Balance of County....	6	12.5	5	14.4	1	7.5
Lee.....	5	19.3	-	0	5	26.3
Bishopville.....	-	0	-	0	-	0
Balance of County....	5	23.8	-	0	5	32.3
Lexington.....	26	11.4	19	10.1	7	17.9
Batesburg (Part).....	-	0	-	0	-	0
Cayce.....	1	7.5	-	0	1	21.7
Springdale.....	-	0	-	0	-	0
W. Columbia.....	2	5.8	2	7.4	-	0
Irmo (Part).....	-	0	-	0	-	0
Balance of County....	23	13.9	17	11.7	6	25.6
McCormick.....	1	9.5	-	0	1	11.8
Balance of County....	1	9.5	-	0	1	11.8
Marion.....	10	18.4	2	10.9	8	22.2
Marion.....	5	43.4	2	60.6	3	35.3
Mullins.....	2	26.0	-	0	2	39.2
Balance of County....	3	8.6	-	0	3	13.4
Marlboro.....	5	10.8	-	0	5	17.4
Bennettsville.....	-	0	-	0	-	0
McColl.....	1	24.4	-	0	1	83.3
Balance of County....	4	17.1	-	0	4	28.6
Newberry.....	6	13.0	2	8.1	4	18.6
Newberry.....	3	17.4	-	0	3	30.3
Balance of County....	3	10.3	2	11.5	1	8.6

Table 61 . (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee	8	11.7	5	8.5	3	31.9
Seneca	2	14.8	1	12.3	1	18.5
Walhalla	-	0	-	0	-	0
Westminster	1	19.2	-	0	1	142.9
Balance of County	5	2.2	4	9.5	1	40.0
Orangeburg	22	16.1	7	14.6	15	16.9
Orangeburg	4	14.1	1	11.4	3	15.4
Balance of County	18	16.6	6	15.3	12	17.3
Pickens	13	12.6	11	11.9	2	18.3
Liberty	-	0	-	0	-	0
Pickens	2	52.6	1	35.7	1	100.0
Clemson Vill (Part)	-	0	-	0	-	0
Easley	5	38.2	4	38.1	1	38.5
Balance of County	6	7.6	6	8.1	-	0
Richland	58	13.8	15	7.3	43	20.1
Forest Acres	-	0	-	0	-	0
Irmo (Part)	-	0	-	0	-	0
Columbia	28	12.4	2	2.3	26	18.9
Balance of County	30	16.3	13	12.0	17	22.6
Saluda	3	14.2	2	18.5	1	9.6
Batesburg (Part)	-	0	-	0	-	0
Saluda	-	0	-	0	-	0
Balance of County	3	20.3	2	24.1	1	15.4
Spartanburg	38	12.8	26	12.3	12	14.0
Woodruff	-	0	-	0	-	0
Spartanburg	8	10.5	3	8.8	5	11.9
Greer (Part)	-	0	-	0	-	0
Balance of County	30	13.8	23	13.1	7	16.5
Sumter	34	18.9	10	11.6	24	25.5
Sumter	11	17.0	5	19.5	6	15.3
Balance of County	23	19.9	5	8.3	18	32.8
Union	8	20.4	5	21.3	3	19.1
Union	2	14.2	-	0	2	24.4
Balance of County	6	23.9	5	29.9	1	11.9
Williamsburg	12	18.5	4	24.2	8	16.5
Andrews (Part)	-	0	-	0	-	0 0
Kingstree	4	42.6	1	52.6	3	40.0
Balance of County	8	14.5	3	20.5	5	12.3
York	17	9.2	8	5.9	9	18.4
Clover	-	0	-	0	-	0
Fort Mill	2	30.3	2	39.2	-	0
York	-	0	-	0	-	0
Rock Hill	8	11.9	-	0	8	26.8
Balance of County	7	7.3	6	7.1	1	8.7

Rate per 1,000 live births

Table 62.
Infant Mortality and Infant Mortality Rates by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	685	13.2	318	10.2	367	17.9
Abbeville	3	9.9	1	5.4	2	16.8
Aiken	22	12.6	13	11.0	9	15.8
Allendale	3	15.8	-	0	3	19.7
Anderson	27	15.2	14	10.5	13	29.2
Bamberg	2	7.9	1	13.5	1	5.6
Barnwell	5	16.6	-	0	5	35.2
Beaufort	12	7.7	6	6.2	6	10.0
Berkeley	25	11.1	19	11.7	6	9.4
Calhoun	3	17.5	1	14.3	2	19.8
Charleston	74	13.9	25	8.5	49	20.4
Cherokee	10	18.0	5	13.0	5	29.2
Chester	7	14.5	2	9.4	5	18.4
Chesterfield	11	19.9	5	16.1	6	24.8
Clarendon	5	11.1	-	0	5	16.8
Colleton	6	10.6	2	8.0	4	12.6
Darlington	19	22.4	8	18.1	11	27.0
Dillon	5	9.6	-	0	5	16.7
Dorchester	11	7.8	8	7.9	3	7.5
Edgefield	4	14.2	2	16.4	2	12.6
Fairfield	6	18.1	1	10.0	5	21.6
Florence	29	16.3	10	11.5	19	20.8
Georgetown	12	16.6	7	25.1	5	11.3
Greenville	47	10.7	28	8.5	19	16.8
Greenwood	15	18.5	7	14.2	8	25.2
Hampton	6	16.7	2	17.7	4	16.3
Horry	25	11.8	17	11.3	8	12.9
Jasper	-	0	-	0	-	0
Kershaw	4	7.4	2	5.8	2	10.3
Lancaster	10	13.1	8	16.2	2	7.5
Laurens	11	15.0	8	17.3	3	11.1
Lee	5	19.3	-	0	5	26.3
Lexington	26	11.4	19	10.1	7	17.9
McCormick	1	9.5	-	0	1	11.8
Marion	10	18.4	2	10.9	8	22.2
Marlboro	5	10.8	-	0	5	17.4
Newberry	6	13.0	2	8.1	4	18.6
Oconee	8	11.7	5	8.5	3	31.9
Orangeburg	22	16.1	7	14.6	15	16.9
Pickens	13	12.6	11	11.9	2	18.3
Richland	58	13.8	15	7.3	43	20.1
Saluda	3	14.2	2	18.5	1	9.6
Spartanburg	38	12.8	26	12.3	12	14.0
Sumter	34	18.9	10	11.6	24	25.5
Union	8	20.4	5	21.3	3	19.1
Williamsburg	12	18.5	4	24.2	8	16.5
York	17	9.2	8	5.9	9	18.4

Rates per 1,000 live births

Table 63.
Neonatal Mortality and Neonatal Mortality Rates by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	456	8.8	216	6.9	240	11.7
Abbeville	2	6.6	1	5.4	1	8.4
Aiken	13	7.4	7	5.9	6	10.5
Allendale	3	15.8	-	0	3	19.7
Anderson	19	10.7	9	6.8	10	22.5
Bamberg	2	7.9	1	13.5	1	5.6
Barnwell	2	6.6	-	0	2	14.1
Beaufort	10	6.4	5	5.2	5	8.4
Berkeley	16	7.1	12	7.4	4	6.3
Calhoun	2	11.7	1	14.3	1	9.9
Charleston	50	9.4	18	6.1	32	13.3
Cherokee	6	10.8	3	7.8	3	17.5
Chester	4	8.3	1	4.7	3	11.0
Chesterfield	6	10.8	3	9.6	3	12.4
Clarendon	5	11.1	-	0	5	16.8
Colleton	5	8.8	1	4.0	4	12.6
Darlington	11	12.9	5	11.3	6	14.7
Dillon	1	1.9	-	0	1	3.3
Dorchester	7	5.0	4	3.9	3	7.5
Edgefield	3	10.7	2	16.4	1	6.3
Fairfield	3	9.0	1	10.0	2	8.6
Florence	19	10.7	9	10.4	10	10.9
Georgetown	9	12.5	5	17.9	4	9.0
Greenville	37	8.4	22	6.7	15	13.3
Greenwood	10	12.3	6	12.2	4	12.6
Hampton	2	5.6	1	8.8	1	4.1
Horry	7	3.3	5	3.3	2	3.2
Jasper	-	0	-	0	-	0
Kershaw	2	3.7	2	5.8	-	0
Lancaster	7	9.2	5	10.1	2	7.5
Laurens	7	9.5	6	13.0	1	3.7
Lee	3	11.6	-	0	3	15.8
Lexington	21	9.2	15	8.0	6	15.3
McCormick	1	9.5	-	0	1	11.8
Marion	6	11.0	1	5.5	5	13.9
Marlboro	2	4.3	-	0	2	7.0
Newberry	5	10.8	2	8.1	3	14.0
Oconee	6	8.8	3	5.1	3	31.9
Orangeburg	14	10.2	6	12.5	8	9.0
Pickens	11	10.6	9	9.7	2	18.3
Richland	40	9.5	8	3.9	32	14.9
Saluda	3	14.2	2	18.5	1	9.6
Spartanburg	25	8.4	16	7.5	9	10.5
Sumter	24	13.3	7	8.1	17	18.1
Union	7	17.9	4	17.0	3	19.1
Williamsburg	8	12.3	4	24.2	4	8.2
York	10	5.4	4	2.9	6	12.3

Rates per 1,000 live births

Table 64.
Postneonatal Mortality and Postneonatal Mortality Rates by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	229	4.4	102	3.3	127	6.2
Abbeville	1	3.3	-	0	1	8.4
Aiken	9	5.1	6	5.1	3	5.3
Allendale	-	0	-	0	-	0
Anderson	8	4.5	5	3.8	3	6.7
Bamberg	-	0	-	0	-	0
Barnwell	3	10.0	-	0	3	21.1
Beaufort	2	1.3	1	1.0	1	1.7
Berkeley	9	4.0	7	4.3	2	3.1
Calhoun	1	5.8	-	0	1	9.9
Charleston	24	4.5	7	2.4	17	7.1
Cherokee	4	7.2	2	5.2	2	11.7
Chester	3	6.2	1	4.7	2	7.4
Chesterfield	5	9.0	2	6.4	3	12.4
Clarendon	-	0	-	0	-	0
Colleton	1	1.8	1	4.0	-	0
Darlington	8	9.4	3	6.8	5	12.3
Dillon	4	7.7	-	0	4	13.4
Dorchester	4	2.8	4	3.9	-	0
Edgefield	1	3.6	-	0	1	6.3
Fairfield	3	9.0	-	0	3	12.9
Florence	10	5.6	1	1.2	9	9.8
Georgetown	3	4.2	2	7.2	1	2.3
Greenville	10	2.3	6	1.8	4	3.5
Greenwood	5	6.2	1	2.0	4	12.6
Hampton	4	11.1	1	8.8	3	12.2
Horry	18	8.5	12	8.0	6	9.7
Jasper	-	0	-	0	-	0
Kershaw	2	3.7	-	0	2	10.3
Lancaster	3	3.9	3	6.1	-	0
Laurens	4	5.4	2	4.3	2	7.4
Lee	2	7.7	-	0	2	10.5
Lexington	5	2.2	4	2.1	1	2.6
McCormick	-	0	-	0	-	0
Marion	4	7.4	1	5.5	3	8.3
Marlboro	3	6.5	-	0	3	10.5
Newberry	1	2.2	-	0	1	4.7
Oconee	2	2.9	2	3.4	-	0
Orangeburg	8	5.8	1	2.1	7	7.9
Pickens	2	1.9	2	2.2	-	0
Richland	18	4.3	7	3.4	11	5.1
Saluda	-	0	-	0	-	0
Spartanburg	13	4.4	10	4.7	3	3.5
Sumter	10	5.6	3	3.5	7	7.4
Union	1	2.6	1	4.3	-	0
Williamsburg	4	6.2	-	0	4	8.2
York	7	3.8	4	2.9	3	6.1

Rates per 1,000 live births

Table 65.
Fetal Mortality and Fetal Mortality Rates by Race
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	545	10.5	235	7.5	310	15.1
Abbeville	5	16.4	3	16.2	2	16.8
Aiken	23	13.1	15	12.7	8	14.0
Allendale	3	15.8	-	0	3	19.7
Anderson	12	6.7	6	4.5	6	13.5
Bamberg	3	11.9	1	13.5	2	11.2
Barnwell	8	26.6	2	12.6	6	42.3
Beaufort	9	5.8	4	4.1	5	8.4
Berkeley	22	9.7	15	9.2	7	11.0
Calhoun	2	11.7	-	0	2	19.8
Charleston	78	14.6	32	10.9	46	19.2
Cherokee	3	5.4	3	7.8	-	0
Chester	7	14.5	2	9.4	5	18.4
Chesterfield	4	7.2	-	0	4	16.5
Clarendon	5	11.1	-	0	5	16.8
Colleton	8	14.1	2	8.0	6	18.9
Darlington	5	5.9	1	2.3	4	9.8
Dillon	7	13.4	-	0	7	23.4
Dorchester	10	7.1	6	5.9	4	10.1
Edgefield	1	3.6	-	0	1	6.3
Fairfield	4	12.0	-	0	4	17.2
Florence	15	8.4	3	3.5	12	13.1
Georgetown	9	12.5	3	10.8	6	13.6
Greenville	46	10.4	33	10.1	13	11.5
Greenwood	13	16.0	8	16.3	5	15.7
Hampton	4	11.1	1	8.8	3	12.2
Horry	20	9.4	10	6.7	10	16.2
Jasper	1	3.5	-	0	1	5.6
Kershaw	3	5.6	-	0	3	15.4
Lancaster	8	10.5	4	8.1	4	14.9
Laurens	8	10.9	6	13.0	2	7.4
Lee	3	11.6	-	0	3	15.8
Lexington	16	7.0	10	5.3	6	15.3
McCormick	1	9.5	-	0	1	11.8
Marion	8	14.7	-	0	8	22.2
Marlboro	2	4.3	1	5.6	1	3.5
Newberry	5	10.8	3	12.1	2	9.3
Oconee	6	8.8	6	10.2	-	0
Orangeburg	20	14.6	7	14.6	13	14.6
Pickens	4	3.9	3	3.2	1	9.2
Richland	52	12.4	15	7.3	37	17.3
Saluda	1	4.7	1	9.3	-	0
Spartanburg	30	10.1	12	5.7	18	21.0
Sumter	15	8.3	4	4.7	11	11.7
Union	1	2.6	1	4.3	-	0
Williamsburg	15	23.1	1	6.1	14	28.9
York	20	10.8	11	8.0	9	18.4

Rates per 1,000 live births

Table 66.
Fetal Deaths by Age of Mother:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	Total						
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years
South Carolina	545	7	95	188	138	75	33	9
Abbeville	5	-	-	1	2	2	-	-
Aiken	23	-	1	10	7	4	1	-
Allendale	3	-	-	2	-	-	-	1
Anderson	12	-	2	3	5	1	-	1
Bamberg	3	-	2	-	1	-	-	-
Barnwell	8	-	-	3	3	2	-	-
Beaufort	9	-	1	4	3	1	-	-
Berkeley	22	-	4	8	5	5	-	-
Calhoun	2	-	1	-	-	1	-	-
Charleston	78	-	12	22	23	12	9	-
Cherokee	3	-	-	1	1	1	-	-
Chester	7	-	1	4	2	-	-	-
Chesterfield	4	-	2	1	-	-	1	-
Clarendon	5	-	1	-	2	-	1	1
Colleton	8	-	1	2	3	-	1	1
Darlington	5	1	2	1	-	1	-	-
Dillon	7	-	1	5	1	-	-	-
Dorchester	10	-	4	3	2	1	-	-
Edgefield	1	-	-	1	-	-	-	-
Fairfield	4	1	2	1	-	-	-	-
Florence	15	2	-	4	5	4	-	-
Georgetown	9	-	-	2	4	2	1	-
Greenville	46	-	11	13	14	7	1	-
Greenwood	13	-	2	5	4	1	1	-
Hampton	4	-	2	-	1	1	-	-
Horry	20	-	3	7	7	1	1	1
Jasper	1	-	-	1	-	-	-	-
Kershaw	3	1	1	1	-	-	-	-
Lancaster	8	-	-	2	5	1	-	-
Laurens	8	-	-	6	2	-	-	-
Lee	3	-	-	3	-	-	-	-
Lexington	16	-	3	6	2	3	1	1
McCormick	1	-	-	-	-	-	1	-
Marion	8	-	1	3	3	1	-	-
Marlboro	2	-	-	1	-	-	1	-
Newberry	5	-	1	2	-	1	-	1
Oconee	6	-	1	2	2	1	-	-
Orangeburg	20	1	5	8	1	3	2	-
Pickens	4	-	2	2	-	-	-	-
Richland	52	1	5	19	11	7	8	1
Saluda	1	-	-	1	-	-	-	-
Spartanburg	30	-	6	11	8	4	-	1
Sumter	15	-	7	4	2	2	-	-
Union	1	-	-	1	-	-	-	-
Williamsburg	15	-	6	4	1	2	2	-
York	20	-	2	8	6	3	1	-

Table 66-A.
Fetal Deaths by Age of Mother by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	White						
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years
South Carolina	235	-	34	81	65	40	12	3
Abbeville	3	-	-	-	2	1	-	-
Aiken	15	-	-	7	3	4	1	-
Allendale	-	-	-	-	-	-	-	-
Anderson	6	-	-	3	2	-	-	1
Bamberg	1	-	-	-	1	-	-	-
Barnwell	2	-	-	1	1	-	-	-
Beaufort	4	-	-	1	2	1	-	-
Berkeley	15	-	3	4	4	4	-	-
Calhoun	-	-	-	-	-	-	-	-
Charleston	32	-	4	10	9	6	3	-
Cherokee	3	-	-	1	1	1	-	-
Chester	2	-	1	1	-	-	-	-
Chesterfield	-	-	-	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	-
Colleton	2	-	-	1	1	-	-	-
Darlington	1	-	-	-	-	1	-	-
Dillon	-	-	-	-	-	-	-	-
Dorchester	6	-	2	1	2	1	-	-
Edgefield	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-
Florence	3	-	-	-	2	1	-	-
Georgetown	3	-	-	1	2	-	-	-
Greenville	33	-	6	11	10	5	1	-
Greenwood	8	-	2	1	3	1	1	-
Hampton	1	-	1	-	-	-	-	-
Horry	10	-	2	2	5	1	-	-
Jasper	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-
Lancaster	4	-	-	-	4	-	-	-
Laurens	6	-	-	4	2	-	-	-
Lee	-	-	-	-	-	-	-	-
Lexington	10	-	2	3	1	3	1	-
McCormick	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-
Marlboro	1	-	-	1	-	-	-	-
Newberry	3	-	1	2	-	-	-	-
Oconee	6	-	1	2	2	1	-	-
Orangeburg	7	-	1	3	-	3	-	-
Pickens	3	-	2	1	-	-	-	-
Richland	15	-	1	7	-	2	4	1
Saluda	1	-	-	1	-	-	-	-
Spartanburg	12	-	3	3	3	2	-	1
Sumter	4	-	1	3	-	-	-	-
Union	1	-	-	1	-	-	-	-
Williamsburg	1	-	-	-	-	1	-	-
York	11	-	1	5	3	1	1	-

Table 66-A.
Fetal Deaths by Age of Mother by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total All Ages	Nonwhite						
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years
South Carolina	310	7	61	107	73	35	21	6
Abbeville	2	-	-	1	-	1	-	-
Aiken	8	-	1	3	4	-	-	-
Allendale	3	-	-	2	-	-	-	1
Anderson	6	-	2	-	3	1	-	-
Bamberg	2	-	2	-	-	-	-	-
Barnwell	6	-	-	2	2	2	-	-
Beaufort	5	-	1	3	1	-	-	-
Berkeley	7	-	1	4	1	1	-	-
Calhoun	2	-	1	-	-	1	-	-
Charleston	46	-	8	12	14	6	6	-
Cherokee	-	-	-	-	-	-	-	-
Chester	5	-	-	3	2	-	-	-
Chesterfield	4	-	2	1	-	-	1	-
Clarendon	5	-	1	-	2	-	1	1
Colleton	6	-	1	1	2	-	1	1
Darlington	4	1	2	1	-	-	-	-
Dillon	7	-	1	5	1	-	-	-
Dorchester	4	-	2	2	-	-	-	-
Edgefield	1	-	-	1	-	-	-	-
Fairfield	4	1	2	1	-	-	-	-
Florence	12	2	-	4	3	3	-	-
Georgetown	6	-	-	1	2	2	1	-
Greenville	13	-	5	2	4	2	-	-
Greenwood	5	-	-	4	1	-	-	-
Hampton	3	-	1	-	1	1	-	-
Horry	10	-	1	5	2	-	1	1
Jasper	1	-	-	1	-	-	-	-
Kershaw	3	1	1	1	-	-	-	-
Lancaster	4	-	-	2	1	1	-	-
Laurens	2	-	-	2	-	-	-	-
Lee	3	-	-	3	-	-	-	-
Lexington	6	-	1	3	1	-	-	1
McCormick	1	-	-	-	-	-	1	-
Marion	8	-	1	3	3	1	-	-
Marlboro	1	-	-	-	-	-	1	-
Newberry	2	-	-	-	-	1	-	1
Oconee	-	-	-	-	-	-	-	-
Orangeburg	13	1	4	5	1	-	2	-
Pickens	1	-	-	1	-	-	-	-
Richland	37	1	4	12	11	5	4	-
Saluda	-	-	-	-	-	-	-	-
Spartanburg	18	-	3	8	5	2	-	-
Sumter	11	-	6	1	2	2	-	-
Union	-	-	-	-	-	-	-	-
Williamsburg	14	-	6	4	1	1	2	-
York	9	-	1	3	3	2	-	-

Table 67.
Perinatal Mortality and Perinatal Mortality Rates by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	1,001	19.2	451	14.3	550	26.4
Abbeville	7	22.6	4	21.3	3	24.8
Aiken	36	20.3	22	18.4	14	24.2
Allendale	6	31.1	-	0	6	38.7
Anderson	31	17.3	15	11.2	16	35.5
Bamberg	5	19.6	2	26.7	3	16.7
Barnwell	10	32.4	2	12.4	8	54.0
Beaufort	19	12.1	9	9.3	10	16.6
Berkeley	38	16.6	27	16.5	11	17.1
Calhoun	4	23.1	1	14.3	3	29.1
Charleston	128	23.6	50	16.8	78	31.8
Cherokee	9	16.1	6	15.5	3	17.5
Chester	11	22.4	3	14.0	8	28.9
Chesterfield	10	18.0	3	9.6	7	28.4
Clarendon	10	22.0	-	0	10	33.0
Colleton	13	22.6	3	11.8	10	31.0
Darlington	16	18.7	6	13.5	10	24.3
Dillon	8	15.1	-	0	8	26.1
Dorchester	17	11.9	10	9.8	7	17.4
Edgefield	4	14.2	2	16.4	2	12.5
Fairfield	7	20.8	1	10.0	6	25.4
Florence	34	18.9	12	13.8	22	23.7
Georgetown	18	24.6	8	28.4	10	22.3
Greenville	83	18.6	55	16.6	28	24.4
Greenwood	23	27.9	14	28.0	9	27.9
Hampton	6	16.5	2	17.5	4	16.1
Horry	27	12.6	15	9.9	12	19.1
Jasper	1	3.5	-	0	1	5.6
Kershaw	5	9.2	2	5.8	3	15.2
Lancaster	15	19.4	9	18.0	6	22.0
Laurens	15	20.2	12	25.6	3	11.0
Lee	6	22.9	-	0	6	31.1
Lexington	37	16.2	25	13.2	12	30.2
McCormick	2	18.9	-	0	2	23.3
Marion	14	25.4	1	5.5	13	35.3
Marlboro	4	8.6	1	5.6	3	10.4
Newberry	10	21.4	5	20.0	5	23.0
Oconee	12	17.4	9	15.1	3	31.9
Orangeburg	34	24.5	13	26.7	21	23.2
Pickens	15	14.5	12	12.9	3	27.3
Richland	92	21.6	23	11.1	69	31.6
Saluda	4	18.8	3	27.5	1	9.6
Spartanburg	55	18.3	28	13.1	27	30.8
Sumter	39	21.5	11	12.7	28	29.4
Union	8	20.4	5	21.2	3	19.1
Williamsburg	23	34.6	5	30.1	18	36.1
York	30	16.0	15	10.9	15	30.1

Rate per 1,000 deliveries

Table 68.
Maternal Mortality and Maternal Mortality Rates by Race:
South Carolina and Each County, 1986
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	10	1.9	1	0.3	9	4.4
Allendale	1	52.6	-	0	1	65.8
Charleston	2	3.7	-	0	2	8.3
Chester	1	20.7	-	0	1	36.8
Darlington	1	11.8	-	0	1	24.6
Marion	1	18.4	-	0	1	27.8
Newberry	1	21.6	-	0	1	46.5
Spartanburg	1	3.4	1	4.7	-	0
Williamsburg	2	30.8	-	0	2	41.2

Rate per 10,000 live births

Table 69.
Maternal Mortality and Mortality Rates by Race:
South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	10	2.0	1	0.3	9	4.5
Charleston	3	3.2	-	0	3	8.3
Florence	2	7.8	-	0	2	15.8
Newberry	1	27.0	-	0	1	50.5
Richland	1	1.8	-	0	1	3.8
Spartanburg	1	3.2	1	4.6	-	0
Williamsburg	2	59.2	-	0	2	66.9

Rate per 10,000 live births

MARRIAGES AND DIVORCES

SUMMARY OF MARRIAGES, DIVORCES, AND ANNULMENTS

MARRIAGES

In 1986, there were 53,974 marriages recorded in South Carolina at a rate of 15.8 per 1,000 population. This is an increase of less than one percent from the rate recorded in 1986.

As shown in Figure 10, of all marriage licenses issued in South Carolina in 1972, 50.3 percent were to residents. This was the first time in over two decades that a greater percentage of marriage licenses were issued to residents than non-residents. The decrease in non-residents obtaining licenses continued through 1986, when the percentage of marriages where neither the bride nor the groom was a resident fell to 38.0 percent.

Figure 10.
Percentage of Marriage Licenses Issued to Non-Residents in South Carolina, 1971-1986



Table 72 shows that 56.5 percent (30,514) of total marriages were those in which both the bride and the groom were residents of South Carolina. In 38.0 percent of the marriages, neither the bride nor the groom were residents of this state.

As in previous years, the greatest number of marriages occurred between brides within the 20-24 year age group and grooms within the 20-24 year age group. There were 13,893 persons under the age of twenty who married in South Carolina in 1986. Therefore, teenagers represent 12.9 percent of all persons married in this state in 1986. This percentage is lower than that for 1985, when 13.7 percent of all persons marrying were teenagers.

There were 1,148 marriages between persons of different races in South Carolina in 1986. Table 70 shows a cross-classification of race of bride by race of groom for South Carolina, 1986.

Table 70.
Marriages by Race of Bride by Race of Groom
South Carolina, 1986

Race of Bride	Race of Groom							
	White	Black	Indian	Chinese	Japanese	Other	Unknown	Total
White	40,580	357	137	4	1	69	4	41,152
Black	165	11,898	12	-	-	13	-	12,088
Indian	133	20	256	-	-	1	-	410
Chinese	5	1	-	9	-	-	-	15
Japanese	7	2	-	-	-	-	-	9
Other	185	29	1	1	-	83	-	299
Unknown	-	1	-	-	-	-	-	1
Total	41,075	12,308	406	14	1	166	4	53,974

"Other" includes Hawaiian, Filipino, other Asian and Pacific Islander and other nonwhite.

DIVORCES AND ANNULMENTS

In 1986, South Carolina recorded 13,431 divorces and annulments. The rate of divorces and annulments was 3.9 per 1,000 estimated population. This is a decrease of 2.5 percent from the rate of 4.0 recorded in 1985.

The divorce rate for the white population has been consistently higher than the nonwhite divorce rate since 1962, the year divorces were first required to be registered with the Office of Vital Records and Public Health Statistics. In 1986 the white rate was 4.7 and the nonwhite rate was 2.2.

There were 11,678 children involved in divorces and annulments in 1986, which averaged less than one child per divorce decree. The most frequently cited grounds for divorce were one year separation, which accounted for 72.1 percent of all grounds for divorce, followed by adultery, cruelty, and drunkenness. Table 77 shows divorces by legal grounds for decree, for South Carolina and each county, 1986.

Out of the total 26,862 persons in 1986 who were granted divorces, 36.4 percent were between the ages of 20 and 29.

Table 71.
Marriages by County in Which License Was Issued by Residential Status:
South Carolina and Each County, 1986

County License Issued	Total	Residence of Bride				Residence of Groom			
		S.C. Resident		Non-Resident		S.C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	53,974	32,370	60.0	21,604	40.0	31,551	58.5	22,423	41.5
Abbeville	223	173	77.6	50	22.4	172	77.1	51	22.9
Aiken	3,220	1,202	37.3	2,018	62.7	1,153	35.8	2,067	64.2
Allendale	202	77	38.1	125	61.9	77	38.1	125	61.9
Anderson	1,319	1,146	86.9	173	13.1	1,117	84.7	202	15.3
Bamberg	153	145	94.8	8	5.2	137	89.5	16	10.5
Barnwell	167	157	94.0	10	6.0	152	91.0	15	9.0
Beaufort	1,007	751	74.6	256	25.4	727	72.2	280	27.8
Berkeley	840	806	96.0	34	4.0	792	94.3	48	5.7
Calhoun	102	96	94.1	6	5.9	93	91.2	9	8.8
Charleston	4,134	3,714	89.8	420	10.2	3,658	88.5	476	11.5
Cherokee	2,281	455	19.9	1,826	80.1	433	19.0	1,848	81.0
Chester	250	215	86.0	35	14.0	202	80.8	48	19.2
Chesterfield	924	274	29.7	650	70.3	267	28.9	657	71.1
Clarendon	222	203	91.4	19	8.6	193	86.9	29	13.1
Colleton	334	310	92.8	24	7.2	305	91.3	29	8.7
Darlington	560	529	94.5	31	5.5	522	93.2	38	6.8
Dillon	6,505	434	6.7	6,071	93.3	437	6.7	6,068	93.3
Dorchester	648	610	94.1	38	5.9	602	92.9	46	7.1
Edgefield	178	145	81.5	33	18.5	137	77.0	41	23.0
Fairfield	157	148	94.3	9	5.7	144	91.7	13	8.3
Florence	1,171	1,060	90.5	111	9.5	1,020	87.1	151	12.9
Georgetown	481	439	91.3	42	8.7	420	87.3	61	12.7
Greenville	3,749	3,247	86.6	502	13.4	3,129	83.5	620	16.5
Greenwood	618	591	95.6	27	4.4	578	93.5	40	6.5
Hampton	197	183	92.9	14	7.1	171	86.8	26	13.2
Horry	2,196	1,405	64.0	791	36.0	1,366	62.2	830	37.8
Jasper	1,410	207	14.7	1,203	85.3	207	14.7	1,203	85.3
Kershaw	445	421	94.6	24	5.4	416	93.5	29	6.5
Lancaster	849	498	58.7	351	41.3	488	57.5	361	42.5
Laurens	508	487	95.9	21	4.1	474	93.3	34	6.7
Lee	124	117	94.4	7	5.6	119	96.0	5	4.0
Lexington	1,271	1,230	96.8	41	3.2	1,210	95.2	61	4.8
McCormick	130	58	44.6	72	55.4	60	46.2	70	53.8
Marion	287	254	88.5	33	11.5	247	86.1	40	13.9
Marlboro	1,080	233	21.6	847	78.4	221	20.5	859	79.5
Newberry	254	239	94.1	15	5.9	238	93.7	16	6.3
Oconee	1,805	599	33.2	1,206	66.8	577	32.0	1,228	68.0
Orangeburg	814	769	94.5	45	5.5	757	93.0	57	7.0
Pickens	875	760	86.9	115	13.1	743	84.9	132	15.1
Richland	3,325	3,122	93.9	203	6.1	3,042	91.5	283	8.5
Saluda	222	221	99.5	1	0.5	219	98.6	3	1.4
Spartanburg	2,279	2,023	88.8	256	11.2	1,991	87.4	288	12.6
Sumter	989	919	92.9	70	7.1	893	90.3	96	9.7
Union	250	234	93.6	16	6.4	229	91.6	21	8.4
Williamsburg	270	255	94.4	15	5.6	250	92.6	20	7.4
York	4,949	1,209	24.4	3,740	75.6	1,166	23.6	3,783	76.4

Table 72.
Marriages by Residential Status, by County of Marriage
South Carolina, 1986
(Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Resident Bride and Groom	Resident Groom Only	Resident Bride Only	Neither Res. Bride nor Groom
SOUTH CAROLINA	53,974	30,514	1,037	1,856	20,567
Abbeville	245	190	4	8	43
Aiken	3,205	1,048	111	162	1,884
Allendale	202	74	2	2	124
Anderson	1,386	1,160	30	55	141
Bamberg	161	143	-	9	9
Barnwell	170	152	2	7	9
Beaufort	1,016	690	34	64	228
Berkeley	959	893	11	33	22
Calhoun	127	115	2	4	6
Charleston	4,031	3,404	104	157	366
Cherokee	2,282	409	24	48	1,801
Chester	266	211	5	18	32
Chesterfield	955	271	24	32	628
Clarendon	238	206	5	13	14
Colleton	346	314	6	11	15
Darlington	575	517	12	21	25
Dillon	6,565	440	55	56	6,014
Dorchester	685	623	19	22	21
Edgefield	180	127	8	14	31
Fairfield	178	159	3	9	7
Florence	1,146	977	16	56	97
Georgetown	521	444	5	25	47
Greenville	3,583	2,930	50	159	444
Greenwood	583	536	6	20	21
Hampton	197	169	4	15	9
Horry	2,201	1,302	57	94	748
Jasper	1,390	188	14	11	1,177
Kershaw	464	424	8	17	15
Lancaster	828	452	22	29	325
Laurens	532	490	4	18	20
Lee	146	134	5	4	3
Lexington	1,442	1,353	14	37	38
McCormick	136	61	6	5	64
Marion	295	251	7	12	25
Marlboro	1,071	205	12	26	828
Newberry	266	245	5	7	9
Oconee	1,807	561	21	40	1,185
Orangeburg	816	736	15	36	29
Pickens	888	730	19	35	104
Richland	2,923	2,565	95	158	105
Saluda	164	158	-	2	4
Spartanburg	2,425	2,076	49	88	212
Sumter	968	841	30	54	43
Union	277	250	6	9	12
Williamsburg	267	245	2	7	13
York	4,865	1,044	104	147	3,570
Unknown	1	1	-	-	-

Table 73.

Marriages by Race, by Residential Status, by Age Groups of Bride
South Carolina, 1986

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	32,370	100.0	24,602	100.0	7,768	100.0
Under 15 Yrs	68	0.2	64	0.3	4	0.1
15 - 19	5,733	17.7	4,687	19.1	1,046	13.5
20 - 24	10,962	33.9	7,998	32.5	2,964	38.2
25 - 29	6,309	19.5	4,592	18.7	1,717	22.1
30 - 34	3,634	11.2	2,690	10.9	944	12.2
35 - 39	2,315	7.2	1,836	7.5	479	6.2
40 - 44	1,329	4.1	1,079	4.4	250	3.2
45 - 49	750	2.3	628	2.6	122	1.6
50 - 54	460	1.4	367	1.5	93	1.2
55 - 59	265	0.8	217	0.9	48	0.6
60 - 64	255	0.8	200	0.8	55	0.7
65 - 69	163	0.5	136	0.6	27	0.3
70 - 74	93	0.3	79	0.3	14	0.2
75 Yrs & Over	34	0.1	29	0.1	5	0.1
Non-Residents						
All Ages	21,604	100.0	16,384	100.0	5,220	100.0
Under 15 Yrs	156	0.7	152	0.9	4	0.1
15 - 19	3,852	17.8	3,172	19.4	680	13.0
20 - 24	5,444	25.2	3,873	23.6	1,571	30.1
25 - 29	4,196	19.4	3,045	18.6	1,151	22.0
30 - 34	2,760	12.8	2,035	12.4	725	13.9
35 - 39	1,983	9.2	1,505	9.2	478	9.2
40 - 44	1,245	5.8	994	6.1	251	4.8
45 - 49	781	3.6	659	4.0	122	2.3
50 - 54	486	2.2	387	2.4	99	1.9
55 - 59	291	1.3	229	1.4	62	1.2
60 - 64	238	1.1	192	1.2	46	0.9
65 - 69	106	0.5	87	0.5	19	0.4
70 - 74	49	0.2	41	0.3	8	0.2
75 Yrs & Over	17	0.1	13	0.1	4	0.1

Table 74.
Marriages by Race, by Residential Status, by Age Groups of Groom
South Carolina, 1986

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	31,551	100.0	23,928	100.0	7,623	100.0
Under 15 Yrs	1	0.0	1	0.0	-	0
15 - 19	2,258	7.2	1,899	7.9	359	4.7
20 - 24	10,279	32.6	7,618	31.8	2,661	34.9
25 - 29	7,557	24.0	5,506	23.0	2,051	26.9
30 - 34	4,150	13.2	3,045	12.7	1,105	14.5
35 - 39	2,635	8.4	2,091	8.7	544	7.1
40 - 44	1,631	5.2	1,318	5.5	313	4.1
45 - 49	1,032	3.3	859	3.6	173	2.3
50 - 54	633	2.0	524	2.2	109	1.4
55 - 59	436	1.4	336	1.4	100	1.3
60 - 64	360	1.1	278	1.2	82	1.1
65 - 69	283	0.9	221	0.9	62	0.8
70 - 74	157	0.5	117	0.5	40	0.5
75 Yrs & Over	139	0.4	115	0.5	24	0.3
Non-Residents						
All Ages	22,423	100.0	17,006	100.0	5,417	100.0
Under 15 Yrs	-	0	-	0	-	0
15 - 19	1,755	7.8	1,488	8.7	267	4.9
20 - 24	6,211	27.7	4,581	26.9	1,630	30.1
25 - 29	4,659	20.8	3,348	19.7	1,311	24.2
30 - 34	3,119	13.9	2,280	13.4	839	15.5
35 - 39	2,289	10.2	1,774	10.4	515	9.5
40 - 44	1,452	6.5	1,168	6.9	284	5.2
45 - 49	995	4.4	814	4.8	181	3.3
50 - 54	685	3.1	559	3.3	126	2.3
55 - 59	476	2.1	382	2.2	94	1.7
60 - 64	356	1.6	270	1.6	86	1.6
65 - 69	238	1.1	194	1.1	44	0.8
70 - 74	121	0.5	94	0.6	27	0.5
75 Yrs & Over	67	0.3	54	0.3	13	0.2

Table 75.
Marriages by Age of Bride, by Age of Groom
South Carolina, 1986

Age of Groom	Total	Age of Bride													
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & Over
Total	53,974	224	9,585	16,406	10,505	6,394	4,298	2,574	1,531	946	556	493	269	142	51
Under 15	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
15 - 19	4,013	112	2,938	785	124	39	12	1	2	-	-	-	-	-	-
20 - 24	16,490	87	5,363	8,411	1,900	515	154	50	9	1	-	-	-	-	-
25 - 29	12,216	17	966	5,036	4,099	1,416	505	138	27	11	1	-	-	-	-
30 - 34	7,269	6	209	1,383	2,572	1,957	801	258	63	13	5	2	-	-	-
35 - 39	4,924	2	73	509	1,151	1,343	1,191	450	152	36	13	4	-	-	-
40 - 44	3,083	-	21	178	404	659	822	631	266	69	21	5	3	3	1
45 - 49	2,027	-	9	62	162	292	464	500	352	137	36	11	2	-	-
50 - 54	1,318	-	4	22	55	97	200	279	315	242	66	26	8	2	2
55 - 59	912	-	-	13	20	42	95	147	176	190	131	66	25	7	-
60 - 64	716	-	-	5	10	19	26	82	110	135	145	141	32	11	-
65 - 69	521	-	1	2	7	9	18	29	44	69	78	153	81	27	3
70 - 74	278	-	-	-	-	4	7	5	11	28	50	57	63	39	14
75 & Over	206	-	-	-	1	2	3	4	4	15	10	28	55	53	31

Table 76.
Divorces and Annulments by Number of Children Involved, by Race:
South Carolina and Each County, 1986

County of Decree	Divorces and Annulments			Children		
	Total	White	Nonwhite	Total	White	Nonwhite
SOUTH CAROLINA	13,431	11,011	2,420	11,678	8,902	2,776
Abbeville	89	70	19	80	62	18
Aiken	527	431	96	537	437	100
Allendale	21	15	6	25	20	5
Anderson	686	634	52	587	527	60
Bamberg	29	16	13	40	19	21
Barnwell	43	34	9	52	38	14
Beaufort	201	149	52	166	102	64
Berkeley	520	468	52	520	443	77
Calhoun	37	21	16	38	19	19
Charleston	1,291	1,023	268	1,050	747	303
Cherokee	216	199	17	163	149	14
Chester	141	107	34	132	85	47
Chesterfield	102	78	24	82	67	15
Clarendon	39	30	9	40	30	10
Colleton	118	91	27	114	82	32
Darlington	156	123	33	145	97	48
Dillon	63	44	19	63	44	19
Dorchester	223	195	28	198	160	38
Edgefield	47	26	21	47	20	27
Fairfield	60	36	24	58	32	26
Florence	339	286	53	293	250	43
Georgetown	151	113	38	148	97	51
Greenville	1,526	1,351	175	1,196	998	198
Greenwood	288	239	49	265	192	73
Hampton	60	34	26	62	26	36
Horry	526	463	63	365	304	61
Jasper	40	28	12	22	10	12
Kershaw	214	170	44	181	130	51
Lancaster	205	178	27	185	163	22
Laurens	228	186	42	175	134	41
Lee	37	17	20	49	14	35
Lexington	817	771	46	735	681	54
McCormick	26	14	12	46	13	33
Marion	153	79	74	155	71	84
Marlboro	90	65	25	72	47	25
Newberry	108	82	26	91	61	30
Oconee	203	197	6	185	176	9
Orangeburg	316	193	123	315	169	146
Pickens	187	179	8	155	150	5
Richland	1,175	789	386	969	575	394
Saluda	52	46	6	51	42	9
Spartanburg	1,107	966	141	932	759	173
Sumter	382	279	103	375	251	124
Union	127	110	17	117	89	28
Williamsburg	60	32	28	55	26	29
York	404	353	51	347	294	53
Unknown	1	1	-	-	-	-

Table 77.
Divorces by Plaintiff, by Legal Grounds of Decree
South Carolina and Each County, 1986

County of Decree	Plaintiff		Legal Grounds for Divorce*								
	Husband	Wife	Desertion	Physical Cruelty	Drunkeness	Habitual Drug Use	Adultery	Separated 1-Year	Multiple Grounds	Annulment	Unk
SOUTH CAROLINA	4,719	8,711	23	986	689	23	1,720	9,678	142	169	1
Abbeville	34	55	-	11	8	-	14	55	-	1	-
Aiken	194	333	-	36	22	1	56	395	5	12	-
Allendale	10	11	-	1	-	-	2	17	-	1	-
Anderson	215	471	1	98	47	3	108	399	14	16	-
Bamberg	11	18	-	1	1	-	2	24	1	-	-
Barnwell	14	29	-	3	1	-	3	36	-	-	-
Beaufort	75	126	2	8	5	-	24	157	2	3	-
Berkeley	203	317	1	27	14	-	79	387	7	5	-
Calhoun	18	19	-	2	1	-	2	32	-	-	-
Charleston	475	816	-	47	39	-	127	1,052	12	14	-
Cherokee	71	144	-	22	9	2	23	152	6	1	1
Chester	53	88	-	8	9	1	8	111	-	4	-
Chesterfield	28	74	-	9	3	1	8	79	1	1	-
Clarendon	10	29	-	-	2	-	7	30	-	-	-
Colleton	33	85	-	6	7	-	12	89	3	1	-
Darlington	51	105	-	21	8	1	21	105	-	-	-
Dillon	22	41	-	6	1	1	13	42	-	-	-
Dorchester	89	134	-	7	10	-	39	164	2	1	-
Edgefield	18	29	-	4	3	-	6	32	-	2	-
Fairfield	23	37	-	8	5	-	4	43	-	-	-
Florence	135	204	-	24	18	-	52	241	2	2	-
Georgetown	47	104	-	9	14	1	13	108	4	2	-
Greenville	556	970	3	104	101	3	202	1,072	15	26	-
Greenwood	100	188	-	27	14	-	39	202	3	3	-
Hampton	24	36	-	5	3	-	8	43	-	1	-
Horry	192	334	1	34	19	2	68	390	4	8	-
Jasper	14	26	-	2	2	-	5	29	2	-	-
Kershaw	67	147	-	15	14	-	24	156	2	3	-
Lancaster	72	133	-	14	13	-	20	156	2	-	-
Laurens	81	147	1	21	20	-	37	142	4	3	-
Lee	18	19	-	2	2	-	2	31	-	-	-
Lexington	300	517	-	61	50	-	139	551	8	8	-
McCormick	7	19	-	3	2	-	3	18	-	-	-
Marion	59	94	1	7	1	-	16	125	-	3	-
Marlboro	27	63	-	5	1	-	5	75	1	3	-
Newberry	37	71	-	18	7	-	12	71	-	-	-
Oconee	70	133	1	18	17	-	34	131	-	2	-
Orangeburg	123	193	-	24	18	-	36	234	3	1	-
Pickens	68	119	1	23	15	-	27	119	-	2	-
Richland	409	766	6	83	33	-	120	912	5	16	-
Saluda	20	32	-	-	3	-	7	41	-	1	-
Spartanburg	339	768	3	86	70	6	160	751	22	9	-
Sumter	130	252	2	22	23	-	62	261	7	5	-
Union	33	94	-	24	15	-	11	70	3	4	-
Williamsburg	20	40	-	2	2	-	13	42	1	-	-
York	123	281	-	28	17	1	47	305	1	5	-
Unknown	1	-	-	-	-	-	-	1	-	-	-

*Frequencies may not agree due to multiple grounds and incomplete reporting

Table 78.
Divorces by Age Groups, by Race*:
South Carolina, 1986

YEARS OF AGE	TOTAL	WHITE	NONWHITE
	* by age and race of husband		
All Ages	13,431	11,011	2,420
Under 15	10	8	2
15 - 19	74	67	7
20 - 24	1,430	1,297	133
25 - 29	2,899	2,428	471
30 - 34	2,864	2,258	606
35 - 39	2,387	1,893	494
40 - 44	1,569	1,282	287
45 - 49	912	753	159
50 - 54	570	463	107
55 - 59	290	243	47
60 - 64	191	137	54
65 - 69	130	95	35
70 - 74	53	41	12
75+	40	35	5
Unknown	12	11	1
	* by age and race of wife		
All Ages	13,431	10,996	2,435
Under 15	16	15	1
15 - 19	318	300	18
20 - 24	2,334	2,076	258
25 - 29	3,110	2,555	555
30 - 34	2,775	2,162	613
35 - 39	2,063	1,602	461
40 - 44	1,267	1,040	227
45 - 49	651	529	122
50 - 54	382	307	75
55 - 59	217	174	43
60 - 64	136	109	27
65 - 69	65	49	16
70 - 74	36	27	9
75+	41	36	5
Unknown	20	15	5

Table 79.
Divorces by Duration of Marriage, by Plaintiff
by Legal Grounds for Decree*
South Carolina, 1986

Duration of Marriage	Plaintiff		Legal Grounds for Decree*								
	Husband	Wife	Desertion	Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unk
Total	4,719	8,711	23	986	689	23	1,720	9,678	142	169	1
Under 1 Year	37	57	-	16	6	-	10	19	1	42	-
1 - 4 Years	1,328	2,573	3	435	257	13	460	2,591	51	91	-
1 Year	150	326	-	108	60	2	86	153	13	54	-
2 Years	359	689	2	133	69	6	128	674	14	22	-
3 Years	412	811	-	109	65	2	122	903	14	8	-
4 Years	407	747	1	85	63	3	124	861	10	7	-
5 - 9 Years	1,383	2,719	8	286	175	6	529	3,031	50	17	1
5 Years	373	693	2	80	46	4	139	769	20	6	-
6 Years	307	622	2	62	40	-	130	679	12	4	-
7 Years	275	568	2	65	34	1	103	627	8	3	1
8 Years	228	444	2	41	34	-	84	501	8	2	-
9 Years	200	392	-	38	21	1	73	455	2	2	-
10 - 14 Years	760	1,444	3	115	102	3	279	1,670	19	13	-
15 - 19 Years	529	901	4	72	70	-	193	1,081	7	3	-
20 - 24 Years	268	505	-	34	42	1	124	564	8	-	-
25 - 29 Years	174	251	3	7	21	-	71	320	3	-	-
30 & Over	222	248	2	19	15	-	51	378	3	2	-
Unknown	18	13	-	2	1	-	3	24	-	1	-

* Frequencies may not agree due to multiple grounds and incomplete reporting.

MORBIDITY

Table 80.
Reported Cases of Selected Communicable Diseases:
South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	German Measles (Rubella)	Tetanus	Tuberculosis	Tularemia	Typhoid Fever	Rocky Mountain Spotted Fever	Influenza	Salmonella	Shigella	Rabies in Animals	Aseptic Meningitis
1985	3	2	566	-	2	72	1008	820	63	62	56
1986	-	2	594	-	1	70	2617	1075	36	78	37
Abbeville	-	-	4	-	-	1	-	4	-	2	-
Aiken	-	-	28	-	-	5	-	39	-	2	5
Allendale	-	-	3	-	-	-	-	-	-	-	1
Anderson	-	-	12	-	-	10	-	25	1	3	5
Bamberg	-	-	5	-	-	-	-	8	-	2	1
Barnwell	-	-	-	-	-	-	-	-	-	-	-
Beaufort	-	-	9	-	-	1	-	38	-	3	-
Berkeley	-	-	18	-	-	-	40	44	2	5	-
Calhoun	-	-	-	-	-	-	1	1	-	-	-
Charleston	-	-	52	-	-	2	956	259	15	6	3
Cherokee	-	-	11	-	-	-	-	2	-	-	1
Chester	-	-	3	-	-	1	-	3	-	-	-
Chesterfield	-	-	6	-	-	-	-	11	-	-	-
Clarendon	-	-	11	-	-	-	-	4	-	1	-
Colleton	-	-	15	-	-	1	-	19	2	2	2
Darlington	-	-	48	-	-	-	-	24	2	-	-
Dillon	-	-	9	-	-	-	-	21	4	-	-
Dorchester	-	-	7	-	-	-	4	28	-	5	-
Edgefield	-	-	7	-	-	-	-	3	-	1	-
Fairfield	-	1	9	-	-	-	3	1	-	-	-
Florence	-	-	46	-	-	-	10	47	-	-	-
Georgetown	-	-	5	-	-	-	-	47	-	3	-
Greenville	-	1	22	-	1	4	786	22	-	-	8
Greenwood	-	-	9	-	-	5	3	31	-	3	-
Hampton	-	-	7	-	-	-	-	3	-	3	-
Horry	-	-	20	-	-	-	39	47	4	-	1
Jasper	-	-	3	-	-	-	-	-	-	1	-
Kershaw	-	-	4	-	-	-	-	37	-	1	-
Lancaster	-	-	2	-	-	2	24	27	-	2	-
Laurens	-	-	6	-	-	-	1	7	-	-	-
Lee	-	-	4	-	-	-	-	-	-	-	-
Lexington	-	-	18	-	-	3	2	53	2	3	1
McCormick	-	-	1	-	-	-	-	1	-	2	-
Marion	-	-	30	-	-	-	-	9	-	-	-
Marlboro	-	-	11	-	-	-	1	5	-	-	-
Newberry	-	-	4	-	-	-	-	-	-	-	-
Oconee	-	-	2	-	-	-	1	6	-	-	-
Orangeburg	-	-	15	-	-	1	1	25	-	10	-
Pickens	-	-	5	-	-	2	675	4	-	5	1
Richland	-	-	42	-	-	4	21	89	4	6	1
Saluda	-	-	3	-	-	-	-	-	-	-	-
Spartanburg	-	-	20	-	-	18	45	25	-	3	6
Sumter	-	-	16	-	-	-	-	7	-	1	1
Union	-	-	5	-	-	1	4	11	-	-	-
Williamsburg	-	-	16	-	-	-	-	6	-	-	-
York	-	-	21	-	-	9	-	20	-	3	-
Unknown	-	-	-	-	-	-	-	12	-	-	-

Table 80. (Cont)

County of Occurrence	Unspecified Hepatitis	Measles (Rubeola)	Meningococcal Infections	Mumps	Petussis	Malaria	Brucellosis	Primary Encephalitis	Infectious Hepatitis-A	Serum Hepatitis-B	Hepatitis Non A - Non B
1985	24	3	35	14	3	-	2	5	40	654	36
1986	14	320	44	19	18	8	-	-	42	694	32
Abbeville	-	-	-	-	-	-	-	-	-	4	-
Aiken	-	-	-	-	-	-	-	-	-	12	-
Allendale	-	-	-	-	-	-	-	-	-	4	1
Anderson	1	-	4	1	-	1	-	-	1	28	5
Bamberg	-	-	-	-	-	-	-	-	1	3	-
Barnwell	-	-	-	-	-	1	-	-	-	2	-
Beaufort	-	-	2	-	2	-	-	-	1	9	2
Berkeley	-	4	-	3	1	-	-	-	1	5	1
Calhoun	-	-	4	-	-	-	-	-	-	2	-
Charleston	1	3	5	3	7	1	-	-	14	95	6
Cherokee	1	-	-	-	1	-	-	-	-	5	2
Chester	-	-	-	-	-	-	-	-	-	8	-
Chesterfield	-	-	1	1	-	-	-	-	-	3	-
Clarendon	-	-	-	-	-	-	-	-	-	1	-
Colleton	-	1	1	-	-	-	-	-	2	6	-
Darlington	-	-	-	-	-	-	-	-	-	7	-
Dillon	-	-	-	-	-	-	-	-	-	3	-
Dorchester	-	5	-	2	-	-	-	-	-	6	1
Edgefield	-	1	-	-	-	-	-	-	-	-	-
Fairfield	1	-	-	-	-	-	-	-	-	-	-
Florence	-	4	1	-	-	-	-	-	1	21	-
Georgetown	-	2	2	-	1	-	-	-	-	4	-
Greenville	2	2	5	3	2	2	-	-	2	116	2
Greenwood	-	-	1	-	-	-	-	-	-	33	-
Hampton	-	-	-	-	-	-	-	-	-	2	-
Horry	-	-	2	-	1	-	-	-	-	22	-
Jasper	-	-	-	1	-	-	-	-	-	-	-
Kershaw	-	7	1	-	-	-	-	-	-	3	-
Lancaster	-	-	1	-	-	-	-	-	-	8	1
Laurens	-	-	-	-	-	-	-	-	-	11	-
Lee	-	7	-	-	-	-	-	-	-	2	-
Lexington	1	101	1	-	-	-	-	-	4	20	2
McCormick	-	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	5	-
Marlboro	-	-	-	-	-	-	-	-	-	9	1
Newberry	-	-	-	-	-	-	-	-	1	4	-
Oconee	-	-	-	-	-	-	-	-	-	5	-
Orangeburg	-	7	1	-	-	-	-	-	5	29	-
Pickens	-	5	-	2	1	2	-	-	-	11	-
Richland	3	138	3	1	-	1	-	-	3	87	3
Saluda	-	-	-	-	-	-	-	-	-	1	-
Spartanburg	3	1	3	-	1	-	-	-	5	53	4
Sumter	1	2	1	1	-	-	-	-	-	14	1
Union	-	-	1	-	-	-	-	-	-	3	-
Williamsburg	-	1	1	-	-	-	-	-	1	5	-
York	-	2	2	1	1	-	-	-	-	18	-
Unknown	-	27	1	-	-	-	-	-	-	5	-

Table 81.
Reported Cases of Venereal Disease
South Carolina and Each County, 1986
(Occurrence Data)

County of Occurrence	Gonorrhea	Syphilis		Total[1]/ V. D.
		Infectious	Other[2]/	
SOUTH CAROLINA 1985	21,229	789	655	22,673
1986	18,978	699	725	20,402
Abbeville	17	1	-	18
Aiken	430	4	5	439
Allendale	85	4	7	96
Anderson	720	7	11	738
Bamberg	148	5	12	165
Barnwell	102	-	-	102
Beaufort	299	4	6	309
Berkeley	147	7	4	158
Calhoun	47	-	3	50
Charleston	2,540	51	64	2,655
Cherokee	114	7	9	130
Chester	188	6	4	198
Chesterfield	79	1	1	81
Clarendon	255	15	19	289
Colleton	177	14	9	200
Darlington	181	7	8	196
Dillon	188	6	5	199
Dorchester	112	4	2	118
Edgefield	70	4	4	78
Fairfield	96	3	6	105
Florence	701	25	25	751
Georgetown	145	22	22	189
Greenville	2,695	38	53	2,786
Greenwood	700	3	2	705
Hampton	64	10	8	82
Horry	524	50	53	627
Jasper	28	-	1	29
Kershaw	258	7	6	271
Lancaster	270	9	7	286
Laurens	187	16	20	223
Lee	124	2	4	130
Lexington	246	9	11	266
McCormick	7	-	3	10
Marion	166	22	19	207
Marlboro	229	1	7	237
Newberry	174	22	15	211
Oconee	62	2	3	67
Orangeburg	902	13	23	938
Pickens	64	3	2	69
Richland	2,596	183	126	2,905
Saluda	40	1	1	42
Spartanburg	1,044	47	38	1,129
Sumter	1,032	11	15	1,058
Union	72	1	1	74
Williamsburg	201	31	39	271
York	452	6	13	471
Institutions	-	15	29	44

1/ Excludes Military
2/ Includes early latent, under 1 year, congenital, and all other Syphilis

APPENDIX

TYPE OR PRINT IN PERMANENT INK FOR INSTRUCTIONS SEE HANDBOOK

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

CERTIFICATE OF LIVE BIRTH

139-

BIRTH NUMBER

CHILD

1. CHILD—NAME (First, Middle, Last)	2. SEX	3a. DATE OF BIRTH (Mo., Day, Yr.)	3b. HOUR
			M

4a. HOSPITAL—NAME (If not in hospital, give street and number)	4b. CITY, TOWN OR LOCATION OF BIRTH	4c. COUNTY OF BIRTH

CERTIFIER

5a. I certify that the stated information concerning this child is true to the best of my knowledge and belief. (Signature) ▶	5b. DATE SIGNED (Mo., Day, Yr.)	5c. NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (Type or print)
5d. CERTIFIER—NAME AND TITLE (Type or print)	5e. MAILING ADDRESS (Street or R.F.D. No., City or Town, State, Zip)	

6a. REGISTRAR (Signature) ▶	6b. DATE RECEIVED BY REGISTRAR (Month, Day, Year)

MOTHER

7a. MOTHER—MAIDEN NAME (First, Middle, Last)	7b. AGE (At time of this birth)	7c. STATE OF BIRTH (If not in U.S.A., name country)

8a. RESIDENCE—STATE	8b. COUNTY	CITY, TOWN OR LOCATION	8d. STREET AND NUMBER OF RESIDENCE	8e. INSIDE CITY LIMITS (Specify yes or no)

9. MOTHER'S MAILING ADDRESS—If [illegible] above, Zip Code

FATHER

10a. FATHER—NAME (First, Middle, Last)	10b. AGE (At time of this birth)	10c. STATE OF BIRTH (If not in U.S.A., name country)

11a. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief. (Signature of Parent or other informant) ▶	11b. RELATION TO CHILD

DHEC-600 Rev. 1978

SAMPLE

INFORMATION FOR MEDICAL AND [illegible] ONLY

12. RACE—MOTHER (e.g., White, Black, American Indian, etc.) (Specify)	13. RACE—FATHER (e.g., White, Black, American Indian, etc.) (Specify)	14. BIRTH WEIGHT	15a. THIS BIRTH—Single, Twin, etc. (Specify)	15b. IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)	16. IS MOTHER MARRIED? (Specify yes or no)

PREGNANCY HISTORY (Complete each section)

LIVE BIRTHS (Do not include this Child)		OTHER TERMINATIONS (Spontaneous and Induced)	
17a. Now living	17b. Now dead	17d. Before 20 wks.	17e. After 20 wks.
Number____	Number____	Number____	Number____
None ☐	None ☐	None ☐	None ☐

17c. DATE OF LAST LIVE BIRTH (Month, Year)	17f. DATE OF LAST OTHER TERMINATION (or indicated in d or e above) (Month, Year)

EDUCATION—MOTHER (Specify only highest grade completed)		EDUCATION—FATHER (Specify only highest grade completed)	
Elementary or Secondary (0-12)	College (1-4 or 5+)	Elementary or Secondary (0-12)	College (1-4 or 5+)
18a.		19a.	
18b. Usual Occupation	18c. Business or Industry	19b. Usual Occupation	19c. Business or Industry

20. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)	21a. MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify)	21b. PRENATAL VISITS Total number (If none, so state)	APGAR SCORE 1 min.	APGAR SCORE 5 min.
			22a.	22b.

17c. DATE OF LAST LIVE BIRTH (Month, Year)	17f. DATE OF LAST OTHER TERMINATION (or indicated in d or e above) (Month, Year)	23. COMPLICATIONS OF PREGNANCY (Describe or write "none")

24. CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY (Describe or write "none")

25. COMPLICATIONS OF LABOR AND/OR DELIVERY (Describe or write "none")	26. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD (Describe or write "none")

27a. MOTHER'S BLOOD TESTED FOR SYPHILIS? (SPECIFY YES OR NO) DATE (Month, Day, Year)	27b. LABORATORY	28. WHAT PROPHYLACTIC USED IN EYES? (Specify) TIME USED M.

DEATH UNDER ONE YEAR OF AGE
Enter State File Number of death certificate for this child

MULTIPLE BIRTHS
Enter State File Number for Mate(s)

LIVE BIRTH(S)

FETAL DEATH(S)

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

CERTIFICATE OF DEATH

STATE BIRTH NUMBER

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK FOR INSTRUCTIONS SEE HANDBOOK

DECEDENT IF DEATH OCCURRED IN INSTITUTION SEE HANDBOOK REGARDING COMPLETION OF RESIDENCE ITEMS

DECEDENT—NAME FIRST	MIDDLE	LAST	SEX	DATE OF DEATH (Mo., Day, Yr.)
1			2	3

RACE (e.g., White, Black, American Indian, etc.) (Specify)	AGE—Last Birthday (Yrs.)	UNDER 1 YEAR MOS.	UNDER 1 YEAR DAYS	UNDER 1 DAY HOURS	UNDER 1 DAY MINS.	DATE OF BIRTH (Mo., Day, Yr.)	COUNTY OF DEATH
4	5a.	5b		5c		6.	7a.

CITY, TOWN OR LOCATION OF DEATH	HOSPITAL OR OTHER INSTITUTION—Name (If not in either, give street and number)	IF HOSP. OR INST. Indicate DOA, OP/Emer. Rm., Inpatient (Specify)
7b.	7c.	7d.

STATE OF BIRTH (If not in U.S.A., name country)	CITIZEN OF WHAT COUNTRY	MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)	SURVIVING SPOUSE (If wife, give maiden name)	WAS DECEDENT EVER IN U.S. ARMED FORCES? (Specify Yes or No)
8.	9.	10.	11.	12.

SOCIAL SECURITY NUMBER	USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)	KIND OF BUSINESS OR INDUSTRY
13.	14a.	14b.

RESIDENCE—STATE	COUNTY	CITY, TOWN OR LOCATION	STREET AND NUMBER	INSIDE CITY LIMITS (Specify Yes or No)
15a.	15b.	15c.	15d.	15e.

PARENTS

FATHER—NAME FIRST	MIDDLE	LAST	MOTHER—MAIDEN NAME FIRST	MIDDLE	LAST
16.			17.		

INFORMANT—NAME (Type or Print)	MAILING ADDRESS	STREET OR R.F.D. NO.	CITY OR TOWN	STATE	Zip
18a.					

DISPOSITION

BURIAL, CREMATION, REMOVAL, Other (Specify)	CEMETERY OR CREMATORY NAME	LOCATION	CITY OR TOWN	STATE
19a.	19b.	19c.		

FUNERAL DIRECTOR OR PERSON ACTING AS SUCH (Signature)	LIC. NO.	EMBALMER SIGNATURE	LIC. NO.
20a.	20b.	20c.	20d.

NAME OF FACILITY	LIC. NO.	ADDRESS OF FACILITY
20e.	20f.	20g.

CERTIFIER

To be Completed by CERTIFYING PHYSICIAN Only

21a. To the best of my knowledge, death occurred at the time, date and place and due to the cause(s) stated.
(Signature and Title)

DATE SIGNED (Mo., Day, Yr.)	HOUR OF DEATH
21b.	21c. M

NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print)
21d.

To be Completed by MEDICAL EXAMINER or CORONER Only

On the basis of examination and/or investigation, in my opinion death occurred at the time, date and place and due to the cause(s) stated.
(Signature and Title)

DATE SIGNED (Mo., Day, Yr.)	HOUR OF DEATH
22b.	22c. M

PRONOUNCED DEAD (Mo., Day, Yr.)	PRONOUNCED DEAD (Hour)
22d. ON	22e. AT M

NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)
23a.

LIC. NO.
23b.

REGISTRAR
24a. (Signature)

DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)
24b.

CAUSE OF DEATH

CONDITIONS IF ANY WHICH GAVE RISE TO IMMEDIATE CAUSE STATING THE UNDERLYING CAUSE LAST

PART I

25. IMMEDIATE CAUSE [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).] — Interval between onset and death

(a)

DUE TO, OR AS A CONSEQUENCE OF: — Interval between onset and death

(b)

DUE TO, OR AS A CONSEQUENCE OF: — Interval between onset and death

(c)

PART II OTHER SIGNIFICANT CONDITIONS—Conditions contributing to death but not related to cause given in PART I (a)

AUTOPSY (Specify Yes or No)	WAS CASE REFERRED TO MEDICAL EXAMINER OR CORONER (Specify Yes or No)
26.	27.

ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST. (Specify)	DATE OF INJURY (Mo., Day, Yr.)	HOUR OF INJURY	DESCRIBE HOW INJURY OCCURRED
28a.	28b.	28c. M	28d.

INJURY AT WORK (Specify Yes or No)	PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify)	LOCATION STREET OR R.F.D. NO. CITY OR TOWN STATE
28e.	28f.	28g.

DHEC-670
Rev. 1978

SAMPLE

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

HOSPITAL—NAME (If not in hospital, give street and number) 1a.	CITY, TOWN OR LOCATION OF DELIVERY 1b.	COUNTY OF DELIVERY 1c.
DATE OF DELIVERY (Month, Day, Year) 2a.	HOUR OF DELIVERY 2b. M	SEX OF FETUS 3.
WEIGHT OF FETUS 4.		

MOTHER

MOTHER—MAIDEN NAME FIRST MIDDLE LAST 5a.	AGE (At time of this delivery) 5b.	RESIDENCE—STATE 6a.	COUNTY 6b.
CITY, TOWN OR LOCATION 6c.	STREET AND NUMBER 6d.	INSIDE CITY LIMITS (Specify Yes or No) 6e.	

RACE— (e.g., White, Black, American Indian, etc.) (Specify) 7.	EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) 8.	College (1-4 or 5+) 8.	DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 9.	IS MOTHER MARRIED? (Specify Yes or No) 10.

PREGNANCY HISTORY (Complete each section)

LIVE BIRTHS		OTHER TERMINATIONS (Spontaneous and Induced)	
11a. Now living Number____ None ☐	11b. Now dead Number____ None ☐	11d. Before 20 wks. Number____ None ☐	11e. After 20 wks. Number____ (Do not include this fetus) None ☐

MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify) 12a.	PRENATAL VISITS Total number (If none, so state) 12b.	THIS BIRTH—Single, twin, triplet, etc. (Specify) 13.	IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify) 13b.	DATE OF LAST LIVE BIRTH (Month, Year) 11c.	DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year) 11f.

FATHER

FATHER—NAME FIRST MIDDLE 14a.	AGE (At time of this pregnancy) 14.	RACE— (e.g., White, Black, American Indian, etc.) (Specify) 14.	EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) 14d.	College (1-4 or 5+) 14d.

CAUSE OF FETAL DEATH

15 PART I — Fetal or maternal condition directly causing fetal death.

IMMEDIATE CAUSE [ENTER ONE CAUSE PER LINE (a), (b), AND (c).] — Specify Fetal or Maternal

(a) _____

DUE TO, OR AS A CONSEQUENCE OF: — Specify Fetal or Maternal

(b) _____

Fetal and/or maternal conditions, if any giving rise to the immediate cause (a), stating the underlying cause last.

DUE TO, OR AS A CONSEQUENCE OF: — Specify Fetal or Maternal

(c)

PART II — OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: Conditions contributing to fetal death but not related to cause given in (a)

FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify) 16.	PHYSICIAN'S ESTIMATE OF GESTATION 17. Weeks	AUTOPSY (Specify Yes or No) 18.

MULTIPLE BIRTHS Enter State File Number for mate(s)

LIVE BIRTH(S)

COMPLICATIONS OF PREGNANCY (Describe or write "none") 19.	COMPLICATIONS OF LABOR AND/OR DELIVERY (Describe or write "none") 20.
CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY (Describe or write "none") 21.	CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Describe or write "none") 22.

FETAL DEATH(S)

NAME OF PHYSICIAN OR ATTENDANT (Type or print) 23.	NAME OF PERSON COMPLETING REPORT (Type or print) TITLE 24.
DATE REPORT COMPLETED 25.	DATE RECEIVED BY HEALTH DEPARTMENT 26.

DHEC-665
Rev. 1978

SAMPLE

LICENSE AND CERTIFICATE FOR MARRIAGE

STATE OF SOUTH CAROLINA

LICENSE NUMBER _____ COUNTY _____

GROOM—NAME (FIRST) (MIDDLE) (LAST) (1)			BIRTHDATE (MONTH, DAY, YEAR) (2a)	AGE (2b)
BIRTHPLACE (State or foreign country) (3)	RACE (4)	RESIDENCE (Street and Number) (5a)		
CITY, TOWN OR LOCATION (5b)	COUNTY (5c)	STATE (5d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)	
BRIDE—NAME (FIRST) (MIDDLE) (LAST) (7)			BIRTHDATE (MONTH, DAY, YEAR) (8a)	AGE (8b)
BIRTHPLACE (State or foreign country) (9)	RACE (10)	RESIDENCE (Street and Number) (11a)		
CITY, TOWN OR LOCATION (11b)	COUNTY (11c)	STATE (11d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)	
MAIDEN NAME OF BRIDE (If Different From Above) (13)				

SAMPLE

Application for a license was filed with this court at _____ M., this _____ day of _____, 19___. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named, and for the so doing this shall be sufficient warrant. Given under my hand and seal at _____ M., this the _____ day of _____, A.D. 19_____.

_____ Signature of Issuing Officer

_____ Title of Issuing Officer

GROOM—Signature (14)	BRIDE—Signature (15)
I certify that the above named persons were married on (MONTH) (DAY) (YEAR) (16)	Place of Marriage (17) COUNTY SOUTH CAROLINA
OFFICIANT—Signature (18a)	OFFICIANT—Title (18b)
OFFICIANT—Mailing Address (18c)	

DHEC 661 (REV. 6/82)

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

DIVISION OF VITAL RECORDS

Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

SCDHEC-682-Rev. 8-1973

ADDRESS

ATTORNEY FOR PLAINTIFF

HUSBAND--NAME (first) (middle) (last) 1	DATE OF BIRTH 2	STATE OF BIRTH 3
RESIDENCE (state) (county) (city) 4	NUMBER OF THIS MARRIAGE 5	RACE OR COLOR (specify) 6
WIFE--MAIDEN NAME (first) (middle) (last) 7	DATE OF BIRTH 8	STATE OF BIRTH 9
RESIDENCE (state) (county) (city) 10	NUMBER OF THIS MARRIAGE 11	RACE OR COLOR (specify) 12
PLACE OF THIS MARRIAGE (state) (county) 13	DATE OF MARRIAGE (month) (day) (year) 14	NUMBER OF CHILDREN UNDER 18 15
PLAINTIFF (specify) 16 / DECREE GRANTED TO (specify) 17	AS DIVORCE CONTESTED (specify yes or no) 18	LEGAL GROUNDS 19
DATE DECREE SIGNED (month) (day) (year) 20	TYPE OF DECREE absolute divorce or annulment (specify) 21	
MAIDEN NAME RESUMED BY DECREE 22 a Yes ☐ No ☐	SUPPLEMENTAL ORDER (if any) (month-day-year) 22 b	
COUNTY 23	DOCKET NUMBER 24	
I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: month day year signature of clerk of court 25		

SAMPLE

AUTHORITY FOR THIS REPORT IS FOUND IN SECTION 20-122, CODE OF LAWS OF SOUTH CAROLINA

INSTRUCTIONS: To the Clerk of Court: When a petition for divorce or annulment is filed, please hand a copy of this form to the attorney for completion of items No. 1 through No. 19. When the decree is signed, check completeness of these items, execute the bottom section and mail to South Carolina Department of Health and Environmental Control, Division of Vital Records, Columbia, South Carolina, on or before the 10th of the month next succeeding the divorce or annulment.

To the Attorney: Please complete items No. 1 through No. 19 of the Report of Divorce or Annulment of Marriage and ask your client to verify the information. WHEN THE DECREE IS SIGNED, RETURN THE FORM TO THE CLERK OF COURT FOR CERTIFICATION.

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of the Estimate in Column (3)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)	(3)	(4)	Upper (5)	Lower (6)
Shigellosis and amebiasis	004,006	004,006	0.9818	0.0378	1.0559	0.9077
Certain other intestinal infections	007-009	008,009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7668	0.0119	0.7901	0.7435
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0820	1.5593	1.2379
Syphilis	090-097	090-097	1.0089	0.0259	1.0596	0.9582
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046,054, 056-066,071-088,098-139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0026	0.0017	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Malignant neoplasms of urinary organs	188-189	188,189	0.9924	0.0045	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9396
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,208,209	0.9385	0.0069	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2595	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.9296	0.0124	0.9538	0.9054
Meningitis	320-322	320	0.9459	0.0163	0.9777	0.9141
Major cardiovascular diseases	390-448	390-448	1.0069	0.0004	1.0076	1.0062
Diseases of heart	390-398,402,404-429	390-398,402,404, 410-429	1.0126	0.0039	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.6648	0.0080	0.6804	0.6492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2119	0.0438	1.2978	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8859	0.8709
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2126
Cerebrovascular diseases	430-438	430-438	1.0049	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431-432	431	0.9969	0.0068	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9948	0.0061	1.0067	0.9829
Atherosclerosis	440	440	1.0649	0.0246	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0098	0.7600	0.7218

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of the Estimate in Column (3)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)	(3)	(4)	Upper (5)	Lower (6)
Acute bronchitis and bronchiolitis	466	466	0.8888	0.0274	0.9425	0.8351
Pneumonia and influenza	480-487	470-474,480-486	0.9264	0.0067	0.9394	0.9134
Pneumonia	480-486	480-486	0.9199	0.0076	0.9347	0.9051
Influenza	487	470-474	0.9714	0.0078	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions	490-496	490-493	1.8846	0.0150	1.9141	1.8551
Bronchitis, chronic and unspecified	490-491	490-491	0.9383	0.0134	0.9646	0.9120
Emphysema	492	492	0.9770	0.0127	1.0018	0.9522
Asthma	493	493	1.3544	0.0636	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions	494-496	...[2]	...[3]	...[3]	...[3]	...[3]
Ulcer of stomach and duodenum	531-533	531-533	1.1192	0.0247	1.1675	1.0709
Appendicitis	540-543	540-543	1.0080	0.0264	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	550-553,560	550-553,560	0.9432	0.0169	0.9762	0.9102
Chronic liver disease and cirrhosis	571	571	1.0110	0.0069	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder	574-575	574,575	1.0494	0.0445	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis	580-589	580-584	1.7397	0.0777	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome	580-581	580,581	0.2422	0.0185	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587	582-584	0.4954	0.0195	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589	582-584	1.6327	0.0958	1.8205	1.4449
Infections of kidney	590	590	0.9878	0.0091	1.0056	0.9700
Hyperplasia of prostate	600	600	1.0232	0.0226	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium	630-676	630-678	1.1000	0.0435	1.1853	1.0147
Pregnancy with abortive outcome	630-638	640-645	3.8125	0.0000	3.8125	3.8125
Other complications of pregnancy, childbirth and the puerperium	640-676	630-639,650-678	0.9840	0.0454	1.0729	0.8951
Congenital anomalies	740-759	740-759	0.9984	0.0100	1.0179	0.9789
Certain conditions originating in the perinatal period	760-779	760-769.2,769.4-772, 774-778	1.0765	0.0238	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769	764-768,772,776	0.7483	0.0306	0.8083	0.6883
Other conditions originating in the perinatal period	760-766,770-779	Remainder of 760-778	1.4639	0.0371	1.5367	1.3911
Symptoms, signs, and ill-defined conditions	780-799	780-796	0.9102	0.0121	0.9338	0.8866
All other diseases	Residual	Residual	0.7786	0.0082	0.7947	0.7625
Accidents and adverse effects	E800-E949	E800-E949	0.9970	0.0030	1.0029	0.9911
Motor vehicle accidents	E810-E825	E810-E823	1.0117	0.0027	1.0169	1.0065
All other accidents and adverse effects	E800-E807,E826-E949	E800-E807,E825-E949	0.9841	0.0051	0.9941	0.9741
Suicide	E950-E959	E950-E959	1.0032	0.0042	1.0114	0.9950
Homicide and legal intervention	E960-E978	E960-E978	1.0057	0.0030	1.0115	0.9999
All other external causes	E980-E999	E980-E999	0.9675	0.0144	0.9957	0.9393

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of the Estimate in Column (3)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)	(3)	(4)	Upper (5)	Lower (6)
All causes	....	....	1.0000	....	....	....
Certain gastrointestinal diseases	008,009,535,555-558	004,006-009,535, 561,563	0.4678	0.0228	0.5125	0.4231
Pneumonia and influenza	480-487	470-474,480-486	0.7471	0.0200	0.7862	0.7078
Congenital anomalies	740-759	740-759	1.0071	0.0062	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight	765	777	0.9630	0.0107	0.9839	0.9421
Birth trauma	767	764-768(.0-.3),772	0.7154	0.0337	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia	768	776.9	0.3270	0.0212	0.3684	0.2856
Respiratory distress syndrome	769	...	...	...	...	...
Other conditions originating in the perinatal period	760-764,766,770-779	Remainder of 760-778	0.8492	0.0098	0.8683	0.8301
Sudden infant death syndrome	798.0	...	...	...	...	...
All other causes	Residual	Residual	0.5455	0.0061	0.5573	0.5335

[1]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[3]Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Source: *MONTHLY VITAL STATISTICS REPORT*, National Center for Health Statistics, DHEW Publication No. (PHS) 80-1120, Vol. 28, No. 11 Supplement, February 29, 1980, pp. 3-4, 12-13.

OFFICE OF VITAL RECORDS AND
PUBLIC HEALTH STATISTICS
S.C. DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL
2600 BULL STREET
COLUMBIA, S.C. 29201